by the Organization.

RESOLUTION MEPC.328(76)
AMENDMENTS TO THE ANNEX OF THE PROTOCOL OF 1997 TO AMEND THE INTERNATIONAL CONVENTION FOR THE PREVENTION OF POLLUTION FROM SHIPS, 1973, AS MODIFIED BY THE PROTOCOL OF 1978 RELATING THERETO- 36 -

3 Notwithstanding paragraph 1 of this regulation , for each ship to which regulation 22 of this Annex applies, the attained EEDI verified by the Administration or by any organization duly authorized by it in accordance with regulation 22.1 of this Annex may be taken as the attained EEXI if the value of the attained EEDI is equal to or less than that of the required EEXI as required by regulation 25 of this Annex. In this case, the attained EEXI shall be verified based on the EEDI technical file.

Regulation 24
Required EEDI

1 For each:

.1 new ship,

---CHUNK---

SOURCE: MEPC.328(76).pdf
as required by regulation 25 of this Annex. In this case, the attained EEXI shall be verified based on the EEDI technical file.

Regulation 24
Required EEDI

1 For each:

.1 new ship,

.2 new ship which has undergone a major conversion, and

.3 new or existing ship which has undergone a major conversion that is so extensive that the ship is regarded by the Administration as a newly constructed ship

which falls into one of the categories in regulations 2.2.5, 2.2.7, 2.2.9, 2.2.11, 2.2.14 to 2.2.16, 2.2.22, and 2.2.26 to 2.2.29 and to which this chapter is applicable, the attained EEDI shall be as follows:
Attained EEDI Required EEDI = (1
X
100) Reference line value

where X is the reduction factor specified in table 1 for the required EEDI compared to the EEDI reference line.

2 For each new and existing ship that has undergone a major conversion which is so extensive that the ship is regarded by the Administration as a newly constructed ship, the attained EEDI shall be calculated and meet the requirement of paragraph 1 of this regulation with the reduction factor applicable corresponding to the ship type and size of the converted

---CHUNK---

SOURCE: MEPC.328(76).pdf
attained EEDI shall be calculated and meet the requirement of paragraph 1 of this regulation with the reduction factor applicable corresponding to the ship type and size of the converted ship at the date of the contract of the conversion, or in the absence of a contract, the commencement date of the conversion.
RESOLUTION MEPC.328(76)
AMENDMENTS TO THE ANNEX OF THE PROTOCOL OF 1997 TO AMEND THE INTERNATIONAL CONVENTION FOR THE PREVENTION OF POLLUTION FROM SHIPS, 1973, AS MODIFIED BY THE PROTOCOL OF 1978 RELATING THERETO- 37 -

Table 1 - Reduction factors (in percentage) for the EEDI relative to the EEDI reference line

Ship Type Size
Phase 0
1 Jan
2013
31 Dec
2014
Phase 1
1 Jan
2015
31 Dec
2019
Phase 2
1 Jan
2020
31 Mar
2022
Phase 2
1 Jan
2020
31 Dec
2024
Phase 3
1 Apr
2022
and
onwards
Phase 3
1 Jan
2025
and
onwards
Bulk carrier
20,000 DWT
and above 0 10 20 30
10,000 and
above but less
than 20,000
DWT

n/a 0-10*

0-20* 0-30*
Gas carrier
15,000 DWT
and above 0 10 20 30
10,000 and
above but less
than 15,000
DWT
0 10

20 30
2,000 and
above but less
than 10,000
DWT
n/a 0-10*

0-20* 0-30*
Tanker

---CHUNK---

SOURCE: MEPC.328(76).pdf
than 20,000
DWT
n/a 0-10*

0-20* 0-30*
Gas carrier
15,000 DWT
and above 0 10 20 30
10,000 and
above but less
than 15,000
DWT
0 10

20 30
2,000 and
above but less
than 10,000
DWT
n/a 0-10*

0-20* 0-30*
Tanker
20,000 DWT
and above 0 10 20 30
4,000 and
above but less
than 20,000
DWT

n/a 0-10*

0-20* 0-30*
Containership
200,000 DWT
and above 0 10 20 50
120,000 and
above but less
than 200,000
DWT
0 10
20
45
80,000 and
above but less
than 120,000
DWT
0 10 20 40
40,000 and
above but less
than 80,000
DWT
0 10 20 35