Engin
e #1
Engin
e #2
Engin
e #3
Engin
e #4
Engin
e #5
12

AM

---CHUNK---

SOURCE: MEPC.328(76).pdf
1973, AS MODIFIED BY THE PROTOCOL OF 1978 RELATING THERETO- 54 -

Applicable regulation of MARPOL Annex VI
(NTC = NOx Technical Code 2008)
(AM = approved method)
Engin
e #1
Engin
e #2
Engin
e #3
Engin
e #4
Engin
e #5
12

AM
installed
13 not commercially available
at this survey

14 not applicable

2.3 Sulphur oxides (SOx) and particulate matter (regulation 14)

2.3.1 When the ship operates outside of an emission control area specified in regulation 14.3, the ship uses:

.1 fuel oil with a sulphur content as documented by bunker delivery notes that does not exceed the limit value of 0.50% m/m, and/or .....

.2 an equivalent arrangement approved in accordance with regulation 4.1 as listed in paragraph 2.6 that is at least as effective in terms of SOx emission reductions as compared to using a fuel oil with a sulphur content limit value of 0.50% m/m .....

2.3.2 When the ship operates inside an emission control area specified in regulation 14.3, the ship uses:

.1 fuel oil with a sulphur content as documented by bunker delivery notes that

---CHUNK---

SOURCE: MEPC.328(76).pdf
2.3.2 When the ship operates inside an emission control area specified in regulation 14.3, the ship uses:

.1 fuel oil with a sulphur content as documented by bunker delivery notes that does not exceed the limit value of 0.10% m/m,
and/or .

.2 an equivalent arrangement approved in accordance with regulation 4.1 as listed in paragraph 2.6 that is at least as effective in terms of SOx emission reductions as compared to using a fuel oil with a sulphur content limit value of 0.10% m/m ...

2.3.3 For a ship wit hout an equivalent arrangement approved in accordance with regulation 4.1 as listed in paragraph 2.6, the sulphur content of fuel oil carried for use on board the ship shall not exceed 0.50% m/m as documented by bunker delivery notes ....

2.3.4 The ship is fitted with designated sampling point(s) in accordance with regulation 14.10 or 14.11.....

2.3.5 In accordance with regulation 14.12, t he requirement for fitting or designating

---CHUNK---

SOURCE: MEPC.328(76).pdf
regulation 14.10 or 14.11.....

2.3.5 In accordance with regulation 14.12, t he requirement for fitting or designating sampling point(s) in accordance with regulation 14.10 or 14.11 is not applicable for a fuel oil service system for a low-flashpoint fuel for combustion purposes for propulsion or operation on board the ship .....

2.4 Volatile organic compounds (VOCs) (regulation 15)

2.4.1 The tanker has a vapour collection system installed and approved in accordance with MSC/Circ.585.....

2.4.2.1 For a tanker carrying crude oil, there is an approved VOC management plan .....
RESOLUTION MEPC.328(76)
AMENDMENTS TO THE ANNEX OF THE PROTOCOL OF 1997 TO AMEND THE INTERNATIONAL CONVENTION FOR THE PREVENTION OF POLLUTION FROM SHIPS, 1973, AS MODIFIED BY THE PROTOCOL OF 1978 RELATING THERETO- 55 -

---CHUNK---

2.4.2.2 VOC management plan approval reference .....

2.5 Shipboard incineration (regulation 16)

The ship has an incinerator:

.1 installed on or after 1 January 2000 that complies with:

.1 resolution MEPC.76(40), as amended .....

.2 resolution MEPC.244(66) .....

.2 installed before 1 January 2000 that complies with:

.1 resolution MEPC.59(33), as amended .....

.2 resolution MEPC.76(40), as amended .....

2.6 Equivalents (regulation 4)

The ship has been allowed to use the following fitting, material, appliance or apparatus to be fitted in a ship or other procedures, alternative fuel oils, or compliance methods used as an alternative to that required by this Annex:

System or equipment Equivalent used Approval reference

---CHUNK---

SOURCE: MEPC.328(76).pdf
fitted in a ship or other procedures, alternative fuel oils, or compliance methods used as an alternative to that required by this Annex:

System or equipment Equivalent used Approval reference

THIS IS TO CERTIFY that this Record is correct in all respects.

Issued at . . . .
(place of issue of the Record)

Date (dd/mm/yyyy) . . . .
(date of issue) (signature of duly authorized official issuing the Record)

(seal or stamp of the authority, as appropriate)

RESOLUTION MEPC.328(76)
AMENDMENTS TO THE ANNEX OF THE PROTOCOL OF 1997 TO AMEND THE INTERNATIONAL CONVENTION FOR THE PREVENTION OF POLLUTION FROM SHIPS, 1973, AS MODIFIED BY THE PROTOCOL OF 1978 RELATING THERETO- 56 -

Appendix II

Test cycles and weighting factors (regulation 13)

The following test cycles and weighting factors shall be applied for verification of compliance of marine diesel engines with the applicable NOx limit in accordance with regulation 13 of this

---CHUNK---

SOURCE: MEPC.328(76).pdf
Test cycles and weighting factors (regulation 13)

The following test cycles and weighting factors shall be applied for verification of compliance of marine diesel engines with the applicable NOx limit in accordance with regulation 13 of this Annex using the test procedure and calculation method as specified in the revised NO x Technical Code 2008.