.3 ship size in DWT and/or GT, as applicable;

.4 ship's limited shaft/engine power and ship's maximum unlimited shaft/engine power;

.5 position of the ship and timestamp when the power reserve was used;

.6 reason for using the power reserve;

---CHUNK---

SOURCE: MEPC.375(80).pdf
.4 ship's limited shaft/engine power and ship's maximum unlimited shaft/engine power;

.5 position of the ship and timestamp when the power reserve was used;

.6 reason for using the power reserve;

.7 Beaufort number and wave height or ice condition in case of using the power reserve under adverse weather condition;

.8 supporting evidence (e.g. expected weather condition) in case of using the power reserve for avoidance action;

.9 records from the SHaPoLi/EPL system for the electronically controlled engine during the use of the power reserve; and

.10 position of the ship and timestamp when the power limit was reactivated or replaced.

Supporting evidence and records as indicated in sub -paragraphs 3.2.8 and 3.2.9 above should be submitted to the Administration or RO for verification and do not need to be submitted to the Organization as part of annual submission of use of a power reserve in accordance with paragraph 3.4."

2 Paragraph 3.4 is replaced by the following:

"In case of having used a power reserve, the ship should without delay notify its Administration or RO responsible for issuing the relevant certificate and the

---CHUNK---

SOURCE: MEPC.375(80).pdf
2 Paragraph 3.4 is replaced by the following:

"In case of having used a power reserve, the ship should without delay notify its Administration or RO responsible for issuing the relevant certificate and the competent authority of the relevant port of destination with the information recorded in accordance with paragraph 3.2. On an annual basis by 30 June every year, the Administration should report to the IMO Secretariat uses of a power reserve over a 12-month period from 1 January to 31 December for the preceding calendar year with the information recorded in accordance with paragraph 3.2, using the format as

set out in the appendix to these guidelines."

3 A new appendix is added as follows:

RESOLUTION MEPC.375(80) (adopted on 7 July 2023)
AMENDMENTS TO THE 2021 GUIDELINES ON THE SHAFT / ENGINE POWER LIMITATION SYSTEM TO COMPLY WITH THE EEXI REQUIREMENTS AND USE OF A POWER RESERVE RESOLUTION MEPC.335(76))MEPC 80/17/Add.1
Annex 12, page 3

I:\MEPC\80\MEPC 80-17-Add.1.docx
APPENDIX

FORMAT FOR REPORTING OF EPL/SHAPOLI OVERRIDE ACTIVATION, USE OF A POWER RESERVE AND REACTIVATION OF EPL/SHAPOLI

Ship type:
IMO number:
DWT:
GT:

---CHUNK---

SOURCE: MEPC.375(80).pdf
Annex 12, page 3

I:\MEPC\80\MEPC 80-17-Add.1.docx
APPENDIX

FORMAT FOR REPORTING OF EPL/SHAPOLI OVERRIDE ACTIVATION, USE OF A POWER RESERVE AND REACTIVATION OF EPL/SHAPOLI

Ship type:
IMO number:
DWT:
GT:
Maximum unlimited shaft/engine power (kW):
Limited shaft/engine power (kW):

Table 1

Date
(dd/mm/yyyy)
Time
(UTC)
Position Override
activation/Reactivation
Reason for using the
power reserve1 Beaufort number2 Wave height2 Ice condition2 Longitude Latitude

_____

1 Reason for override (select at least one option):
.1 operating in adverse weather
.2 operating in ice-infested waters
.3 participation in search and rescue operations
.4 avoidance of pirates
.5 engine maintenance
.6 description of other reasons consistent with regulation 3.1 of MARPOL Annex VI

2 Beaufort number and wave height or ice condition, as applicable, to be entered in case of using the power reserve under adverse weather condition.

***
RESOLUTION MEPC.375(80) (adopted on 7 July 2023)
AMENDMENTS TO THE 2021 GUIDELINES ON THE SHAFT / ENGINE POWER LIMITATION SYSTEM TO

---CHUNK---

SOURCE: MEPC.375(80).pdf
***
RESOLUTION MEPC.375(80) (adopted on 7 July 2023)
AMENDMENTS TO THE 2021 GUIDELINES ON THE SHAFT / ENGINE POWER LIMITATION SYSTEM TO COMPLY WITH THE EEXI REQUIREMENTS AND USE OF A POWER RESERVE RESOLUTION MEPC.335(76))RESOLUTION MEPC.375(80) (adopted on 7 July 2023)
AMENDMENTS TO THE 2021 GUIDELINES ON THE SHAFT / ENGINE POWER LIMITATION SYSTEM TO COMPLY WITH THE EEXI REQUIREMENTS AND USE OF A POWER RESERVE RESOLUTION MEPC.335(76))

---CHUNK---

SOURCE: MEPC.376(80).pdf
RESOLUTION MEPC.376(80) (adopted on 7 July 2023)
GUIDELINES ON LIFE CYCLE GHG INTENSITY OF MARINE FUELS (LCA GUIDELINES) MEPC 80/17/Add.1
Annex 14, page 1
I:\MEPC\80\MEPC 80-17-Add.1.docx
ANNEX 14
RESOLUTION MEPC.376(80)
(adopted on 7 July 2023)
GUIDELINES ON LIFE CYCLE GHG INTENSITY OF MARINE FUELS
(LCA GUIDELINES)
THE MARINE ENVIRONMENT PROTECTION COMMITTEE,
RECALLING Article 38(a) of the Convention on the International Maritime Organization (the Committee) concerning the functions of the Marine Environment Protection Committee conferred upon it by international conventions for the prevention and control of marine pollution from ships,
RECALLING ALSO that at its seventy -second session, the Committee adopted resolution MEPC.304(72) on Initial IMO Strategy on Reduction of GHG Emissions from Ships (Initial Strategy),
NOTING that the Initial Strategy calls for the development of robust life cycle GHG/carbon intensity guidelines for all types of fuels, in order to prepare for an implementation programme

for effective uptake of alternative low-carbon and zero-carbon fuels,
NOTING ALSO that at its eightieth session, the Committee adopted resolution MEPC.377(80)

---CHUNK---

SOURCE: MEPC.376(80).pdf
for effective uptake of alternative low-carbon and zero-carbon fuels,
NOTING ALSO that at its eightieth session, the Committee adopted resolution MEPC.377(80) on the 2023 IMO Strategy on Reduction of GHG Emissions from Ships (2023 IMO Strategy) setting out the levels of ambition for the international shipping sector in reducing GHG emissions,
NOTING FURTHER that the 2023 IMO Strategy provides that the levels of ambition and indicative checkpoints should take into account the well -to-wake GHG emissions of marine fuels as addressed in the guidelines on life cycle GHG intensity of marine fuels dev eloped by the Organization,
NOTING that the 2023 IMO Strategy provides that the basket of candidate mid -term GHG reduction measures should take into account the well-to-wake GHG emissions of marine fuels as addressed in the guidelines on life cycle GHG intensity of marine fuels developed by the Organization,
HAVING CONSIDERED, at its eightieth session, the draft guidelines on life cycle GHG intensity of marine fuels (LCA Guidelines),
1 ADOPTS the Guidelines on life cycle GHG intensity of marine fuels (LCA Guidelines), as set out in the annex to the present resolution;

---CHUNK---