H2: Industrial by-
product hydrogen
Thermochemical
Cycles or
Electrolysis
Nuclear NH3_gmN2_ibpH2_EL_n
126 Electricity Electricity Fossil/Renewable - Grid mix electricity Electricity_gm
127 Electricity Electricity Renewable Dedicated
Photovoltaic
and/or Wind and/or
other
Renewable
electricity
Electricity_renewable

Order Group Fuel type
Feedstock structure Conversion/Production process Fuel Pathway Code
Feedstock
Type
Nature/Carbon
Source Process Type Energy used in the process
128 Wind
propulsion

APPENDIX 2

---CHUNK---

SOURCE: MEPC.376(80).pdf
128 Wind
propulsion

APPENDIX 2

INITIAL DEFAULT EMISSION FACTORS PER FUEL PATHWAY CODE

Order	Fuel type	Fuel Pathway Code	WtT GHG intensity (gCO2eq/MJ)	LCV (MJ/g)	Energy Converter	Cf CO2 (gCO2/g fuel)	Cf CH4 (gCH4/g fuel)	Cf N2O (gN2O/g fuel)	Cslip/Cfug (mass %)	ec gCO2eq/g fuel	TtW GHG intensity (gCO2eq/MJ)	NOTE
1	Heavy Fuel Oil (ISO 8217 Grades RME, RMG and RMK, 0.10 < S 0.50%)	HFO(VLSFO)_f_SR_gm	16.8	0.0402	ALL ICEs	3.114	0.00005	0.00018				

Resolution
MEPC.364(79)
Fourth IMO
GHG study
2
Heavy Fuel Oil
(ISO 8217 Grades
RME, RMG and
RMK exceeding
0.50% S)
HFO(HSHFO)
_f_SR_gm 14.9
0.0402
ALL
ICEs 3.114 0.00005 0.00018
Resolution
MEPC.364(79)
Fourth IMO
GHG study
3
Light Fuel Oil (ISO
8217 Grades
RMA, RMB and
RMD maximum
0.10% S)
LFO(ULSFO)_
f_SR_gm
0.0412
ALL
ICEs 3.151 0.00005 0.00018
Resolution
MEPC.364(79)
Fourth IMO
GHG study
4
Light Fuel Oil (ISO
8217 Grades

---CHUNK---

SOURCE: MEPC.376(80).pdf
Fourth IMO
GHG study
3
Light Fuel Oil (ISO
8217 Grades
RMA, RMB and
RMD maximum
0.10% S)
LFO(ULSFO)_
f_SR_gm
0.0412
ALL
ICEs 3.151 0.00005 0.00018

Resolution
MEPC.364(79)
Fourth IMO
GHG study
4
Light Fuel Oil (ISO
8217 Grades
RMA, RMB and
RMD, 0.10 < S
0.50%)
LFO(VLSFO)_
f_SR_gm
0.0412
ALL
ICEs 3.151 0.00005 0.00018
Resolution
MEPC.364(79)
Fourth IMO
GHG study
RESOLUTION MEPC.376(80) (adopted on 7 July 2023)
GUIDELINES ON LIFE CYCLE GHG INTENSITY OF MARINE FUELS (LCA GUIDELINES) MEPC 80/17/Add.1
Annex 14, page 50