4 Flow chart visualizing biofouling management

An example of a flow chart for visualizing biofouling management risk profile and monitoring of parameters is shown in figure 3.

Figure 3: Flow chart visualizing the biofouling management risk profile and monitoring parameters



necessary reactive
cleaning
Biofouling risk parameters
Design and construction
reinstallation of A
In operation
P

Area has low
risk of

---CHUNK---

SOURCE: MEPC.378(80).pdf
of GP or clean hull
measures
YE
N
Deviation from regular
proactive cleaning or
necessary reactive
cleaning
Biofouling risk parameters
Design and construction
reinstallation of A
In operation
P

Area has low
risk of
biofouling
onitoring
biofouling risk
parameters

APPENDIX 2 INSPECTION AND CLEANING REPORTS

1 Introduction

The Guidelines recommend that a report should be prepared after an inspection and/or cleaning operation. The report should record the details of the biofouling management actions undertaken on the ship. The inspection report should be prepared by the inspection provider. It may also be relevant to prepare a report after an inspection carried out by ship's crew as part of contingency actions.

The cleaning report should be prepared by either the cleaning operators or the inspection provider as part of a combined cleaning and inspection report.

---CHUNK---

SOURCE: MEPC.378(80).pdf
part of contingency actions.

The cleaning report should be prepared by either the cleaning operators or the inspection provider as part of a combined cleaning and inspection report.

Digital tools may be applied for the reporting and/or assessment of results. The conclusions from the reports should be recorded in the BFRB including reference to the detailed report/assessment.

2 Entries in the report after a biofouling inspection

The following information should be recorded in the inspection report:

Ship particulars:
- Ship name
- IMO number
Date and place of inspection
Name of inspection/cleaning company
List of all inspected hull and niche areas
Inspection equipment used (including list of divers/ROV operators participating in the operation)
Inspection conditions (i.e. duration, estimated visibility underwater)
Signature of authorized person of the inspection/cleaning company
Inspection start and end times
Results:
- Type of biofouling as per the rating in table 1
- Quantitative assessments of biofouling cover of area inspected (i.e. estimates of per cent cover) as per table 1
AFC condition

---CHUNK---

SOURCE: MEPC.378(80).pdf
Inspection start and end times
Results:
- Type of biofouling as per the rating in table 1
- Quantitative assessments of biofouling cover of area inspected (i.e. estimates of per cent cover) as per table 1
AFC condition
- The condition of the AFC should be observed during the inspection and reported. The condition is recommended to be categorized in line with table 4
MGPS condition
- The condition of the MGPS should be observed during the inspection and reported. The condition is recommended to be categorized in line with table 5
Photos/videos
- Photos and videos submitted or used in a digital assessment tool as evidence of hull fouling

I:\MEPC\80\MEPC 80-17-Add.1.docx
SAMPLE OF INSPECTION REPORT

Name of ship: .....

IMO number: .....

---CHUNK---

SOURCE: MEPC.378(80).pdf
Name of ship: .....

IMO number: .....

Date: .....

Location/port: .

Inspection organization/responsible officer: .