deviation including deviation limit of the risk parameter
Contingency actions
Long-term actions
<EXAMPLE> <Deviation from the maintenance/service regime of the AFC>
<EXAMPLE> <If the maintenance and service time, specified by the manufacturer, is exceeded, the risk of biofouling is elevated, and contingency actions should be implemented>.
<EXAMPLE> <An inspection should be carried out for the relevant area. Maintenance or repair should be performed at earliest possible opportunity.>
<EXAMPLE> <Regular

---CHUNK---

SOURCE: MEPC.378(80).pdf
and contingency actions should be implemented>.
<EXAMPLE> <An inspection should be carried out for the relevant area. Maintenance or repair should be performed at earliest possible opportunity.>
<EXAMPLE> <Regular
maintenance and repair (e.g.) may be necessary actions for proper protection by the AFC.

Evaluate the need to update maintenance programme.>
<EXAMPLE>
<AFC damage>
<EXAMPLE>
<Failure caused by mechanical damage to the AFC may result in higher risk of biofouling in the areas affected, if not rectified within reasonable time.

The damage should be evaluated for potential biofouling accumulation.>
<EXAMPLE>
<An inspection should be carried out for the relevant area. Repair should be performed at earliest opportunity.
More frequent inspections of damaged area should be implemented until a repair is undertaken.>

<EXAMPLE>
<Deviation from the maintenance/service regime of the MGPS>
<EXAMPLE>
<If the maintenance and service time, specified by the manufacturer, is exceeded, the risk of biofouling is elevated, and contingency actions should be implemented.>
<EXAMPLE>
<An inspection should be carried out

---CHUNK---

SOURCE: MEPC.378(80).pdf
<EXAMPLE>
<If the maintenance
and service time,
specified by the
manufacturer, is
exceeded, the risk of
biofouling is elevated,
and contingency
actions should be
implemented.>
<EXAMPLE>
<An inspection
should be carried out
for the relevant niche
area where MGPS is
installed.
Maintenance,
calibration, or
adjustment of
treatment dosages
for a MGPS should
be performed at
earliest possible
opportunity.>
<EXAMPLE>
<Regular
maintenance and
service (e.g.) may be
necessary actions
for proper protection
by the AFS.
Evaluate the need to
update maintenance
programme>

Biofouling risk
parameters to
monitor
Evaluation of a
deviation including
deviation limit of the
risk parameter
Contingency
actions
Long-term actions
<EXAMPLE>
<Downtime/malfunction

of MGPS>
<EXAMPLE>
<Observed downtime
of an MGPS could
have a direct impact
on risk of biofouling
accumulation.
The impact will
depend on the

---CHUNK---

SOURCE: MEPC.378(80).pdf
risk parameter
Contingency
actions
Long-term actions
<EXAMPLE>
<Downtime/malfunction
of MGPS>
<EXAMPLE>
<Observed downtime
of an MGPS could