have a direct impact on risk of biofouling accumulation. The impact will depend on the duration of malfunction and operating areas (coastal area).>
<EXAMPLE>
<More frequent inspections of relevant area should be implemented until the MGPS is back in operation.>

<EXAMPLE>
<Downtime/malfunction of other AFS>
<EXAMPLE>
<Reduced operation time of other AFS may increase biofouling accumulation in areas where it is usually applied.>
<EXAMPLE>
<More frequent inspections of relevant area should be implemented until the AFS is back in operation.>

<EXAMPLE>
<Exceeding expected lifetime of AFS>
<EXAMPLE>
<Once an AFS has exceeded its lifetime, as specified by the manufacturer, the biofouling risk is increased.>
<EXAMPLE>
<More frequent inspections should be implemented until the AFS is back in operation.>
<EXAMPLE>
<The performance of

the AFS, and any
necessary change in
maintenance or
inspection schedule,
based on
experience, should
be included in the
next update of this
BWMP.>

---CHUNK---

SOURCE: MEPC.378(80).pdf
be implemented until
the AFS is back in
operation.>
<EXAMPLE>
<The performance of
the AFS, and any
necessary change in
maintenance or
inspection schedule,
based on
experience, should
be included in the
next update of this
BWMP.>
<EXAMPLE>
<Deviation from regular
proactive cleaning>
<EXAMPLE>
<When proactive
cleaning is
implemented as part
of the AFS, deviation
from regular use
could lead to
increased risk of
biofouling growth onto
relevant submerged
areas.>
<EXAMPLE>
<An inspection
should be carried
out. If there is
macrofouling (fouling
rating 2) in the
relevant area,
reactive cleaning
with capture should
be performed before
<EXAMPLE>
<Regular
maintenance and

repair (e.g.) may be
necessary actions
for proper protection
by the proactive
cleaning.
RESOLUTION MEPC.378(80) (adopted on 7 July 2023)
2023 GUIDELINES FOR THE CONTROL AND MANAGEMENT OF SHIPS' BIOFOULING TO MINIMIZE THE TRANSFER OF INVASIVE AQUATIC SPECIESMEPC 80/17/Add.1
Annex 17, page 50

I:\MEPC\80\MEPC 80-17-Add.1.docx
Biofouling risk
parameters to
monitor
Evaluation of a
deviation including
deviation limit of the
risk parameter
Contingency
actions

---CHUNK---

SOURCE: MEPC.378(80).pdf
Annex 17, page 50

I:\MEPC\80\MEPC 80-17-Add.1.docx
Biofouling risk
parameters to
monitor
Evaluation of a
deviation including
deviation limit of the
risk parameter
Contingency
actions
Long-term actions
proactive cleaning is
used again.
Maintenance or
repair should be
performed at earliest
possible opportunity.
More frequent
inspections should
be implemented until
the missing proactive
cleaning is in regular
use.>
Evaluate the need to
update maintenance
programme.>

<EXAMPLE>
<Deviation from necessary reactive cleaning>
<EXAMPLE>
<If reactive cleaning is not conducted as scheduled or after an inspection has determined that reactive cleaning is necessary, it will increase the risk of spreading organisms to new locations.>
<EXAMPLE>
<Prior to departure reactive cleaning should be performed, to avoid risk of spreading invasive aquatic species.