SOURCE: MEPC.378(80).pdf
9 Manufacturer and model of cleaning and capture device as well as cleaning company executing the cleaning.

10 Reference to test standard for which the method has been tested, if relevant.

(D) Additional operational procedures and general remarks

Name of ship .....

IMO number, distinctive numbers or letters .....

BIOFOULING MANAGEMENT ACTIVITIES
Date Code (letter) Item
(number)
Record of activity / signature of
officer in charge

Signature of master .....

---CHUNK---

SOURCE: MEPC.378(80).pdf
Signature of master .....

PART II Monitoring of biofouling risk parameters

Name of ship: .....

IMO number, distinctive numbers or letters:.....

Gross tonnage: .....

Period from:..... to: .....

_____

Note:
Biofouling Record Book Part II should be provided to every ship with a Biofouling Management Plan, to record when the ship is at higher risk of biofouling accumulation given by monitoring

---CHUNK---

SOURCE: MEPC.378(80).pdf

_____

Note:
Biofouling Record Book Part II should be provided to every ship with a Biofouling Management Plan, to record when the ship is at higher risk of biofouling accumulation given by monitoring of biofouling risk parameters. Relevant contingency actions should also be recorded.
1 Introduction

The following pages of this section show a comprehensive list of risk parameters to be monitored and recorded in Biofouling Record Book Part II whenever the risk is increased according to the BFMP. The items have been grouped into sections, each of which is denoted by a letter code.

When making entries in Biofouling Record Book Part II, the date, code and item number should be inserted in the appropriate columns and the required particulars should be recorded chronologically in the blank spaces. Each completed operation should be signed for and dated by the officer or officers in charge. The master of the ship should sign each completed page.

The use of an electronic record book to record when the ship is subject to higher risk of biofouling accumulation is an alternative method to a hard copy record book. Electronic

---CHUNK---

SOURCE: MEPC.378(80).pdf
The use of an electronic record book to record when the ship is subject to higher risk of biofouling accumulation is an alternative method to a hard copy record book. Electronic recording and reporting should be encouraged as it may have many benefits and may allow ships to utilize technology to monitor the risk parameters as defined in the BFMP. This may reduce administrative burdens and contribute to better surveillance of potential risk. In case electronic recording is to be used whenever the ship has higher risk, resolution MEPC.312(74) may be used for guidance.

Biofouling Record Book Part II may contain many references to c ontingency actions.
When actions include inspection, maintenance and/or cleaning, these may be recorded in Biofouling Record Book Part I.

Biofouling Record Book Part II should be kept on board the ship in a place where it is readily available for inspection at all reasonable times and for the life of the ship.

Any inspection of Biofouling Record Book Part II should be performed as expeditiously as possible without causing the ship to be unduly delayed.

RESOLUTION MEPC.378(80) (adopted on 7 July 2023)

---CHUNK---

SOURCE: MEPC.378(80).pdf
Any inspection of Biofouling Record Book Part II should be performed as expeditiously as possible without causing the ship to be unduly delayed.

RESOLUTION MEPC.378(80) (adopted on 7 July 2023)

LIST OF ITEMS TO BE RECORDED

(A) When the ship operates outside the expected operating profile specified in the BFMP (e.g. speed, temperature or salinity)

1 Duration and dates when ship is not operating in line with its BFMP.

2 Reason for departure from normal operation.

3 Contingency actions taken to minimize biofouling accumulation (e.g. more frequent inspections) taken in the period when the ship is operating outside the expected operating profile.

4 Time and location (port name or latitude/longitude) when the ship operates again as specified in the BFMP.

(B) Maintenance/service or damage to AFC

1 Date/period and description of any observed reduction of the efficacy, damage or

---CHUNK---

SOURCE: MEPC.378(80).pdf
4 Time and location (port name or latitude/longitude) when the ship operates again as specified in the BFMP.

(B) Maintenance/service or damage to AFC

1 Date/period and description of any observed reduction of the efficacy, damage or deviation from maintenance/service to anti-fouling coating (AFC) during its lifetime.

2 Date/period and description of any operation beyond expected lifetime.

3 Contingency actions taken to minimize biofouling accumulation (e.g. more frequent inspections).

4 Date/period and location where any AFC maintenance or repair was performed (e.g. in dry dock).

5 Description of any AFC, including patch repairs, that was applied during maintenance. Detail the type of AFC, the area and locations it was applied to (including the location of dry-dock support blocks if relevant), an estimated percentage cover of reapplication of the AFC, the coating thickness achieved and any surface preparation work undertaken (e.g. complete removal of underlying AFC or application of new AFC over the top of existing AFC).

6 Reference to any supporting data for AFC maintenance (e.g. AFC technical file).

---CHUNK---

SOURCE: MEPC.378(80).pdf
undertaken (e.g. complete removal of underlying AFC or application of new AFC over the top of existing AFC).

6 Reference to any supporting data for AFC maintenance (e.g. AFC technical file).

7 Name, position and signature of the person in charge of the activity.

(C) Maintenance/service or downtime/malfunction of MGPS