RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING DANGEROUS CHEMICALS IN BULK (IBC CODE)RESOLUTION HEPC.ss(33) (ado pted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING DANGEROUS CHEMICALS IN BULK (IBC CODE)
THE MARINE ENVIRONMENT PROTECTION COMMITTEE,
RECALLING Article 38(a) of the Convention on the Internati on al Haritime Organization concerning the function of the Committee conferred upon it by international conventions Ear the prevention and con trol of marine pol lut ion,
NOTING articl e 16 o f the International Conve ntion fo r the Preventi on of Poll ut i on from Shi ps, 1973 (hereinafter referre d to as the "1973 Convention") and article VI of th e Protocol of 1978 r elating to the International Conventio n for the Preven tio n of Pollution from Ships , 1973 (hereinafter referred to as the " 1978 Protocol") which together specify the amendment procedure of the 1978 Protocol and confers upon the appropriate body of the

Conventio n for the Preven tio n of Pollution from Ships , 1973 (hereinafter referred to as the " 1978 Protocol") which together specify the amendment procedure of the 1978 Protocol and confers upon the appropriate body of the Organization the function of considering and adopti ng amendments t o the 1973 Convention, as modified by the 1978 Protocol (HARPOL 73/78),

RECOGNIZING that when liqui d chemical wastes are transported by sea the y sho uld be car r ied in accordance with the relevant international r ecommendation s or conventions,

NOTING ALSO that it is hig hly desirable for the provisions of the IBC Code which are mandatory under HARPOL 73/78 and the 1974 SOLAS Convention t o remain identi cal under both conve ntions,

HAVING CONSIDERED, at its thirty-third session , the amendments to the Code proposed by the Sub-Committee on Bulk Chemicals at its twenty-first sessio n and cir cula t ed in acco r dance with article 16(2)(a) of the 1973 Conve nti on ,

1. ADOPTS in accorda nce with article 16(2)(d) of the 1973 Convention amendments to the IBC Code, the text of which is se t out in the annex to the present resolution;

1973 Conve nti on ,
1. ADOPTS in accorda nce with article 16(2)(d) of the 1973 Convention
amendments to the IBC Code, the text of which is se t out in the annex to
the present resolution;
2. DETERMINES, in accordance with article 16(2)(f)(ii i) of the
1973 Convention, that the amendments shall be deemed to have been accepte d
on 1 January 1994, or on the da te dete rmined by the HSC on whi ch cor responding
amendments Eor the purposes of the 1974 SOLAS Convention are deemed to have
been accepted in accordance with arti cle VIII(b) (vi)(2) there of, whi cheve r
occurs later, unless pri or t o th at da te, not le ss than one third of the
Parties or the Parties, the combined merchant fle ets of which constitute not
less than fif t y per cent o f the gross to nnage of the worl d's merc hant f l ee t ,
have communica t ed to t he Organization their objec tions to the amendments;
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)- 2 -
3. INVITES the Hariti me Safety Committee to consider the ado pt ion of

ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)- 2 -

3. INVITES the Hariti me Safety Committee to consider the ado pt ion of co rrespo ndi ng amendments to the IBC Code (resolu tion MSC.4(48), as amended), in accordance with the provis ions of article VIII of the 1974 SOLAS Convention;

4. INVITES the Par ties to note that in accordance with article 16(2)(g)(ii) of the 1973 Convention the amendments shall enter into force six months after their acceptance in accordance with paragra ph 2 above;

5. REQUESTS the Secre tar y-Genera l, in conforlnity with article 16(2)(e) of the 1973 Convention, to transmit to all Parties to the 1978 Protocol certified copies of the present resol ution and the text of the amendments contained in the annex;

6. REQUESTS FURTHER the Secret ary -General to transmit to the Members of the Organization which are not Parties to the 1978 Protocol copi es of the resolution and its annex.

RESOLUTION MEPC.55(33) (adopted on 30 October 1992)

ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING

resolution and its annex.
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)- 3 -
AHNEX
AMENDMENTS TO THE lBe CODE
The last sentenc e of 1.1.1 is replaced by the following:
Products that have been reviewe d and determined not to pres ent safety and pollution hazards to suc h an extent as to warrant the application of the Code are found in cha pter 18.
The following sentence is added to the existing text of 1.1.3:
For the eva l uation of the poll ution hazard of such a product a nd assignment of its pollution category, the procedure specified in regulation 3(4) of Annex II of HARPOL 73/18 must be followed.
The existing text of Chapter 8 is replaced by the following:
CHAPTER 8 - CARGO TANK VENTING AND GAS-FREEING ARRANGEMENTS
8.1 AppLication
8.1.1 This chapter applies to ships constructed on or after 1 January 1994.
8.1.2 Ships constructed before 1 January 1994 should comply with the requirements of chapter 8 of this Code ~hich ~ere in force prior to the said da te.

8.1 AppLication
8.1.1 This chapter applies to ships constructed on or after 1 January 1994.
8.1.2 Ships constructed before 1 January 1994 should comply with the requirements of chapter 8 of this Code ~hich ~ere in force prior to the said da te.
8.1.3 For the purpose of this regul atio n, the term "ship constructed" is as defined in regulation 11-1/1 . 3.1 of the 1974 SOLAS Convention as amended.
8.1.4 Ships constructed on or after 1 July 1986 but before 1 January 1994 which fully comply with the requirem ents of the Code applicable at that time may be r egarded as complying with th e requirements of reg u lation 11-2/59 o f the 1974 SOLAS Convent ion.
8.1.5 For ship s to which the Code applies , the requirements of th is chapter should apply in lieu of regulation 11-2/ 59 .1 and 59 . 2 of the 1974 SOLAS Convention, as amended.
8.2 Cargo tank ventin g
8 . 2.1 All cargo tanks should be provided with a venting system appropriate to the cargo being carried and these systems should be independent of the air pipes and venting systems of all other compartments of the ship. Tank ven tin g systems should be designed so as to minimize the possibility of cargo vapo ur

the cargo being carried and these systems should be independent of the air pipes and venting systems of all other compartments of the ship. Tank ven tin g systems should be designed so as to minimize the possibility of cargo vapo ur accumulating about the decks, entering accommodation, service and machinery spaces and control stations and, in the case of flammable vapours, entering or collecting in spaces or areas containing sources of ignition. Tank venting systems should be arrang ed to prevent entrance of water into the car go tanks and at the same time, vent outlets should direct the vapour discharge upwards in the form of unimpeded jets.

RESOLUTION MEPC.55(33) (adopted on 30 October 1992)

ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING

DANGEROUS CHEMICALS IN BULK (IBC CODE)- ; -

8.2.2 The venting systems should be connected t o the top of each cargo tank snd as far as practicable the cargo vent lines should be self-draining back to the cargo tanks under all normal operational conditions of li st and trim. Where it is necessary to drain venting systems above the l evel of sny

snd as far as practicable the cargo vent lines should be self-draining back to the cargo tanks under all normal operational conditions of li st and trim. Where it is necessary to drain venting systems above the l evel of sny pressure/vacuum valve, capped or plugged drain cocks should be provided.

8.2.3 Provision should be made to ensure that the liquid head in any tank does not exceed the design head of the tank. Suitable high-level alarms, overflow control systems or spill valves, together with gauging snd tank filling procedures may be accepted for this purpose. Where the means of limiting cargo tank overpressure includes an automatic closing valve, the valve should comply with the appropriate provisions of 15.19.

8.2.4 Tank venting systems should be designed and operated so as to ensure that neither pressure nor vacuum created in the cargo tanks during loading or unloading exceeds ta nk design parameters. The main factors to be considered in the sizing of a tank venting system are as fo l lows:

.1 design loading and unloading rate;

.2 gas evolution during loading: this should be taken account of by

unloading exceeds ta nk design parameters. The main factors to be considered in the sizing of a tank venting system are as fo l lows:

.1 design loading and unloading rate;

.2 gas evolution during loading: this should be taken account of by multiplyi ng the maximum loading rate by a factor of at least 1.25;

.3 density of the cargo vapour mixture;

.4 pressure loss in vent piping and across valves and fittings;

.5 pressure/vacuum settings of relief devices.

8.2.5 Tank vent piping connected to cargo tanks of corrosion resistant material, or to tanks which are lined or coated to hand l e special cargoes as required by the Code, should be similarly lined or coated or constructed of corrosion-resistant material.

8.2.6 The master should be provided with the maximum permissible loading and unloading rates for each tank or group of tanks consistent with design of the venting systems.

8.3 Types of tank venting systems

8.3.1 An open tank venting system is a system which offers no restriction except for friction losses to the free flow of cargo vapours to and from the carg o tanks during normal operations. An open venting system may consist of

8.3.1 An open tank venting system is a system which offers no restriction except for friction losses to the free flow of cargo vapours to and from the carg o tanks during normal operations. An open venting system may consist of individual vents from each tank, or such individual vents may be combined into a common header or headers, with due regard to cargo segregation. In no case should shutoff valves be fitted either to the individual vents or to the header.

8.3.2 A controlled tank venting system is a system in which pressure and vacuum relief valves or pressure/vacuum valves are fitted to each tank to limit the pressure or vacuum in the tank. A controlled venting system may consist of individual vents from each tank or such individual vents on the pressure side only as may be combined into a common header or headers with due regard to cargo segregation. In no case should shutoff valves be fitted

RESOLUTION MEPC.55(33) (adopted on 30 October 1992)

ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING

DANGEROUS CHEMICALS IN BULK (IBC CODE)- 5 -

RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)- 5 -
either ab ove or below pressure or vacuum relief valves or pressure/vacuum valves. Provision may be made for bypassing a pressure or vacuum valve or pressure/vacu um valve under ce rtain operating co nditi ons provided that the requirement of 8.3 .5 is maintained and that there is suitable indication to show whether or not the valve is bypassed.
8.3.3 The position of vent outlets of a controlled tank venting sys tem should be arranged:
.1 at a height of not less thsn 6 m above the weather deck or above a raised walkway if fitted within 4 m of the raised walkway;
.2 at a distance of at least 10 m measured horizontally from the neare s t air intake or opening to accommodation, service and machi nery spaces and ignition sources.
8.3.4 The vent outlet height re fer red to in 8.3.3.1 may be reduced to 3 m above the deck or a raised walkway, as applicable, provided that hi gh velocity venting valves of a type approved by the Administration directing the

8.3.4 The vent outlet height re fer red to in 8.3.3.1 may be reduced to 3 m above the deck or a raised walkway, as applicable, provided that hi gh velocity venting valves of a type approved by the Administration directing the vapour/air mixture upwards in an unimpeded jet with an exit velocity of at least 30 m/s are fi t ted.

8.3.5 Controlled tank venting systems fitted to tanks to be used for cargoes having a f lashpoint not exceeding 60·C (closed cu p test) should be provided with devices to prevent the passage of flame into the cargo tanks. The design, testing and locating of the devices should comply with the requirements of the Administration which should contain at least the standards adopted by the Organization.*

8.3.6 In designing ve nti ng sy st ems and i n the selection of devices to prevent the passage of flsme for incorporation into the tank vent i ng system, due attention should be paid to the possibility of the blockage of these systems and f ittings by, for example, the freezing of cargo vapour, polymer build up, atmospheric dust or icing up in adverse weather conditions. In this context

attention should be paid to the possibility of the blockage of these systems and f ittings by, for example, the freezing of cargo vapour, polymer build up, atmospheric dust or icing up in adverse weather conditions. In this context it should be noted that flame arresters and flame screens are more sus ceptible to blockage. Provisions should be made such that the system and fittings may be inspected, ope rat io nall y c he cked, clea ned or re newed as applica ble.

8.3.1 Reference in 8 .3.1 and 8.3.2 to the use of shutoff valves in the venting li ne s should be int erpreted to exte nd to all other means of stoppage including spectacle blanks an d blank flanges.

8.4 Ventin g requi re ments for individual pr odu c ts

Venting requirements for indi vidual products are shown in column "g" an d additional requirements in column "0" in the table of c hapt er 11.

* Ref ere nce is made to the Revised Standards for the Design, Testing and Locating of Devices to Prevent the Passage of Flame into Cargo Tanks in Tank e r s (MSC/Circ.373/Rev.l).

RESOLUTION MEPC.55(33) (adopted on 30 October 1992)

ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION

Locating of Devices to Prevent the Passage of Flame into Cargo Tanks in
Tank e r s (MSC/Circ.373/Rev.l).
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)- 6 -
8.5 Cargo tank gas-freeing*
8.5.1 The arrangements for gas-freeing cargo tanks used for cargoes other
than those for which open venting is permitted should be such as to minimize
the hazards due to the dispersal of flammable or toxic vapours in the
atmosphere and to flammable or toxic vapour mixtures in a cargo tank.
Accordingly, gas-freeing operations should be carried out such that vapour is
initially discharged:
.1 through the vent outlets specified in 8.3 . 3 and 8.3.4; or
.2 through outlets at least 2 m above the cargo tank deck level with
a vertical efflux velocity of at l east 30 mls maintained during the
gas-freeing operation; or
.3 through outlets at l east 2 m above the cargo tank deck leve l with a
vertica l efflux velocity of at least 20 mls which are protected by
suitable devices to prevent the passage of flame.

gas-freeing operation; or
.3 through outlets at l east 2 m above the cargo tank deck leve l with a vertica l efflux velocity of at least 20 mls which are protected by suitable devices to prevent the passage of flame.
When the flammable vapour concentration at the outlets has been reduced to 30% of the lower flammable limit and in the case of a toxic product the vapour concentration does not present a significant health hazard, gas-freeing may thereafter be continued at cargo tank deck level.
8.5.2 The outlets referred to in 8.5.1.2 and 8.5.1.3 may be fixed or portable pipes.
8.5.3 In designing a gas-freeing system in conformity with 8.5.1 partic ularly in order to achieve the required exit velocities of 8.5.1.2 and 8.5.1.3, due consideration should be given to the following:
.1 materials of construction of system;
.2 time to gas-free;
.3 f l ow characteristics of fans to be used;
.4 the pressure losses created by ducting, piping, cargo tank inlets and outlets;
* Reference is made to the Revised Factors to be taken into Consideration when Designing Cargo Tanks Venting and Gas-Freeing Arrangements

.4 the pressure losses created by ducting, piping, cargo tank inlets
and outlets;
* Reference is made to the Revised Factors to be taken into Consideration
when Designing Cargo Tanks Venting and Gas-Freeing Arrangements
(MSC/Circ.4S0/Rev.1) and to the Revised Standards for the Design, Test ing
and Locating of Devices to Prevent the Passage of Flame into Cargo Tanks
in Tankers (MSC/Circ.373/Rev.l).
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)- 7 -
.5 the pressure achievable in the fan driving medium (e .g. water or
compressed air);
.6 the densities of the carg o vapo ur/air mixtures for the range of
cargoes to be carried.
In the existing text of 11.1.2 the words " Caustic potash solution, phosphoric
acid or sodium hydroxide solution" are re placed by the followl.ng words;
"products which are non-flammable (entry NF in column 1 i' of the table of
minimum requirements)".
New parag ra ph 11 .1 . 3 is added as follows:
For ships engaged solely in the car riage of products with flashpoint

"products which are non-flammable (entry NF in column 1 i' of the table of minimum requirements)".

New parag ra ph 11 .1 . 3 is added as follows:

For ships engaged solely in the car riage of products with flashpoint above 60·C (entry "yea" in column' i' of the table of mimimum requirements) requirements of chapter tl-2 of the 1983 SOLAS amendments may apply as specified in regulation II-2/55.4 in lieu of the provisions of this chapter.

At the end of th e existi ng t ext of t he introdu ct or y paragraph of c hapter 12 - Mechnical ventilation in the cargo area the following sentence is added;

However, for products addressed under 11.1.2 and 11.1.3, except acids and products for which pa ragra ph 15.17 apply, regulation 11-2 /59.3 of the 1983 saLAS amendments may appLy in lie u of the provisions of this ch apter.

The existing text of 14.2.8.1 is replaced by the following:

filt er type respirat or y protection is unacceptable;

The exist ing text of 15.13 is amended to read as follows:

15 . 13 Car goes protecte d by additives

15.1 3. 1 Certain cargoes with a referen ce in column '0' in the table of

filt er type respirat or y protection is unacceptable;
The exist ing text of 15.13 is amended to read as follows:
15 . 13 Car goes protecte d by additives
15.1 3. 1 Certain cargoes with a referen ce in column '0' in the table of chapter 17 by the nature of their chemical make-up tend, under certai n con dit ions of temperat ure, exposu re to air or cOntac t with a catalyst, to undergo polymerization, decomposition, oxidation or oth er che mi cal changes. Mitigation of this tendency is carri ed out by introdu c ing small amounts of chemical additives into the liquid cargo or by controlling the cargo tank environment.
15.13.2 No change.
15.13.3 Care should be taken to ensure that these cargoes are sufficiently protected to prevent del e terio us chemical change at all times during the voyage. Ships carrying such cargoes should be provided with a certificate of protection from t he manufa cture r and kept during the voyage specifying:
.1 the name and amount of additive present;
.2 whether the additive is oxygen-dependent;
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION

the voyage specifying:
.1 the name and amount of additive present;
.2 whether the additive is oxygen-dependent;
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)The
- 8 -
,3 date additive was put in the product and duration of
effectiveness;
.4 any temperature limitations qualifying the additive's effective
life time; and
.5 the action to be taken should the length of voyage exceed the
effective lifetime of the additive.
15.13.4 Ships us i ng the exclusion of air as the method of prevent ing
oxidation of the cargo should comply with 9.1.3.
15.13.5 A product containing an oxygen-dependent additive should be
carried without inertian (in tanks of a size not greater than
3,000 m3). Such cargoes should not be carried in a tank requiring
inertian under the requirements of SaLAS chapter 11-2.
15.13.6 A, existing 15 .13.5.
15.13.7 A, existing 15.13.6.
existing text of 15.15 is reElaced bl the word:
"Deleted"
In the existing text of 15.8.29 the following words are inserted after the
second sentence!

15.13.6 A, existing 15 .13.5.
15.13.7 A, existing 15.13.6.
existing text of 15.15 is reElaced bl the word:
"Deleted"
In the existing text of 15.8.29 the following words are inserted after the second sentence!
Remote manual operation should be arrange~ such that remote starting of pumps supplying the water spray system and remote operation of any normally closed va l ves in the system can be carried out from a suitable location outside the cargo area, adjacent to the accomodation spaces and readily accessible and operable in the even of fire in the areas protected.
A new 15.21 is added as follows;
15.21 Temperature sensors
Temperature sensors should be used to monitor the cargo pump temperature to detect overheating due to pump failures.
The existing text of Chapter 17 is replaced by the following:
CHAPTER 17 - SUMMARY OF MINIMUM REQUIREMENTS
Mixtures of noxious Equid substances presenting pollution hazards only and which are provisionally a ssesse d under regulation 3(4) of Annex II of MARPOL 73/78. may be carried under the requirements of the Code applicable to the appropriate position of the entry in this chapter for noxious liquids not

and which are provisionally a ssesse d under regulation 3(4) of Annex II of
MARPOL 73/78. may be carried under the requirements of the Code applicable to
the appropriate position of the entry in this chapter for noxious liquids not
otherwise specified.
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)Product name
(column a)
UN number
(column b)
Pollu tion ca tegory
(column c)
Hazards
(co l umn d)
Ship type
(co lumn e)
Tank type
(column f)
Tank vents
(column g)
Tank environmental
control'"
(column h)
- 9 -
EXPLANATORY NOTES
The product names are not identical with the
names given in previous is sues of the Code,
or the BCH Code (for explanation see i ndex of
chemical!!)
The number re latin g to eac h product shown in
the recommendations proposed by the United
Nations Committe e of Experts on the Transport
of Dangerous Goods. UN numbers, where
available, are given for information only.
The lett er A, B, C or D means the pollution
category assigned to each product under

Nations Committe e of Experts on the Transport of Dangerous Goods. UN numbers, where available, are given for information only.
The lett er A, B, C or D means the pollution category assigned to each product under Annex U of MARPOL 73/78. "UI" means the product was evaluated and found to fall outside the categ ories A, B, C or D.
Pollution category in brackets indicates t hat the product is provisionally ca tegorized and that further data are nece ssary t o complete the evaluation of their pollution hazards.
Unti l the hazard evaluation is completed, the pollution category assigned is used.
S means that the produ c t is included in the Code because of its safe t y hazards;
P means that the pr oduct is included in the Code because of its polluti on hazards; and
SIp means that the product is included in the Code because of both its safety and pollution hazards.
2
J
1
2
G
P
Open:
Cont:
SR:
Inert:
Pad:
Dry :
Vent:
ship
ship
ship
type
t ype
type
(2.1.2)
2 (2.1.2)
3 (2.1.2)
independent tank (4 .1.1)
in t eg ral tank (4.1.2)
gravity tank (4 .1 .3)
press ure tank (4 .1. 4)
open venting
co ntrolled ventin g
safety relief valv e

Pad:
Dry :
Vent:
ship
ship
ship
type
t ype
type
(2.1.2)
2 (2.1.2)
3 (2.1.2)
independent tank (4 .1.1)
in t eg ral tank (4.1.2)
gravity tank (4 .1 .3)
press ure tank (4 .1. 4)
open venting
co ntrolled ventin g
safety relief valv e
inerting (9.1 . 2. 1)
liquid or gas (9.1.2.2)
dr ying (9 . 1.2 . 3)
natural or force d (9 .1.2.4)
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)Electrical equipment
(column i)
Gauging
(column j)
Vap ou r detec t ion*
(colum n k)
Fire prote ctio n
(column 1)
Mate ria ls of
construction
(col umn m)
Respiratory and
eye protection
(column n)
* "No" indicates ni l requirerrents.
- to -
Tl to T6:
IIA, lIB or IIC:
NF;
Yes:
No:
temperature classes**
apparatu s groups**
nonflam mable product (10.1.6)
f lash point exceeding 60·C
(c l osed cup t es t) (10. 1. 6)
flashpo i n t not exceeding
60 · C (c l osed c up test)
(to.1.6)
0: ope n gauging (13.1. 1 .1)
R: r estr i ct ed gauging (13.1 .1. 2)
c: closed ga u ging (13.l.1.3)

1: indir ec t gaugi ng (13 . 1.1. 3)

(c l osed cup t es t) (10. 1. 6)
flashpo i n t not exceeding
60 · C (c l osed c up test)
(to.1.6)
0: ope n gauging (13.1. 1 .1)
R: r estr i ct ed gauging (13.1 .1. 2)
c: closed ga u ging (13.l.1.3)
1: indir ec t gaugi ng (13 . 1.1. 3)
F: flammable vapo ur s
T: toxi c vapo ur s
A: Al cohol-resis t a nt foam o r mli lt i pu rpose
foa m
B: regular foam, encompasses all foams t ha t
are not of an alcoh ol-resistant type,
i ncluding fl ucra- pro t ei n and aqueous-film
fo rming foam (AFFF)
c: water-spray
0: dr y chemica l ***
No: no s pecia l require men ts unde r th i s Code
N: See 6.2 . 2
Z: See 6.2 . 3
Y; See 6 . 2.4
A blank indicates no s pecial guidance g iven
for materials of constructi on .
E; See 14.2 . 8
** TeTq)erature classes and apparatus groops as defined i n International Electrotechnical
Garmission Publica tion 79 (part 1. appendix D. parts 4. B and 12. A blank indica tes
that data are currently not available.)
1< Dry chemical pclloder SystEmS ~n used may require lln additional water systEm for bo..nlary
cooling. This is normall y provided i n sufficient quant ities by the standard fire rmin

that data are currently not available.)
1< Dry chemical pclIoder SystEmS ~n used may require lln additional water systEm for bo..nIary cooling. This is normall y provided i n sufficient quant ities by the standard fire rmin systen required by regulation U-2/4 of the 1974 SOlAS Convention as arerDed .
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)'.)10.
'Zl/1l/'J2
PlCOUUlCE llll)o'\lIIIIEII < , COlSII I. DASlO 0
Ac.t1e: .c:id
" "",. Ib Tl XU Ib n,! 15.11 .2 to 15.11.4, 15.11.6 to 15.11.8, IS.19.6
AaUe: _,<kide 1715 0
"
0. .. ,. " m Ib ,-, Yl IS.U.2 to 15.11.4, IS.ll.6 to 15.11.8, 15.19.6
latOM q&OOb,<1cla 1541 'I> " 0. .. Ib Tl IL\ y" Yl 15.1, 15.12. IS.17 to 15.19, 16.6

AaUe: _,<kide 1715 0
"
0. .. ,. " m Ib ,-, Yl IS.U.2 to 15.11.4, IS.ll.6 to 15.11.8, 15.19.6
latOM q&OOb,<1cla 1541 'I> " 0. .. Ib Tl IL\ y" Yl 15.1, 15.12. IS.17 to 15.19, 16.6
latodtrUe I'" III , " Cont. '" " XU " ,-, " 15.12. 15.19.6 lcrJl.-1de sol",Uon (SO\ or 2074 0 , " -" ... . 15.12 .1, IS.ll, 15.16.1. I~l IS.19.6, 16.6.1 latUe: Kid 221' , " Cont. ", " IIA " N Yl '" IS.13, 15.19.6. 16.6 .1 lcrJ IOll.itrUe 10" 'I> " Cont. '" Tl It> '" N 1I),l , 15.12, 15.1), IS.17, 15.1' kUpon..ltdle 2lOS , " 0. .. .. '" y" , " ll&d:t.\oc tecblll.c:el (90\ Ol" ". l
" ... .. y" 0 .. '.< n " 15.19.6, 16.2.6 , 16.2.9. ~l 161..2.2
llo;:Obal (CI2-<:15) pa1r{l-6)
" .. ' '" y" .. .. 15.1'.6 etboxJl.lt ..
Uc:obol (C12-C15) paly{7-19)
" .- " y" 0 .. '" 15.19.6. 16.2.6 etboxJll1t ..
llo;:Obal (CI2-<:15) palf{20+)
" .., ,. y" .. ""
~
~
ethozylilt ..
lloobol (Cfi-C17)(~1 " ... ., 0 .. .. 15.19.6 polf{ l-6)lthaXJ btu
Ueobol (Cfi-CI7) {~l
" "". ,. y" " .. 15.1'.6.16.2.6, 16 .2.9 po1r(1-12jltboq"la tu
W:.uIe (CU-Cl1) SIll{OII.ie:
" ... . 0 .. '" .. 16.2.6 ICld, .dl.1II .. It 6O-f;S\ in
~,~
11k.-. ("",,I 'G) " ... , . .. " , .. 15.19.6 1ll:arJ'1 polJlu..n (C'J-aD)

" "". ,. y" " .. 15.1'.6.16.2.6, 16 .2.9 po1r(1-12jltboq"la tu
W:.uIe (CU-Cl1) SIII{OII.ie:
" ... . 0 .. '" .. 16.2.6 ICld, .dl.1II .. It 6O-f;S\ in
~,~
11k.-. (""",,I 'G) " ... , . .. " , .. 15.19.6 1ll:arJ'1 polJlu..n (C'J-aD)
" ... .. y" 0 .. ',' .. 15.19 . 6, 16.2.6 llkrl eaybtl-dllri prr1dJ.oot
" ... , . .. " .. 15. 19. 6 oapo1r-c in tol_
lllcJl ~/-~/-~
"
0, ... y" 0 .. .. 15.19 .'
a1:rtun (CI2<17 total cadIooI
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)P.IIo.
71/1L/92
PRO(lIUI.W. UM"_lMIBtlI , I_"" I J lIS)t) I , 0
Ukrl (C3-(4) ..... uou
" """ .. .. "' 15. 19.6 llk"rl (C5-<I) bel\ZellC!~
" -'" ,,, 0 .. .. 15.19.6 Ukylbototene wlphoaic acid 258-4,25&6 '" " ... '" , .. 0 .. .. 16.2.1, 16.2. 1 AlqlbenulMI $Ulpb;>nic .cid.
" ... .. " 0 .. .. .. 16 .2.1 to 16.2.9 50iJIII s.olt soll lUm
AUryl (0"") lIitr4ln ," " -" v,. 0 '" '0' 15.19.6, 15.20, 16.6 Uhl alawal "" 'I' " "",, .. t2 III " e N 15. 12. 15.11, 15.19 m,l c:b.locilie UOO

" ... .. " 0 .. .. .. 16 .2.1 to 16.2.9 50iJIII s.olt soll lUm
AUryl (0"") llitr4ln ," " -" v,. 0 '" '0' 15.19.6, 15.20, 16.6 Uhl alawal "" 'l' " "",, .. t2 III " e N 15. 12. 15.11, 15.19 m,l c:b.locilie UOO
'" " "",, .. t2 In '" .., , 15.12, 15.11, lS.I~ lllDia.J. .. ehl.adde (30\ or lG
""" '" "
T
'"
E It) 15.11
len)/ll,clrocblocic ~crd 120\
or leu) solutillll
2-(2 - /.IWaetbaq) ethano l lOSS , " "" . .. V" 0 .. ',0 " '" 15.1'.1. 6 AIwIoelh,1 ethanol.wlne (0)
" ,,, ... t2 In ,,, 0 " " '" H·/.IIJ.COIIItbyi pipera l ille 281S
"
CClQl.
'"
V" " .. 1S.19.6 l ·M.lJIo· 2""C1ttbJ i'! 'prOp4Ool
" -.. V" .. " .. (901 or less) "-'".l. oq.*>US (28\ or leu) 2672(11' 'l' " 0,,,, .. " l ,a, C '" E (" &:ax!.i ... a.J.tr.ate solytiOll (93\ lG
-'" " .. .. ,. " 15.2, 15.11 . , IS.11.6, IS.ta. CIr Ius) 15 .19.6 ~
A=I:>ni .. sulphide .solutiO<l 2683
'" " """, ... H " 15.12, 15 .16.1, 15.17. 15. 1'.1, N (45\ oc Ius) 16.6
~i .. Waq ..... u 125\ or 'e(" ... '" '" 0 .. .. .. lua)/I.rnxLi ... thiosul~hit e
(20\ or leu) solutioa

A=I:>ni .. sulphide .solutiO<l 2683
"' " """, ... H " 15.12, 15 .16.1, 15.17. 15. 1'.1, N (45\ oc Ius) 16.6
~i .. Waq ..... u 125\ or 'e(" ... "' "' 0 .. .. .. lua)/I.rnxLi ... thiosul~hit e
(20\ or leu) solutioa
"'-Xli ... thlosu lj)b.iu $Olut ioo ,e(, " -.. " .. .. .. 16.2.9 (60\ or Ius) ,.,.1 ."'tlll (all lsooecs) U," , " Coo" "' .. .. 15.19.6 RAil ... 15<' , ," " Coo" .. 11 III V" T .. 15.12, 15.11, 15.1~ h htloa ~latea (01 ,e, , " """ .. "' f .. 15.19. 6 ~.cUDS a:od j$O-panlU.II.I
!PT 9S 12O"C) (bb)
GeOl..,. ancl aUt"""~ hllY in<I 1114{t) 'I' 1 " """, .. n III .. .., '0' .. 15.12.1 15.11. l S. 19 .6, iO\ bltOI.elle or ..,re " 16.2.9
for . ixlur u con t,ining no ath r ca.-.pantnt. w,lh nItty h iU. ~ds lind when tI .. pall ulion Cl te90~Y is C or 1,u.
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)(1.110.
71/11/92
"""_ .... IDI-,'UIIIIU '-""" '-""" "
Ieft_ .sulpboorl dllorJda "25 " """ .. , .. A,' " .. 15.19.6 kDlrl ~t.te

AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)(1.110.
71/11/92
"""_ .... IDI-,'UIIIIU '-""" '-""" "
Ieft_ .sulpboorl dllorJda "25 " """ .. , .. A,' " .. 15.19.6 kDlrl ~t.te
" ... '" .. , '" .. 8e<Izrl I1cohol " ... .. , .. '" '" kDl,! cbloddol 1738 Sf' " C(lnt. '" T1 m , .. 1 A,_ , 15. 12,15.13, is.l7. 15 .19 !IItCM ~liQCMr
" ... .. ,,, '" A .. 15.19.6 .... ty! _tite (. n bc.el'll) 1123 , " """. .. .. A .. 15 .19.6 .... t,1 .c;rybh (.11 ISCDeU)
""
sf'
" "",. .. " 1m .. '-1 .. 15.13, 15.)9.6, 16.6 .1 , Ui.6.2 ktyl..u. (ill '-l'll) U25, 1214 Sf' " """" .. .. '-1 " 15.12, 15.11. lS . I9 .6 8<ltyl.benlen. (1.11
l sc.r si
"" , " """ '" .. '" 15.19. 6 ktyl benzyl pbtMl.te
" -.. ,,, .. '" 15.19. 6 llutyl buty~ .. tl (lll be ... rs) " """ . .. . 15.19.6 .utr1/Deq l/CetJ llElcos, l
"
Coo,"
'" '" .. A,P '" lS.11, 16.6.1, 16.6.2 MtMcryl.u 1lixtW'1
1,2-aut rleM t»ddoo 3022 sf' " """" 'M~ T2 '" .. A,C .. 15.8.1 to .1, .12, .U, .16 to .19, .n, .25, .71, . 29,
15.19.6
B-llIt,1 eU.r 1149 sf' " c..," ... ~ .. '" .. f-! '" 15.4.6, 15.U. 15. 19.6 ~ Ik/tll _U\l.,ryl.t, S
"
C"". .. lU .. F-T A, P .. 15.13, 15.19.&, 16.6.1, 16.6.2 w

15.19.6
B-IIIt,1 eU.r 1149 sf' " c..," ... ~ .. '" .. f-! '" 15.4.6, 15.U. 15. 19.6 ~ Ik/tll _U\I.,ryl.t, S
"
C"'". .. lU .. F-T A, P .. 15.13, 15.19.&, 16.6.1, 16.6.2 w
a-autyl propiooat e 1914 , " "",. .. '" , A .. 15.19. 6 .... tyrlldeby de (Ill iSCDIrs) 112' Sf' " C"'". '" Tl lU .. '-1 .. 15.16.1, 15.19.6 IIItyric: .dd
"" " """" .. , .. >b n '" 15.11.2 t.o IS_11 . , IS.11.6 tD u.u .
C.lcl,. Ukyl (G) phlnol
" ... .. ,., .. A,I .. IS.19.6 sulphidoo/ PolrohUIl
rJ-pborOSI./lp/lida Ilirt"" l
C.l,1,. bJpOChlllrit .. solution s/' lO "", . .. " .. .. " .. IS.16.1 (lS\ or less)
ca..Lcila bfPOdllorll . soJ.uUoa S/, lO """" .. or .. .. " .. IS.16.1, lS.19.6 (.. no tb&<I lS\)
c.Jd,. 1009 cba1A .lkJl
" - , ... A,I .. 16 .2.1,16.2.8 .. ,_.Hcylnl (et3+)
CMpbot 011 SIP , " """" No 1I1 .. A,I .. 15.19. 6 Carbolic oU sf' " "",. '" r .. H .. !s.l2, 15.19
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)'.110.
17/11/~2
PlOeXU'W
"-""""
E I_OlSK I_OlSlO
" ,
CU"boD dJ.SIIlphide IIII ,fp

ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)'.110.
17/11/~2
PlOeXU'W
"-""""
E I_OlSK I_OlSlO
" ,
CU"boD dJ.SIIlphide IIlI ,fp
" """, P.d'I .. rt " m "' f -T E 15.3, 15.12, 15.19 CU"bon tltrKhloride ,,", 'fp
" """- "" " "" 15.12, 15.11, 15.19. 6 W/M .. nut m.1I oil
" """- "" 'u , a "" (untreated)
Getr l/Ei(tn,1 ... thac.., late III , " -.. ... , "' '.' "' IS. B, 1t 6.1, 16.6.2 ..... ~. ChlM'OaalUc Kid (&0\ or
"" 'fp " """, "" " "' "' " "' 15.11.2, IS.H.t, 15 .11.6 to Ilss) IS.U.!, 15.12.3, 15.19,
16.2.9
Chlotlnlted .,ulffIns
" -.. ... "' "" 15.19 (CI0-Ctl) Chiorobennnt. ID4
'I' " """- " n 1IA "" r oT '.' "" },5.19.6 Ch.!Oftl{Ofll '88' 'I' " Cont . "" " "' E 15.12, 15.19.6 ~llloroilrdr"l!\$ (code) ,0, , " """, "" 1IA "" roT "'
15.12, 15.19 4-Chlo[Q-2-.oethy Iphenoq.c etic (0) " <." "" " "" "' " "' Kid. <1i.IIIeth,l-.i.1M sdt
soJIII1Qll
o'Chlol"ODl tl:QbenItM me 'I' " """- "' ... E A.B.D "' 15.12 , 15.17 to IS.19, 16.2.6, ~ 16.2 .9, 16A.2 .2
2- or l-chloropropionic Kid 2Stl(n) (0)

soJIII1Qll
o'Chlol"ODl tl:QbenItM me 'l' " '"'"- '" ... E A.B.D '" 15.12 , 15.17 to lS.19, 16.2.6, ~ 16.2 .9, 16A.2 .2
2- or l-chloropropionic Kid 2Stl(n) (0)
'l' " ",. '" ", No n '" 15.11.2 to JS.U.t, IS.U . '-to IS . U.B, 16.2.7 to 16.2.9
0l1o=lpfIonic acid 1754 'fp , '" E.", "" " "" 15.11.2 to 15.11.!, 15.12, . 15.16.2.1 5.19
II-{"hlONIOI...,.,. 2218 'iP " '"', No '" r oT ... '" 15.19.6 o-ch..l_ tollllOi W. 'l' " '"', "" "" r oT '.' '" lS.19.6 p-<lllo(Otoluene w. 'l' " '"'" , " '" r oT '.' '" 15 .19.6, 16.2.') Ch l orotol~" (lllftd l ~) 223. 'l' 10 ("ont. '" '" r oT .. 15.19.6 Cod tv ,fp ~
" '"'- "" T2 In ... '" .. , " 15.19.6 Coil 1&1" nlpblha soh~t
'l'
)
" '"', "" n lU '" r oT '.' " 15.19.6 co.l tar pitch (.,HeeI) , , " '"'- "" T2 In T .. "" .. , " 15.1').6 Cob&!t »pIItbenltl ill ",l~t
'l' " Cont. '" "" r oT . 0 '" IS. 19.6
'"', COQQrIuloll hltr Kid
"
",.
'"
T ..
"" '"
16.2.7 to 16.2 .9
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)'.lfQ.
71/11/ 92
PltODUJW!! UlCIIUI!B£1l ,_'"'" I_DASlO , , ,

ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)'.IfQ.
71/11/ 92
PltODUJW!! UlCIIUI!B£1l ,_""" I_DASlO , , ,
er-te (=-1 l&r) '1> '" ... .. " IU Y., 0 '" ' ,D "" IS. 19 .6 <nosote (1ICICd) '1> '" .. ' '" " In Y" 0 '" ',0 "" IS. 19.6 (ruols (.11 .uc-u) """ '1> '" .. ' .. 11 ItA Y .. 0 " ' ,1 '" IS. 19 .6 ~u,Hc Kid, depbuo11ud 'IP '" ... ' .. Y .. 0 No ... '" IS.19.6 Cnq-lic Idd, sodlu. Nil 'IP ;0; ... " , .. 0 '" '" .. .. 15.19. 6 .salutl00
(cotc;nl llWlfdlo 1143 SIP ;0; """t. '" n 'u .. r-f , 15.12, 15. 16.1, 15. 11, 15. 19.6 1,5 , 9-Cyc:l~lt1_ SI' '" """L '" Y .. , '" No 15.ll, 15.19, 16.6.1, 16.6.2 Cyclobepr..- (bb) 2241 'I' ;0; """t. '" '" "" 15.19 . 6 Cyc:lobel_ (bb) 11-15 'I) 2G """t. '" '" '" 15 . 19.6, 16.2. 9 C,Clon.UDOM 1915 2G Coot.
'" "
In
'"
r·,
'" '"
IS.19. 6
Crdobu_, Cyc:lobelWlOl
'" """t. "" ... r·, '" '" .... ~
CfClobelrfl aa.tlte "43 'l) '" """L No '" .. 15. 19. 6 Cyclobexyl-.iM "57 I . ,. 2G Cool.
'"
Tl ItA
""
f-"! ' ,C
" '"
15.19. 6
l,l-C,elopentecU_ cU.c
" """. " " r "" 15.19.6, 16.2.6, 16.2.9, (.,!t ea) 1" .2.2

CfClobelrfl aa.tlte "43 'l) '" """L No '" .. 15. 19. 6 Cyclobexyl-.iM "57 I . ,. 2G Cool.
'"
Tl ltA
""
f-"! ' ,C
" '"
15.19. 6
l,l-C,elopentecU_ cU.c
" """. " " r '" 15.19.6, 16.2.6, 16.2.9, (.,!t ea) 1" .2.2
Cyclopent_ (bbl 1146 ee' " ""L .. " .. IS. 19. 6 cr c l opeD~ 22" ,0, " """L .. .. .. 15. 19.6 ~ P-(r-ne (bb)
"" "
"""L
'"
No
'"
15.19.6 ~
~1(Kid l
" .. ' '" Y" 0 .. " 16.2. 1 to 16.2.9
""""" 0 " CDQt. '" No r No 15.)9. ' 1liJcy1 aa.llte ,l) " ... '" , .. 0 '" No 15.19.6 1liJcy1 KCfJlle S" " ... ' .. Tl !U Y" "" A,C,D '" " IS.ll, 15.19.6, 16.6,1, 16. 6. 2 Dec,l dClOboi (Ill u-cs) '" .. ' '" Y., "" .. IS. 19. 6, 16.2.9(.s1 lliJcyi~etr.llydz"O·tblopb. ... 'IP 1 ;0; ""t .. Y., , .. 15. 19. 6 d.1od~
DlllutrlM.1.Dol ". " ""L .. " III .. r·, ',C,D " .. 15.19 ... D1Mrl brdco9ta ~te
" ... .. Yo, 0 '" '" IS.19.6, 16.2.6 D1Myl pbtbaht, P
" ... '" Yu 0 .. " 15. 19.6 Dldll otd;oeQ_ (e n t.-cs) SIP " c.,L .. 11 m Y .. , ' , B, D " ... 15.19.6, 16.2 .6(11, 16. 2.9(,1 , l'A.2.Ut)
l,l · D lcb.loroe~ "62 " ""L .. " ILl No r·, IS.U.6
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION

l,I · D lcb.loroe~ "62 " """L .. " ILl No r·, IS.U.6
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING DANGEROUS CHEMICALS IN BULK (IBC CODE)Pofge lID.
71/11 /92
PII(QJJI,IJ([UNJ;l.m!ER I_D.I.S14 t_DlSIO
D1cblDroelbrJ et her 1916 SIP
"
Coot .
"' "
lU
"
f-' B
" "
15 . 19.6
1,6-DichlDro/'lullllle SIP
"
Cool,
"' "
B,B
"
15 .19.6
2,2' - 01eb.lorolso propri I ther 2~90 Sly 20 C~t.
"' ."
A,C,O
" '"
15.12,15.17, 15.19
Oiebl or<netbane 159) S
"
Cont. No
"
lIB . ., T
"' " 2,<I.-DichlorQ9/'.eDCll "'I sIP
"
Cont. 0" V., " '" 15.19.6 2 ... · 01cbloropnenoxy..:otic SI' 20 <>po,
'"
NF
" '" '" "
15. 19.6
.. dd, d.i,tIWloIMUne $illl
solu U oa
2. ~ - Dl dlloropbeflo>tJKet ie SIP , " ,,"0 '" NF " No " '" 15. 19.6 acio .u..tl'lr lM.in, ~It
solu ti on (70\ or Ius)
2." - Old1lorophe~~><ractt ic SIP)
" """ '"
NF 0 .. No
" "
15.19.6
Icld, ttilSOl'I"ClplllOJ3OL\ne salt
solution
l,I -01ehloroprop.>M SIP
"
Coo,"
"' "
f-' B,B No IS . 12, 15.19.6
1, 2-DidlLoropropanl
""

siP
"
Coo,"
"' "
llB No F-T B,B
"'
15.12, 15. 19. 6

" """ '"
NF 0 .. No
" "
15.19.6
Icld, ttilSOl'I"ClplllOJ3OL\ne salt
solution
l,I -01ehloroprop.>M SIP
"
Coo,"
'" "
f-' B,B No IS . 12, 15.19.6
1, 2-DidlLoropropanl
""
siP
"
Coo,"
'" "
lIB No F-T B,B
'"
15.12, 15. 19. 6
1,1-DlchlorClptopalle S
" ",,", No " lIB '" F-T B,B No 15. 12. 15.19.6 I,l-Olchi croproplll
""
Slf
"
Coo," No T2 lIB
"
F-T B,B 15. 12, 15.17 to 15. 19 ~
Olcb.lcroprope ... /Dlc blcro- SIP
" """"
No
"
F-T A.B,D 15.12, 15.17 to 15. 19
~
p~..t.xtw: u
2,2'Olchioroprflpionic Kid
"
","I , 0" . ., No Y5 '" 15.11. 2. lS.ll. ~ . 15.11.610 15.11.8
Dletbanolllinl S
" -" "
lIB . ., .. B
'" .. Ol'lhrl~ :15. SIP
"
Coo,"
" "
m
"
f-t B
"
IS.12. 15, 19.6
Oiltbrl.:o:a1_ thallOl 2666 SIP
"
'on , No
"
lU
'"
F-F B, '
" '"

15 .19.6
2.6-01,tbrl&nl!lne Sly
" "", " ." " II,C.D "' No IS.n.G, 16,2.9 OlethrlDtn:,,,.
"'" " "'"'" "' "' , "' IS.19.6 Dietbr llDoftrJ...uoe
"" "
Opo"
" "
m
."
No
"' "' Diltlill ttber 1155 III S 10 Coo," ",, ~ T4 lIB "' f-' "' 15 ... . IS.H, 15.19 01-(2-Ithrlll ... yl) phospbcri:
""
siP
" .. ' "' . ., , '0 B,O "' No <Kid
Oid llrl p/lth.llil e , " "", "' . ., , " " 011tllil sulpb.lle 159.
"'

m
."
No
'" '" Diltlill ttber 1155 III S 10 Coo," ",, ~ T4 lIB '" f-' '" 15 ... . IS.H, 15.19 01-(2-Ithrlll ... yl) phospbcri:
""
siP
" .. ' '" . ., , '0 B,O '" No <Kid
Oid llrl p/lth.llil e , " "", '" . ., , " " 011tllil sulpb.lle 159.
'"
sIP
"
Cool.
'" . ., " " 1S. 1'J.6
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)p.lIa.
71/11/92
PftODU)IlHF: UII)IIJ1Q!£l '-- IJ)J,SIll ,
01",lr"ldrl .ther oC bisphellCl
" "" . .. . " 15.19.6, 16.2.6
 D191reidrl .tber oC bl~1IC1
" ... .. ." .. .. 15 .19.6, 16 .2.6 ,
Di-ll-ileql adlpau " "" . .. ." .. .. 15 .19.6 Dibobutr lMlOI "61 (0) lIP " C::lnt. n, .. '-I ~,C,D " .. IS.12.), 15.19.6 Di1sobut,l_ "". " """, ... , .. 15. 1' . 6 011.,t,1 pblhLllIt.
" "". "" ." .. .. 15.19.6, 16.2.6 DiisQJIropanolw....
'" " "". '" "
lU
." "" " ""
ID.2.7 to 16.2.9
OU..JOPZ'OPr1MJ.MI IIS8 lIP " """- " " lU .. , ' · T " 15.12, 15 .19 DU~JlbenUM (ill
" """ .. ." "" "" 15.19.6 l~fSJ
N,.-Ou..tbrb cctaraida solution
"
Cont.
"" T" '" "" 15.12.1, 15.17 (411\ IX less)

lU
." "" " ""
ID.2.7 to 16.2.9
OU..JOPZ'OPr1MJ.MI IIS8 lIP " """- " " lU .. , ' · T " 15.12, 15 .19 DU~JlbenUM (ill
" """ .. ." "" "" 15.19.6 l~fSJ
N,.-Ou..tbrb cctaraida solution
"
Cont.
"" T" "" "" 15.12.1, 15.17 (411\ IX less)
DL-llIrl lIdipeu " .., .. ." .. .. 15.19. 6, 16.2.' DlMthrl.....t1Ml soJutJoa (45\ or U60 lIP " Cont. "" " lU "" l-T A,C,D " , 15.12, 15.19.6 i.SOI)
OL-tbrilaiDl lOiutioa aGO lIP " "", ... l-T A,C,D " 15.12, 15.17, 15.19 ~ (",",liter tllln ",S\ but DOt ~
",rntu thlIn 55\)
OL-th,l';""" so luUoa a .. lIP 2
" """- "" .. '-T A,C,O " 15.12, 15.14, 15. 17, 15.19 (",",liter UllIn 55\ btlt not
grntlr tban 65\ )
JI,II-OL.thr1C7clot.uyl.w.. "'. 'IP " """- .. Ib l-T .. , " .. 15 .12, 15.11, 15.19.6 OL.t.llrl.UIan)I.w.. 2." " """- .. Tl lU .. '-I ',' "" .. 15.19.6 OlMlb,lfo~d.I
"" " """- "" 12 lIB .. '·T ',' "" 15.19.6 01. tbr1 ",lut.ru. C
" ... .. ." .. " DiMtbtl brdrogoill pboq>blu
""
lIP
" "", . .. 1~. T ',' "" 15 .12.1 DL-tIl,l oo;tl/'lCll.c acid (0)
" "" . .. ... no "' 16.2 .8, 16.2.9 OlMlll,1 pbthlll.t.
" .... "' ." no " O.t.tbrl ....:cln.u.

" ... .. ." .. " DiMtbtl brdrogoill pboq>blu
'"
lIP
" '"', . .. 1~. T ',' '" 15 .12.1 DL-tII,l oo;tl/'lCll.c acid (0)
" '"' . .. ... no '" 16.2 .8, 16.2.9 OlMlll,1 pbthlll.t.
" .... '" ." no " O.t.tbrl ....:cln.u.
" ... .. ." " .. 16.2.' DlDltrotllluen. (IKI!tU) '600 lIP 2ti (0) '"'". " T" C T .. 15.12, 15.11, IS.19, 15.21 1,.-Oioune 065 " '"',. " n '" .. '·1 " 15.12, 15.19
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)Pal}elb.
I1lu/92
PIIOOOJfAKE lIMJM«IER l_D,ISH l _DASlll 0
Dipeoteoe "52
"
Coot.
'" " , '" IS.19.6 Dlpbeof1 " Opo, '" y" '" '" IS.19 DiphecflamiDe, reaction "l 'l' " '"', " y" 0 '" '" IS.19 prodlK:t "i th
2,2,4.-Tri=ethJ lpenter>e
DipbllnJllllines, allcflued
" ..., '" y .. '" '" 15.19 .& DiphenJl/DipbeoJl etller
" '", " y" No '" 15.19 eWrtures
DiphenJl ether
" '"', '" y" '" '" 15.19 .6 DiphenJl etber/Diphenrl phenrl
" '"', '" Yo, '" '" 1S.19.6 ethet laixture
DlphecJlD!thane dilSCICJanata

" ..., '" y .. '" '" 15.19 .& DiphenJl/DipbeoJl etller
" '", " y" No '" 15.19 eWrtures
DiphenJl ether
" '"', '" y" '" '" 15.19 .6 DiphenJl etber/Diphenrl phenrl
" '"', '" Yo, '" '" 1S.19.6 ethet laixture
DlphecJlD!thane dilSCICJanata
'"" '" 'I' , " cont. 0" 'fest!»~ T{b) A,B, C(c),D " '" 1S.12, 15.16.2, 15.17, 15.19.6 , 16.2.~, 16 . 2.9,
161.:'U:
DlpbeQJlal propIIIIe-
" '"', '" Yo, 0 " '" 15.19.6, 16.2.6 IpkblorohJdrill resins
Dl-n-prtJPJ lilIIIIIline "Ol C
'" "
Coot.
'" '"
N
'" '"
15.12.3, 15.19.6
Dodecene (dl bCDers)
'" " ..., '" y., 0 '" '" 15.19.6 Dodecyl dcobal
" '"', " y" '" '" 15.19.6, 16.2.6, 16.2 .9,
~
~
161.2.2
[I;deq laainil/Tettadeq.laaiDe
'" "
Co>"
'"
y., t 1,0
'" '"
15,19.6
oLrt~
lkldo!CJ ldimethJllllline/Tetradecy 'I' " '", ., y" '" B,C,D " '" 15.19.6 t.u.thJl-.be 1liJrtUl'1!
Dodecr l dipbellJl ether
'" , " '"', '" '" 0 '" '" '" 15.19.6 d1$QlpboIIate solutlCD
DodecJl _th.x:rrlate III , " '"', '" y" 0 '" '" IS.ll l)odecyl/Pentadecy I III , " '"' '" Yo, '"' 1,0 '" lS.r3, 16.6.1, 16.6.2 _tbacrylate lWrtunl
Dodecyl pbllool
"
Opo, ., y.,
'" '"
15.19
Dtlllin9 brizles (coouWnq
" '"', '" Yo, '" '" '" 15.19.6 lice salts)
[pieblorohrdrin

Dodecyl pbllool
"
Opo, ., y.,
"' "'
15.19
Dtlllin9 brizles (coouWnq
" "", "' Yo, "' "' "' 15.19.6 lice salts)
[pieblorohrdrin
"" 'I' "'
Cont.
"' "' "'
N 15.12, 15.17 , 15.19
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)bO)tl»O.
71/11/91
.... _ ... UlIJMQI[I. ,_- I_DISK} , , 0
tllwlol~ 1491 , " .... .. n In y" 0 N J2 No 2-Elhoq,lhrl K1It&le 1172 , , " """. No .. , No 15.19 .6 tlll,l Ktyl&le 1917 I
"' " "", . .. n JIB .. '-f 15.13, 15.19.6, 16. 6.1, 16 . 6. 2 Elh,lMlne 1016
"' "'
IG "",. .. n Ul No '-f ',0 "' 15.11, 15.14, 15. 19. 6 EU.,I-w. $CIllltlOllS (72\ or 2270
"' ," " """- "" No ,·f I,' " 15.12, lS. a, 15.17, 15. 19 I . ..)
llhfl w.yl botal>l WI
" "",. " .. .. 15. 19.6 £tbyl.betl_ 1115 I
" """. .. .. .. 15. 19.6 II·Ethrlhutrl..J.De { ~l ," " "",. "' No ,·f Jl No 15. 11. 3, 15.19.6 ttllrl but,rn, n .. , , " Coo'- .. No .. 15 .19. & £tllrlq<;lobeune (bll) 'e} " "", . .. "" ... 15. 19. 6 II-ttllrlc:yclohll!J l-.il>l , " """- No No N " No 15.19.6 [ltlrlene dllorahr ddn illS C ,fp

" "", . .. " In "' '-f ',0 , 15. 12, 15.17, 15.\9 HII,II"' t"J'&/"ICIIIJddll (0' , " .... No no y" "" .. ttllrlm.diMIIII , ... "' " "",. No " In .. F-! " "' 15 . 19.6, 16.2.9 ttllr line dil>caI.id. 160'
"' " """- .. " J .. 15.12, 15.19.6 , 16. 2.9 ltbrl_ dicb1orlo. 1184 I
"' " "",. .. " IU .. ,.J 1,1 "' ... 15.19 Etllr},"' 91ro::ol butrl ether
"' , " -" y .. 0 .. " ~ ~ ..:aUII [IIIrllle glf<:Ol c!1K:11l.1te
" .... .. y .. 0 .. .. Utlrlelle 917:01 _tbfl .thor
" -.. y" .. "' &atllt.
Etllr1_ 'lItc:ol _Ikrl
" "", . .. No .. 15 . 19 .6 . tM.U
£lllr1_ oxId./ Proprl_ orida
"" ""
IG ,,",. """ n ru ... c ,., I , ' .. 15.' , 15. 12, IS .", 15.19 oo1lCtun \fiU. f"Q [tllr 1aoc. odd.
CODtllll oe pOL en tbaoll lOt
In llelqlll
Etbrl-l ... ~l_u , " """". "' "" "' I .. 15.19.6 2-£thtl.hexJl Ktylet. ," " .... "' " m y" 0 .. "' 15.13, 15.19.6, 16.6 .1, 16. 6.2 2-EthrlhurlMlDl 227.
"' " """. "' ... '-J " .. 15. 12, 15.19.6 Ilh,HdeM P<>rl>anw- "' " """- ... No ,., I , D "' ... IS. 12. 1, 15.16.1 , 15. 19.6 Etb,l _thaal 1&t.
"" (0' , " ,,",. ... " III "" ,.J I,D .. IS. Il, 15.19.6 , 16 .6.1, 16 . 6. 2
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)

"" (0' , " ,,",. ... " III "" ,.J I,D .. IS. Il, 15.19.6 , 16 .6.1, 16 . 6. 2
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)~1IQ8 Ho. .0
Z1/U/'12
~ROOO).,IJ!£ lIN)IIIKllEll , H I_OASH 1_015113 , ,
o-El1lylpileDOI (A' 'IP " """" Ho II II> y" "' "' IS.19 .6 2-Ethr 1·3·ptopylac.roleio A 'I' " CooL No III " ,., "' 15.19.6 £thyltollX'ne
"' "
':"ooL
"'
H,
"'
15.19.6
fetTle o;/)}odde sol\.1tioos 2582 'I' " """ Ho "' , "' " " 15.11. 15.19.6, 16.2.9 ferric nitnte/NItdc acid 'IP
"
Coot. Ho
"' "'
15.11, 15.19
W!UtiOCl
fluorosiliclc acid (20·30\)
"'
1778
'I'
10 Coot.
"' "' "'
15.11
I/ater solution
fO<Nld.ehrde solutions (45\ Or II9~(d) 2209 'I' , " Coot. "' T2 m " N E (a) 15.16.1, 15.19.6, 16.2.9 leu)
foruc aeid 1719
"
CooL
"
Tl IlA
"
I(v) Y2,13 15.11.2 to IS.H.of, \5 . 11.6 to
15.11.11, 15.19.6
ftnaric adduct of rosin, IIIIter
" """ "
y"
"
No Ko 15.19.6, 16.2.6
dispetsion
furfural. U99 'I' , " Cont. "" T2 m " e-Y "" 15.16.1, i5.19.6 fur!11r"J1 alcohol 11114
" """ "
Y .. 0 Ko

15.11.11, 15.19.6
ftnaric adduct of rosin, IlllIter
" """ "
y"
"
No Ko 15.19.6, 16.2.6
dispetsion
furfural. U99 'I' , " Cont. "" T2 m " e-Y "" 15.16.1, i5.19.6 fur!11r"J1 alcohol 11114
" """ "
Y .. 0 Ko
"' Glutaraldehyde solutioru; (50\ 2G
""" " "'
0
" " "'
15.16.1
or leu)
Glrcidrl en et af CIO
"
0,,,
"
y"
"' "'
lS.I!U N 0
trlalkJlae.tic acid
lleptil/le (aU isaoers) (~b)
"" (0' " Cont. " " "' 15. 19.6 lleptanol (all isaoersj (q) 2G CooL '0 " .. 15.19.6 lieptene. (~ll i$allllrs) (bb) 0
"
Coot. Ho
" "'
15.19.6
IIePtJI acnat . 'B) , " """ " y" , "' Ko 15.19.6 ilexlDethylfnediai.ne $(I\ution 11113 'I' " Cont. "' Y .. , " " IS.19.6, 16.2.9 I!ex_l1lrlenewne
:<.4'13 0 'I' " Cent. Ho "' ,., 1,0 H' .. IS.19.6 ~ (aU i sa:oers) ,bO, "')6 (OJ
"
Coo" Ho
" , A '0 15.19.6 lIue~ (all isa:oers) (bb) l<:j , 2G Cont. Ho
"' , .. 15.19.6 1Ie",1 a.calate 1m , " Cant. Ho "' .. 15.19.6 Ilrdrodlloric acid 1789 , 10 CooL
" "' , .. E eC) 15.11 Ilydroqen pe~Xlde 1lO1utions 201-1. 29a4 SIP
" ",,,, No "' "' "' "' 15.5 .14 to 15.5.26, IS. la, (over a\ hut not aver 60\) 15.19.6

" "' , .. E eC) 15.11 llydroqen pe~Xlde 1lO1utions 201-1. 29a4 SIP
" ",,,, No "' "' "' "' 15.5 .14 to 15.5.26, IS. la, (over a\ hut not aver 60\) 15.19.6
Ilrdt09'!n peroxide $(Ilutions 2015 'I' " Coo" No "' "' No "' 15.5.1 ta 15.5.13, 15.19.6 (aver 6(\ but not over 70\)
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)P.IID. H
11/111'!2
PIOOU.IIUCE "'_ ..... G '-""" '-""" , 0
2-II~thrl K:rJI.ltt 'IP ,; Conl. "' ... " 15.12, 15.Il, 15.19.6, 16.6.1, 16.6.2
2-Hrd.ro.q-4-(MtlIrl thlol ,; ... .. V~S .. " 16 .2.7, 16.2.B but_Ie .ldd
llopIIoroMdl-.ioe
""
0 , ,; ""c " ... T "' " I~ diisoq&nlt. 2290 a 'IP ,; co."
"' ... A,I,O " " 15.12, 15.16.2, 15.I7, 15.19.6 lsopr . ... 121B '/P " """, " Tl m " a .. 15.13, 15.14, 15 .19.6. 16.6.1, 16.6.2
ISCl)~IM.i ... '/P ,; ... " T2 m , .. '·T > "' " 16. 2.1, 16.2.9 lsopropri.llWlt
""
C '/p
"
Cont.
"
12 lU
"
C
""
C,O
"
15.12, IS.H, 15.19
Isoproprlcrela/lu_ (bbl
"'
P ,; Conl.
"

ISCl)~IM.i ... '/P ,; ... " T2 m , .. '·T > '" " 16. 2.1, 16.2.9 lsopropri.llWlt
""
C '/p
"
Cont.
"
12 lU
"
C
""
C,O
"
15.12, IS.H, 15.19
Isoproprlcrela/lu_ (bbl
'"
P ,; Conl.
"
No , ,. 15.19.6, 16.2. 7, 16.2.8 Jsopcoprl ttber US9 0 , " ""C 'Mrt " " 15,".6. 15.1).3, 15.19.6 welonitrUe solution (80\ or '/P 10 co.c " , .. T A.C,D Yl , 15.1, 15 .12, 15.17 to 15.19, 1 ....) 16.2.6, 16. 6
w<II'1c ...,id ,; ... " ... 0 " .. 15.19.6,16.2.6, 16.2.9, 161.2. 2
L1qu l d~.:.al_ .. 'lP ,; c.", '" .. C ' -T 15.12, 15.19.6, 2O.S.1 N t.onq dIoliIl ..t1uCJ1 polJelhlt ,; ... " ... " >,a " 16. 2.7,16 .2.8 ~ (Cll-c1(l)
Looq ciulla polptlMtaioe La ,; 0.", '" " " IS.19.6 , 16.2.7, 16.2.8 .IlkJ'l (0-<4) btlll_.
l.orIq c:b.lifl polruher-.iDt hi
" """ , " "" .. 15.19.6, 16.2.7, 16.2.8 _tie soh .. al
,...sila 10119 chUn . Ik,l
" ... .. T .. 0 .. .. 16.2.1, 16.2.e .. liqlat. (Cll')
II&lde """fdrldt 22" , " 0.", ... '" "II) ,C .. III~obeQ'"thia",l. sodi .. 'lP " -.. " 0 .. .. " .. IS.19.6, 16.2.9 .. It soiulioa IIIdlyl odoSoo "29 , ,; co.c .. T2 II!
"
'-T .. 15.19 .6
IIIt_ xd.Ila solution 'IP
" ... " " 0 " " " .. IS. 19 .6 Mltb&cry1ie Kid 2SJl ,;

"
'-T .. 15.19 .6
IIlt_ xd.Ila solution 'IP
" ... " " 0 " " " .. IS. 19 .6 Mltb&cry1ie Kid 2SJl ,;
"""" .. Yo. T n " IS.13,16.6 .1 MlthKrrlie rui.rl in £th,ltno= '/p
"
Cont.
'"
T2 m
"
'·T l,a " .. 15.19, 16.2.6 d.idlJadda
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)F. Jb. Il
71/1Ih2
PR«XJ -'1m "'."""" I_DlSII I_DASH) , 0
KetbacqlonLtrlll
"" , " o.L Oo Oo ,., M,e 15.12, 15.13, 15.17, IS.19 Heth71 Kl'}'l&t. 1919 'I' " "". Oo " IIB Oo ,., 15.13, 15.19. 6, 16.6. 1, 16.6.2
!letb71ailWl soll1tl_ (~2\ or
""
",.
" "",. No " ,., I,C,O "' 15.12,15.17, 15.19 Ilu)
Hettl,l..,1 aottatl <23) ,e)
" "",. No No No 15.19.5 Mtll,l..,-l &l0;:0h0i "53 (C)
"
""L 15. 19.6
IIlth,1 butrntl <23, ,e)
"
""L 15.19.6
llethrlcydablune (bb)
"" 'C) " ""L .. " .. 15.19.6 Heth,lcy ciopllllAdJ_ dino!r (B)
"
""L .. No , .. 15.19 .6
!letll,1 d.1ltbaoal..lne , " 0,,, Oo ", 0 Oo "' " 2-!letbyHi ... thyl .nUw e
'I' " -
No ,,, 0
"
H,D ..
2'!lelbJI-5-etllrl prdrllll 2300

"" 'C) " """L .. " .. 15.19.6 Heth,lcy ciopllllAdJ_ dino!r (B)
"
""L .. No , .. 15.19 .6
!letll,1 d.1ltbaoal..lne , " 0,,, Oo ", 0 Oo "' " 2-!letbyHi ... thyl .nUw e
'I' " -
No ,,, 0
"
H,D ..
2'!lelbJI-5-etllrl prdrllll 2300
"' 'I' " """ .. m ", 0 "' H,D .. " 15 . 1~L6 KethJI (Ol'Ntl ll<l
"
Cont.
" "' ,., H , 15.12, 15.14, 15.19 Hethyl bl=plyl k&tone
" """, " " "
!5.19.'
2-Itetll71-2-hrdroq- N .. ,tJl'l! III
"
CooL
"'
m
"' ,., .0. ,8,0 " "' 15.19.6 PIo!IIIyl .tboel'}'l&tI 12~7
"
""L .. " m Oo ,., H "' 15.13, 15.19.', 16.6.1, 1&.6.2 lletbyl Mpbthdlne (.. Hell) 'I' " ""L " ,., Oo C,D Oo 15 . 19.' N 2-ltetbfIP7t1dlne 23" 2G o.L No Oo .. " IS.12.l_ IS.n.6 N l-tktbrlpJricUne 2311 'IP " """, " " i.e .. .. 15.12.l,15.19 4-fletllr1Prr14io1 2311 D
" "",. " " ,., i .. .. 15.12.3.15.19, 16.2.9 ltelbrl SAHq-!lt'
"' " -.. ,,, 0 " " IS.19.r. &lpha-lletbrlstrr_ 2)0) 'IP " o.L " " UJ " ,., 0 .... .. 15.LJ. 15.19.6. 16.6. 1, IUd IIDrpboli:lt ,,5< , " ""L .. T1 m " , i ""e .. 15.19.6 I\ltor ilHIIIIItl-knoclt
"" 'IP " Coo, . .. T4 m Oo ,., c.e , 15.6,15.12, 15.18, 15.19 coop::u>d.s (ecnuillinq le.d
&!kyle)
IL:Ipntl'llleIll (1II)Itln)

"" 'IP " Coo, . .. T4 m Oo ,., c.e , 15.6,15.12, 15.18, 15.19 coop::u>d.s (ecnuillinq le.d
&!kyle)
IL:Ipntl'lllelll (1II)Itln)
"" 'IP " """L .. " m ,., '" i.D " 15.19.6 II40plltheaic .doh
" .- .. y" No Oo 15.19.6 l'eod&C&llQie add e " -" ,,, " " 16.2.8 IUtrat in9 le1d (airtllnl of 11% (C) 'IP " o.L " " , .. IS.U, 15.16.2, 15.17, IS.19 $Ulpbucic iIIId ~itrl.e Kids)
JUrie Kid (Jus IbaD 70\)
""
SI' " o.L " " .. IS.n. l'U 9
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)'.110. n
Il/I1~2
I'lOIII_MlME " ..... COlSll '."" ,
MJtde .cid (10\ ud OYer) 2031. 2Ol2(b) 'i' ., ","L
" " " Nilrobt~UM 1~62 't.
" """, " " no ... .,' .. .. -Mit~I (lOll ...) ~L61 'i' ., """, ... ',' ..
I· o~ 2 - Mlt~op~
""" ., """, " " no " "" .. NltT~ (6O\)/Ni lfOllllaN
" """,
Oo .. "' I(ul " .. ('10\) -.J.rturt
0- O~ p-ntrotohMMI
""" 'i' " """L " m , .. .,. " IIoMM Idt i~u) I~J
""
1" , ., Cont.
"' .. ',' " 110M".. (all w-cr) " """, " " IIonJI .Kellte "I , " ..., " , .. " .. IIonJ! "cohol (all is<nl\r$1 1"

0- O~ p-ntrotohMMI
"" 'i' " ""L " m , .. .,. " IIoMM Idt i~u) I~J
""
1" , ., Cont.
"' .. ',' " 110M".. (all w-cr) " """, " " " IIonJI .Kellte "I , " ..., " , .. " .. IIonJ! "cohol (all is<nl\r$1 1"
" .... .. , ... " IIonJLpboenal
" ".. .. ro. " .. IIonJI pl>enol pc:Il,(4, t2)
" .... " ... " " .UlOqbtu
110.,0..1 ILqIlid, II.'. (I) ., ... " , .. " " ft.o.s. (Inde_
OOQUlfIS ... 1 s.t.l. c..Ll '
JIo"ious liquid, r, (2) n.o.l.
"
","L .. .. ..
(tr-.de .... <;O/IlaillS . ..)
S.t . l. c..1."
b i_ H,.u1d r. (l) , " .... .. , .. " .. 0.0.1. (Ir"" ..- ... ,
carll.illS ...) S.t.2, c..1.A'
blOW! Ilqllid, f. (4) n .... l. , " """" .. .. " (l~d ..... , oanlalns . "
5.t.2, cal.'-
IIodOW! ll",id, M.r, (5)
" .... .. ro. , ... 0.0.'. (lr .... _ ... ,
c:anliina ... J S.T.2. Cal.B'
IIodOW! liquid. II.r, (6) , " ... , ... a.a. l. (tnde ....
COfIl.ill$ ...) 5.T.2, ,",I.B' ,
.lip IS· C·
In ta u ot a ,pH i ric n.a .S . c.~a lnun~ u bllln, .. ithin tills n.'.I. gro~p IhU is urr\.., 0" a ,IIi" this Int,.." tn<;hdi.9 thl (1r90"

COfIl.ill$ ...) 5.T.2, ,",I.B' ,
.lip IS· C·
In ta u ot a ,pH i ric n.a .S . c.~a lnun~ u bllln, .. ithin tills n.'.I. gro~p IhU is urr\.., 0" a ,Ili" this Int,.." tn<;hdi.9 thl (1r90"
trldlOO ..... M 0ll1 or 1_ prlndpal co_"nti howU 1M ,ro .. i4.., I .. th. J!>i"i., doe .... n l . Iobbrl .. i .tiol>1 wud n:
ll.r.: flUhpo;ftt ucoo.., i", 60'C «los.., ew, tutl
f: fluhpa,,,t nol ue llding 60 C «loud cwp lutl
n : JOlat .tM"";1l tpUlhl4
S.T. : Shl, l)1'1
Cat. ; 'ol1ut i u uhgorl
. p.: 1111t;"9 poif>t
IS.n.IS.l'
15. 12. 15.17 to IS.I!. 16.2. '
15.12, IS.U . 6, 16.2.6,
16. 2.9, 161.2 .2
15.19.'
15.19.'
15. 12,15.17, 15.19, 16.2.9
15.1'.'
15.19.6
is.n.6
15.19.6
15.19.6, 16.2.6, 16.2.9,
IU .2.2(u)
15.1'
15.19 :::
15.19.6
15.19.6
}5.19.6. fl'.2.6, 16.~.'l "
i5.19.', [1'.2.6, .. , 16.1.9,
IU .2. ~
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)paqoo 1Ia. 14
27/11/92
IbxllX1S liquid, r, (1) n.o. s.
(tude n.- ... , contliN: .)
S.1".2, c.t.a "
IIo>liOils llquld, r, (8) n.o.S.

AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)paqoo 1Ia. 14
27/11/92
IbxllX1S liquid, r, (1) n.o. s.
(tude n.- ... , contliN: .)
S.1".2, c.t.a "
IIo>IiOils llquld, r, (8) n.o.S.
(t cldol D-. . , conUIM)
5.t.2, CoIt.S" .., 15"(·
NoxiOllS l1qu.id, H.r, (9)
n .D.S. (trid<! na=e .
CO<\uills ..) S.t.3, .:.oJt.A"
Nm;IOIIs liqui d, f, (10)
n.o.s. (trade I\aOIII ,
COQUinl . J S.T.3, C.t.A"
Moxio"", Ilquid, !I.r, (11)
n.o.s. (Ir""" na:oe ,
CDnlliM .) S.T.3, c.H.a "
Moxioos liquid, N.f, (12)
n.O.S. (tudot name ,
contlillS .. J S. 7.3, CoIt.a · ,
q> IS"C'
tlox...iOUl liquid, r, (I))
n.O .S . (tr;,<!e narw ,
contains ... J S.t.3, tat.S"
NoxiDII£ liquid. F, (HI
o.o.s. l trade _ ... ,
C"OflilUis ...) S.T.3, c"t.B ",
~ 150(.
Noxious liquid. If.f, (15)
O.O.s. (trade I\II.e.
CDnUW ...) S.T.3, C.It. C·
MoxiOlll l1quid. F, (1&)
n.o.s. (t r~de nao.e
contaW .) S.T.3, Cat.C-
Su footnote On pig. Z?
tIlfJlUlIBER
fo ~ hig h v;lCosity o~ high " lting point CI ~ 9nn.
"
"
"
"
"
"
"
"
"
"
"
I_OASH I _OlSlO
"""- ., '"
Coo'-
" ..
"",.
'"
V"
"""- No ..
Op<.
"

V"
Op<o
'"
V ..

contaW .) S.T.3, Cat.C-
Su footnote On pig. Z?
tIlfJlUlIBER
fo ~ hig h v;lCosity o~ high " lting point CI ~ 9nn.
"
"
"
"
"
"
"
"
"
"
I_OASH I _OlSlO
""""- ., ""
Coo'-
" ..
"",.
""
V"
""- No ..
Op<.
"
V"
Op<o
""
V ..
""""- .. .,
Coo'-
" "
Coot. No V"
<00'-
" "
, ,
.. 15.19.6. {16.2.6, ".2.'1 ....
.. 15.19.', 116.2.6] "" , 16.2.',
1'&. 2.2
0
" ""
IS.19.6
.. 15.19.6
" "
15.1'.6, (16.2.6. 16.2.91-
0 .. .. 15. 1'.' [16.2.61 · ·, 16.2.9,
161.2.2
N
~
""
15.19.6. 0 6.2.6, 16.2.9] .... ..
.. 15.19.6. [16.2.61", 16.2.'
161.2.2
" "
[16.2.7 to 16.2.9 1 ....
"
(16.2.7 to \6.2.9)""
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION

AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)r. Mo. IS
21/l1/92
PROOUJIW 11N_IMIBEIt I_DUll I_DlSlO , ,
o.:ur. (lll i __ COI) (bII)
""
(t)
" ,.", .. "' "' 15.1'.6 Oc:t_l (lll I_COl) , " ... "' ... , .. "' Oc:t_ (ul I_u) , " C.,,,, "' No , "' 15.1'.6 n-oc:tyl _ht. e " ... "' Y .. , "' "' Oc:tyl udlbfdu
1191
"' " """ .. "' "' "' 15.19 .6. 16.2.~ OI.Un o&1rt~ (CS-<1) (bII) P

""
(t)
" ,.", .. "' "' 15.1'.6 Oc:t_l (lll l_COl) , " ... "' ... , .. "' Oc:t_ (ul l_u) , " C.,,,, "' No , "' 15.1'.6 n-oc:tyl _ht. e " ... "' Y .. , "' "' Oc:tyl udlbfdu
1191
"' " "" .. "' "' "' 15.19 .6. 16.2.~ Ol.Un o&1rt~ (CS-<1) (bll) P
" "" .. .. "' .. 15.1'.6 Ol.fl. aixtuna (00(15) P
" """., No "' "' 15 . 19.6 &lpb.l--Ol.lina (\$-<18) P
" """., .. "" .. 15.1'.6. 16.2.6. 16 . 2.'
"""-01_ 1831 'IP " """., "' " , "" IS.U .2 to 15.11.8. 15.12.1, 15. 16 .2. \5.11. 15.19. 16. 2.7,
16.2.S
ot-r1-'-De SIP " """., N. Y .. .. 15.19.6 ,.1.. utTMI! Kid oU
"
0,.,
""
y"
"'
l,a
"'
16.2.7 to 16.2.'J
Pl.(udebydl "., SIP " """ .. .. " II! .. .. 15.1'.', 16.2.9 P.atKhlCKDllttlADlO , ... SIP
" """ .. .. " , ... \5.1l, 15 .17, 15. 19.6 1,3-E'MIud.1_ e SIP " """., "' .. ,·r 1,' "' 15.13, 1~ . 19 . ' 16.6 l'.a~ (ul l_rs) (bll) 1265 ,e)
" """,. "' "" "" 15.14, 15.19.6 Peol_ (lll l_u) (bb) e " """ .. "' "" "' IS . H,15.19.6 N ~ n-r.ntrl PrQlli ..... t. P
" "" .. "' "" .. 15.19.' 'wrdUOI'OItbfl_
""
SIP
" """" .. " .. .. 15 .12. 1. 15.12.2, IS.1 9.6 ..... , 2112 sip
" """ .. .. " 'U Y" .. 15.12. 15.19, 16.2.1. 16.2.8, 16.2.9
!-Phenf1-i-q1r1 . thArM. (bill

" "" .. "' "" .. 15.19.' 'wrdUOI'OItbfl_
""
SIP
" """" .. " .. .. 15 .12. 1. 15.12.2, IS.1 9.6 ..... , 2112 sip
" """ .. .. " 'U Y" .. 15.12. 15.19, 16.2.1. 16.2.8, 16.2.9
!-Phenf1-i-q1r1 . thArM. (bill
" ... "' ... "' A.a "' PIIospboclc Kid \8"' " ... .. " , .. " .. lS.U .1 to 15.11 .... 15.11.6 to is.U .8
~,JdlOlO/:>rIlb.iU U8!, 2oW7 SIP " """, Ploj.(V..,t ~ !cent Ii" (II::) .. e 15.7, IS." Pbl))'l1c AIiIyctrlda (.,1t~n) 22" SIP
"
Cent.
"' "
III 'lu
"'
1,' .. 16.2. 1 to 16.2.'
Ilpba-PiDe.DIO
" """ .. "' "' , .. IS.1'.6 to.U-pw.ne " .. " ""., "' "' "' IS. 19.6 .1M oU 1212
" ... "' ", , ... 16.2.1. 16.2.8 Poh(2t)qclle &nBItig
" """ .. "' ... .. 1,' "' IS.I'.6 Po1rlllkfl (C18-c22) <1Crr1,t.
" "" .. .. "' , "' 15.19.6, 16.2.7. 16.2.8 I.a Xr1_
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)P¥ Ha.
" 'II/1I/92
PItOOOJIII!E IINJIIJHBU , '-""" I_DlSKI , L 0

ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)P¥ Ha.
" 'II/1I/92
PItOOOJIII!E IINJIIJHBU , '-'"" I_DlSKl , L 0
tolyalkrlwe od" PJiyol , " -'" y" 0 "" '" 16.2.7. 16.2.11 tolyetbyllUle. PJly-.i.nu 'IlJ4(!) 27J5 ,,) 'I' " ... '" Y., 0 '" " '" 16.2.9 Polyferdc. sulpl;ate . solution ") '/P " ... '" " '" '" " '" PolJl'llltbJlene polrp/lenJI 2206(1) 2201
" """"
Oq Yu(b) 1(b) l
" '"
15.12. 15.16.2. 15.19.6
!SOCJ..,..tl
tolyolRlUr.w1111 in aUtl ") " <00," '" '" '" 15.19 .6. 16.2.7, 16.2.8 (Cl-C4) benunes
PolroleCinamiJ>ll in ..... t i e (0) , " Cont. '" '" '" 15.19.6, 16.2.7 , 16.2.8 solV1!/lt
PoIJolefln pbosphoroSlllphide -
" -
No y"
'"
l,Y
'"
lli.2.7, 16.2.8
hariu:o derivativ e (C2II·(250)
PotUSlU:O chloride solutiOll
"
",".
'" " '" '" '" (10\ or ro:l~)
Potusi ta hJdrodde solution 1814 , 'I' " -No '" 0 '" '" " '" 16.2.9 Potusiu:o ol ... te 'C) P " -No Yn 0 No '" 15. 19.1> n-Propanol4Oli.ne 'I' " -'" Y .. 0 '" 1,0 " '" 16.2.9 bete -Propio:>bc.tOM 0 , " ""l. '" In y., R , A '" N fropiooa.Idehyde
"" '/P " Cool. '" '" ,-, 15.16.1, 15.17, 15.19.6 ~ Propionic. add 1848 0

"" '/P " Cool. '" "" ,-, 15.16.1, 15.17, 15.19.6 ~ Propionic. add 1848 0
"
Cont.
'"
n m
'" , Yl IS.U.2 to:> 15.11.4, 15.11.6 .. to:> 15.11.1, 15 .19 .6
fropianic. anbJddde 2496 , 'I' " """" '" " m Y., y tl '" Propionitrile
"" 'IP 10 Cont. '" 11 m '" ,-, A,O 15.12.15.17 to:> 15.19 n-PC1lpylaoWie 1277 'IP " ""- r..rt " II1 '" ,-, A,O " 15 .12. IS.19 Proprlbenul'le (411 i~n)
"
""L
'" '" , A '" 15 .19.6 n-Pt"Opfi ci!lo:>ride i'll8 0
"
CooL
'" '"
R,B
'"
15.19.6
Proprlwe diller ebb) ") " COIIt. '" '" '" 15.19.6 Propylelll oxide 120O '/P '" Cool. ""rt " lIB '" , ,-, A,' '" IS.8, 15.12.1, IS.H. 15.19 Proprl _ tetr_r 28SO
"
CooL
'"
No R l
'"
15.19.6
Pt'OpJie.o.l trimor lO57
"
CooL
'" '"
1
'"
15.19.6
Pyddi l>ll
"" "
CooL
'"
T! III
'" .. '" 15.19.6 ... '" " -",' y,. 0 '" '" 15.19.6. 16. 2.6, 16.2.9. 16 . 2.2
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)'.110. 17
TI/ll!U
I'R:OOU __ W
UIIJlllmEi 0 t_015ll ,_ .... J , 0
Rosin _p (disptop<lctiOCllad)
" .... '" Y" '" '" is.n.' solllUOQ

AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)'.110. 17
TI/ll!U
I'R:OOU __ W
UIIJIlllmEi 0 t_015ll ,_ .... J , 0
Rosin _p (disptop<lctiOCllad)
" .... '" Y" '" '" is.n.' solllUOQ
Sod.i~ "loaiJlatl soluti on 1819 , " .... '" or '" '" " '" Sodi~ borobJdrl.dot /15\ ot" 'IP " ..... '" " '" '" " '" 1/i.2.7 llUIISod.i~ hJ<lro.rldo= sol.n.iOlll
Sod.i~ dUcrUI 1l01ullcn (SO\ 2m In , " .... '" " '" Ho Ho 15.9, 15.16.1, 15.19.6 or I .. a)
Sod.1 .... diclIrc.t. soluUOlll 'IP " ... Ho ... '" '" " '" 15.12.3. 15.19 (10\ or I.u)
Socll!.II hJdroqen ~Ipb.ido= (6\
" .... " or 0 Ho '" Ho IS.19 .6 or I . ...)/Sodi~ c:uboolatl (l \
or II ...) solution
SodiID hrdroqtn $IIlphite
"" " "". " "
0 .. Ho
'" solutiOll (~S \ or llu)
Sodi .... brdros.tlpb.J.da soilltlcn 2'" 'IP " Cont. Vent or P.:l (~) " '" .. 15. 16.1, 15.19.6, 16.2..9 (45\ oc llUJ
SocII .... b,dcosulpbid.l/"""!ID 'IP " """". ,. "" ,., " 15. 12. 15.14, 15.16. 1, 15.17. mlphlda soluti on Is . n . 16 .' N ~
SodJ. .. bfdroxiOo IIOIIIt1011 1824 , " "". "" " 0 .. '" .. .. 5od1 .... brpodl!crit. sob U()Q l1!H 'IP " """- .. " , '" .. " '" 15.16. 1 (lS \ or Ian)
SocIi .... nitrite sclutioo

SodJ. .. bfdroxiOo IIOIIIt1011 1824 , " "". "" " 0 .. '" .. .. 5od1 .... brpodl!crit. sob U()Q l1!H 'IP " """- .. " , '" .. " '" 15.16. 1 (IS \ or Ian)
Socli .... nitrite sclutioo
""" 'IP " "" . .. " 0 .. '" .. 15. 12.3.1. 15.12.3 . 2. 15.1'.1. 15.19
Sod.b .. Plltale .. aII!(ODoItl 'IP " "" . .. Y 0 .. '" IS. a.'. 16.2.6 Sodi .... sll1c.u solutioo
" .,.. " Y" 0 .. '" Sod.i~ ~Iph.i" sol ut loo (IS, 'I' " COQ l . ~,o;> " , .. " '" 15.16.1 . ~S.19 ." 16.2.9 Or l eu)
Sod.i .. .ulpb.itl sol ution (:IS\
" "". .. " '" '" '" 15. 16.1. 15.19.'. 16.2.9 Ol.' leul
Sod..i .. tartratu Mel 0
" .... Ho Yu '" '0' n '" 101C)-/d.l·S\lCCUlatl sclutlon
SodiIa lhiOCJa,,~.te sol uti on (I' " "" . .. Yu 0 Ho '" '" 15.19.6 (56\ OC" Ius)
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)'.110. " 27/1~2
PROOO}WIE Ull_.'llllll£R
'-'""""
I_DlSIO , 0
St," .. ~r
"" 'IP " ",,,. .. " '" .. ' ,0 ,"," " 15.13, 15.19.6 , 1'.6.1, 1£..6. 2 Su!pbo brdrocai:bon 10119 d>aiQ
" .... .. ,u 0 '" ' ,B ,., 15.19.6, 16.2.6 (CUt) dlqlWne aUrt\LA
Sulphur (.:.HeII)

PROOO}WIE Ull_.'llllll£R
'-'"""
I_DlSIO , 0
St," .. ~r
"" 'IP " ",,,. .. " "" .. ' ,0 ,"," " 15.13, 15.19.6 , 1'.6.1, 1£..6. 2 Su!pbo brdrocai:bon 10119 d>aiQ
" .... .. ,u 0 "' ' ,B ,., 15.19.6, 16.2.6 (CUt) dlqlWne aUrt\LA
Sulphur (.:.HeII)
""
m , " .... Vnll nr hd(qas) T3 Yes(l) 0 r·, ... IS.}O Sulplr.,lrle IcLd
"""
'IP " .... "" "" .. "" .. IS.II, 15.16.2, 16.2.8, 16.2.~ SulptH.de Idd, ~Qt 1832 'IP
" ... "" " "" "" .. 15.11, 15.16.2, 16.2.8, 16.2.9 fall oil (=-de IIld dlstl!led)
" ... .. , .. "' .. 15.19.6, 16.2.6, 16.2.9, 16.1..2.2
Tan oil bUr acid, bad ..... ,/. " ... .. ,,, ... 15.19.6, 16.2.6
"" !a!l ol! r .. nr Idd (resin
"' " ",. I. , .. 0 ,. "' 16.2.7 to 16.2.9 Melds lep than 20\)
Tall oil SOo1p
" "" . .. ,,, 0 "" ,. 15.19 .6, 16.~.6, 16.2.9 (dl$proportl.:.nated) solution
fllrlQlloroelha/)e \702 ,/. " Cont. .. "' , .. "" 15.12, 15.17, 15.19.6 Telneth,lene pent.nine
"" " "". " V" ,. " "" TetrAllfdto{wll/l
"" " """. "" n II! H. r·' "" 15.19.6 r, u.1h,4ronIpllthtle<>e (bb) , " 0, ... V" .. .. N ~ Telr_lb,.lben;.eoe (dl "' ... .. ,., "" "' 16.2.9. 161.2.2 i_n) Tol_ ebb)
"" " "",. .. .. .. 15.19.6 Tolo.ocneod.i.aioe

"" " """". "" n II! H. r·' "" 15.19.6 r, u.1h,4ronIpllthtle<>e (bb) , " 0, ... V" .. .. N ~ Telr_lb,.lben;.eoe (dl "' ... .. ,., "" "' 16.2.9. 161.2.2 i_n) Tol_ ebb)
""" " "",. .. .. .. 15.19.6 Tolo.ocneod.i.aioe
"" ,/. " ""L .. ,., , ',0 " 15.12. 15.17, 15.19, 16 .2.7, 16.2.9
Tol"" .. o1iiSOCJMatl
"" 'IP " CoaL Orr " no ,,, r·, &.c(c). 0 "' 15. 12, 15. 16.2, 15.17, 15.19. 16.2.9
o-Toluldl .. ,,,. ,/. " Coal. "" ,,, , "" 15. 12. 15.17, 15.19 TrliNtI I phosphite " ." .. ,., 0 No .. 15. 19.6 1,2. 'I-Ttld1loroben", .. "21 ,/. " Cont. .. ,,, ',0 "" 15.19.6, 16.2.9, 161.2.2 1,I,I-Ttid\lQ{'Qathi1lr>e
""" " .... No ,,, 0 H. .. L, I, 2-Trid\loroetllue 'I' " Cont. .. " T .. .. 15.12.1, 15.19.6 TriclIJoroelhr1_ 1710 ,/. " """L .. T2 no . " .. .. 15.12, 15. 16.1, is.lt, is.19.6 1,2,3-Trl cIllOC'<lptqlall' 'I' " Cont . .. V., A,8, 0 .. 15.12, 15. 17 , 15.19

RESOLUTION MEPC.55(33) (adopted on 30 October 1992)

ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING DANGEROUS CHEMICALS IN BULK (IBC CODE)h"' Jo. n 21/11/92

"""-""" "' _ ..... I_DlSII I_DASIO 0
1,1 ,2- rrlcllloco-l, 2,2-Trl!luor t
"' "". "' "
0
"' .. ..

AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)h"' Jo. n
21/11/92
""""-"""" "'_ ..... I_DlSII I_DASIO 0
1,1 ,2- rrlclllloco-l, 2,2-Trl!luor t
"' "". "' "
0
"' .. ..
~."..
Trla..,l pboIpIIte
"' "". "'
Y .. .. "' 15.19 .6 (COIIUl.Jrlo;J lus tNa n
ortbo-~rl
Tdcrur 1 pho5pbIte 2574(1) SIP 1
"' ""., "' T2 lU Y .. " 1,P "' 15. 12. 3, 15. 19 (COIItliAlD; 1\ <It ~
ortho-lsmnl
T rl~i".dd
"' .... 0 "' .. 15.19.6, 16.2.6, 16.2.~. UiA.2.2
Trllt b.lD:llaJ.,... S " "" . .. lU ... .. 1 " .. TrlethflaiDI
""
sIP
"'
CotIt . .. T2 III .. H l,t
"
15.12, 15.19.6
Trhlllr lhenunl '" "". .. y" 0 .. .. 15.19.6 TrI.tbrleneulraJ. ...
""
S
" "". .. T2 lU y" .. Nl .. TrlelbrlpbO.phltl 232l S/'
" """ " "" ,-. l,' "' 15 .12.1, 15.19.& trUsopcopflet.d pbotarl
" "" . .. ... 0 .. 1 .. 15. 19.6 _ ...
trW-lilli_tic Kid S
"' "., ... Yl .. 15.11 .2 to 15.11.8 N Td_lbrl-.!ne WIIUOO (30\ "97 SIP "' """ "' "' "1 l,t Nl 15.12, lS.H, 15.19, 16.2 .9 ~ QC 1 ....)
Trbllb r1t*1_ (al l '-rs)
" """ .. .. ' l .. 1;;.19.6 Trw-lbrlbu_lbylt:lllCUaJ. 1II
"" "' "".
No . .. 0 .. l,t Nl .. 15. 19.6
(2,2,"- AIId 2,4, 4-1.-n:)
TrbltbyU--lbr 1_

Trbllb r1t*1_ (al l '-rs)
" """" .. .. ' l .. 1;;.19.6 Trw-lbrlbu_lbylt:lllCUaJ. 1II
"" '" "".
No . .. 0 .. l,t Nl .. 15. 19.6
(2,2,"- AIId 2,4, 4-1.-n:)
TrbltbyU--lbr 1_
"" sIP " ""., '" y" l ,e(c) .. 15.12. 15.16.2, 15.11, 15.19.6 dl.lmq_te (2,2,4' IIDd
2,4,4-t-n1
2,2 ,4-Trt.lbrl- I,J- pIOtaDedlo t
" "" . .. ." '" .. l -I- boilulft"illi
Tr_ tllrl pboafIhlte 2l2'!
" ""., ... '-1 l ,' .. 15. 12.1, 15. 16.2. IS.19.6 I,J,S-Tri_ S " ""., ... f 1,0 .. 15.19. 6 Trll1Jltl ~te " ... .. y" 15.19
".,.,,"" "" " eotlt . .. .. , f .. 15.1'.6 ~Icildd
" "" . .. ... 0 .. .. 1I'0.2.6. 16.2.'
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)f.aqe 110.
" XI/1I~2
pr«)O'UtIJII IDIJII/KBER I_DiSH ,_""" 0
! · Undea""
" """, '" ." 0 '" '" 15.19.6 U/ldeCJI llcohol , " 0,,, ., ." " '" IS.19.6, 16.2.9, 16A.2.2(r) Urn/Almoool"" nitrate $Olutioo SIP
" """" ., '" , .. '" (cOflulllinq itqlJa AO'PIOIIia)
Vlltnldehrde (all lsaoers) 2058 sl'
"
COQt. IMrt
"
IIB
'" ,., ., 15 .4. 6, 15.1 6.1, 15.19.6 Vlnrl ,cetatt nor sl'
"

" """" ., "' , .. "' (cOflullling itqlJa AO'PIOIIia)
Vlltnldehrde (all lsaoers) 2058 sl'
"
COQt. IMrt
"
IIB
"' ,., ., 15 .4. 6, 15.1 6.1, 15.19.6 Vlnrl ,cetatt nor sl'
"
Coo,"
" "
III
" , "" 15 . .i3, 15.19.6, 16.6.1, 16.6.2 Vln,1 eth,l ttller D0 2 sl' IG COl'll. I~rt
"
II> ., ,., " 15.4, 15.13, 15.14, 15.19, 16.6. 1. 16.6.2
V!nrlidene chloride DOJ
" "",. IMrt " m "' ,., H5 15.13, 15.14, 15.19.6, 16.&.1, 16.6.2
Vlnrl~te Sl' " ",". "' .. , 0 " '.' "' 15 . 13, 15 . 1&.1, 15.19.6, 16.6.1, 1&.6.2
Vinrlto1~1IC
"" SIP " Coo,. " II> "' l.1 " " 15.n, 15.19.6, 1&.6.1, 16.6.2 \hilt splnt. low (15·20\) 1]00 (.j
"
Coal. ", "' " 15.19.6 Ucmotlf;
lr l"'" (ilbl 1]0>
" """" " "' "'
15.19.6, 11>.2.9(..)
Irl.nol
"" Sl' " ",. " IU ." 0 " ' .1 " 15. 19.6, 16.2.9, 16A.2.2 Une .lunl d.i.tlliopho$pn.o t ~ (C)
" .... " ." 0 "' '.1 .. 16.2.1. 1&.2.8 ~ (C7'Cl&) 0
Iloc: .1Jrr1 d..ithlopl:lOSpbate
" """, .. ." 0 " '.1 ., 15.19.&, 1&.2.6 (Cl -t U)
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)- 31 -

RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)- 31 -
a Applies to 8IIIIOnLa aquerus, (28% or less) but not belo:.J 10%.
hmalia aquecus (28% or less)
b If the product to be carried contains flanmable solvents auch that the flashpJint does not exceed W·C c.c., then s~ia1 electrical system and a f1.amteble vapour detector should be provided.
Di~l nethane diisocyanate
Polyrrethylene JXllyphenyl isocyanate
c Althrugh \oUter is suitable for extinguishing open air fires involving chBnicals to which this footnote applies, wter should not be atlOoled to contaminate closed tarks containing these dleni.cals because of the risk of hazardrus gas generation.
Di!ilenYlnethane diisocyanate
Toluene diisocyanate
Trirrethylhexarrethylene diisocyanate (2,2,4- aM 2,4,4-isorers)
d UN No.1198 only applies if flashJXlint is below 60°C c.c.
Fonnaldehyde solutions (45% or less)
e Applies to formaldehyde solutions (45% or less), but not bela..r 5%.
Fonreldehyde solutions (45% or less)
f Applies to hydrochloric acid not belcu lOX .

Fonnaldehyde solutions (45% or less)
e Applies to formaldehyde solutions (45% or less), but not bela..r 5%.
Fonreldehyde solutions (45% or less)
f Applies to hydrochloric acid not belcu lOX .
Alun:iniun chloride (30% or less}/Hydrochloric acid (20% or less) solution
Hydrochloric acid
g Dry chemical camot be used because of the possibility of an explosi on.
Maleic anhydride
1'1 ~ !'t:l.2032 assigned to red funing nitric acid.
Nitric acid (70% ard ove:r-)
i ill mnber depends on boiling point of substance.
Polyethylene polyami.nes
PoI)'!Z'ethylene JXlIYJhenyl isocyanate
UN IUlber assigred to this substance containing rcore than 3% of ortho-iscrter.
Tricresyl phosJhate (containing 1% or IlDre ortho-isau:!r)
k Fhosphorus (yel1Oo1 or ~ite) is carried above its autoignitioo. ~rature and therefore
flashpoint is not appropriate. Electrical equip:rent requirerents m!ly be similar to those
for substar.:es with a flashpoint above 6O·C C.c.
EhosJhorus (yella..r or ~ite)
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)- 32 -

EhosJhorus (yella..r or ~ite)
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)- 32 -
SulFhur (mlten) has a flashpoint above 6O·C c.c., ~er, electrical equiptent shcu1d be certified safe for gases evolved.
SulFhur (miten)
m UN No.2672 refers to 10-35% ammonia solutions .
hmonia aqueous (28% or less)
n UN No.2511 applies to 2--ch1oropropionic acid only.
2- or 3--<hloropropionic acid
o Dinitroto1uene should not be carried in deck tanks.
Dinitrotoluene (rrolten)
p (~leted).
q Requiratents are based on those isaters having a flashpoint of E()GC c.c., or less, .sene iscxrers have a flashpoint greater than E()·C c.c., and therefore the requi rerrents based 00 f1.&nnability wculd not apply to such isooers.
Heptanol (all ismers)
r Reference 16A.2.2 applies to l--undecy1 a1coool only.
Undecyl alcoool
s Applies to n-decyl alcoool only.
J:ecy1 alcoool (all isooers)
t m.No 1114 applies to benzene.
Benzene aod mixtures having 10% benzene or rrore
u Dry cheru.cals shruld not be used as fire--extinguishing nedia.

Undecyl alcoool
s Applies to n-decyl alcoool only.
J:ecy1 alcoool (all isooers)
t m.No 1114 applies to benzene.
Benzene aod mixtures having 10% benzene or rrore
u Dry cheru.cals shruld not be used as fire--extinguishing nedia.
Nitropropane (60%)/Nitroe.thane (4OiO mlxture
v Confined spaces shoold be tested for both fonnie acid vapcurs and carbon rronoxide
gas, a decanpositioo product.
Formic acid
w Applies to p--xylene only.
Xylenes
x Applies to p-isooer and mixtures containing p-isarer viscosity of \otiich is 25 mFa.s
at 20·C.
Dichlorobenzenes (all isooers)
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)-)) -
y Applies to p-iSCJler and mixtures containing p-isarer tmlting point of ~ich is O·C
""" -.
Dichlorobenzenes (all isorers)
z Applies to p-isarer and mixtures containing p-ismer nelting point of .... ich is 15· C
""" -.
oichlorobenzenes (all isaners)
sa Applies only to products with netting point of IS· C and above.
N:xtyt {ilenol poly(4 -12)ethoxylates

z Applies to p-isarer and mixtures containing p-ismer nelting point of .... ich is 15· C
"" -.
oichlorobenzenes (all isaners)
sa Applies only to products with netting point of lS· C and above.
N:xtyt {ilenol poly(4 -12)ethoxylates
bb Applies to oil-like substances identified in accotdance with the provisions of the unified interpretation of regulation 14 of Amex II of HARroL 73/78 agreed by the l£PC.
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)- 34 -
The existing text of chapter 18 is replaced by the following;
CHAPTER 18 - LIST OF CHEMICALS TO WHrCH THE CODE DOES NOT APPLY
The following are chemicals which have been reviewed for thei r safety and pollution hazards and determined not to present hazards to such an extent as to warrant appli cat ion of the Code. This list may be used as a guide in consideri ng bulk carriage of chemical! whose hazards have not yet been evaluated.
2 Al thou gh the chemicals listed in this chapter fall outside the scope of

to warrant appli cat ion of the Code. This list may be used as a guide in consideri ng bulk carriage of chemical! whose hazards have not yet been evaluated.

2 Al thou gh the chemicals listed in this chapter fall outside the scope of the Code, the attention of Administrations is drawn to the fact that some safe t y precautions may be needed for their ssfe transportation. Accordingly, Administrations shou l d prescribe appropriate safety requirements.

3 Some chemicals are identified &9 falling into polluti on category D and, therefore, as being subject to certain operational requirem en ts of Annex II of HARPOL 73/78.

1; Liquid mixtures which are provisionally assessed under regulation)(4) of Annex II of MARPOL 73/78 as fallin g into polluti on category D, and which do not pres ent safety hazards, may be carri ed uncler the entry for noxious liquids not otherwise specified in this chapter. Similarly, those mixtures provisionally assessed as fal lin g o ut si de pollution cate go ry A, B. C or D, and which do not present safety hazards, may be carried under the entry for non - noxious liquids not otherwise specified in this chapter.

Product name
(column a)

provisionally assessed as fal lin g o ut si de pollution cate go ry A, B. C or D, and which do not present safety hazards, may be carried under the entry for non - noxious liquids not otherwise specified in this chapter.

Product name
(column a)

UN number
(co l umn b)

Pol lution category
(co l umn c)

EXPLANATORY NOTES

In some cases, the product names may not be identical with the names given in previous issues of the IRC Code or the BCH Code (for explanation see index of chemicals).

The number relatin g to each product shown in the rec ommendations proposed by the Unit ed Natio ns Committee of Experts on the Transport of Dangerous Goods.

UN numbers, where available, are given for information only.

The letter D mea ns the pollution catego r y assigned to each product under Annex II of MARPOL 73/7 8. "tIl" means the product was evaluated and found to fall outside the categories A, S, C or D.

Pol lu tion category i n brackets indicates that t he produ ct is pr ov isionall y categorized and th at further data are necessary to complete the evaluation of their pollution hazard s . Until the hazard evaluation is completed, the

Pol lu tion category i n brackets indicates that t he produ ct is pr ov isionall y categorized and th at further data are necessary to complete the evaluation of their pollution hazard s . Until the hazard evaluation is completed, the pollution category assigned is used.

RESOLUTION MEPC.55(33) (adopted on 30 October 1992)

ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING DANGEROUS CHEMICALS IN BULK (IBC CODE)

Product name	b	c
	UN number	Pollution category for opera tiona l discharge (regulation 3 of Annex II)
Acetone	1090	III
Alcohols (Cl)+)	III	III
Alcoholic beverages, n.O.s.	3065	III
Acrylonitrile-Styrene copolymer dispersion in polyether polyol	D	III
n-Alkanes (CIO+)	D	D
Alkenyl(Cll+)amide	0	III
Alkyl(Ca+)amine, alkenyl (C12+) acid ester mixture	D	D
Alkyl(C9+)benzenes	III	III
Alkyl dithiothiadiazole (C6- C24)		
Aluminium sulphate solution		
Aminoethyldiethanolaminel		
Aminoethylethanolamine solution		
2-Amino-2-hydroxymethyl l,3-pr opanedio l solution (40 % or less)		

(40 % or less)
- 35 -
b c
UN Pollution
number category for
opera tiona l
discharge
(regulation 3
of Annex II)
1090 III
III
3065 III
D
III
D
D
0
III
D
D
III
III
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)a
Ammonium hydrogen phosphate solution
Ammonium polyphosphate solution
Ammonium sulphate solution
n-Amyl alcohol
sec - Amyl alcohol
tert -Amyl al cohol
Amyl alcohol , primary
Animal and fi s h oils , n.o.s.
including:
Cod liver oil
Lanolin
Neatsfoot oil
Pilchard oil
Sperm oil
Animal and fish oils and
dis tillates acids, n.o.s.
including:
Animal Ilc id oil
Fish acid oil
Lard acid oil
Mixed acid oil
Mixed genera l acid oil
Mixed hard acid oil
Mixed soft acid o i l
Apple juice
Aryl polyolefin (cll-eSO)
- 36 -
b ,
D
D
D
1105 D

llOS D
HOS III
110 5 D
D
D
III
D

RESOLUTION MEPC.55(33) (adopted on 30 October 1992)

ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING DANGEROUS CHEMICALS IN BULK (IBC CODE)a

D
1105 D
llOS D
HOS III
110 5 D
D
D
III
D
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING DANGEROUS CHEMICALS IN BULK (IBC CODE)a
Benzene tricarboxylic acid, trioctyl ester
Brake fluid base mix: (Poly(2-S)alkylene ee2-c3) glycols/ Polyalkylene eeZ-CIO) glycols monoalkyl (CI-C4) ethers and their borate esters)ll
sec-Butyl acetate
n-Butyl alcohol
sec-Butyl alcohol
tert-Butyl alcohol
Butylene glycol
Butyl stearate
gamma-Butyrolactone
Calcium carbonate slurry
Calcium hydroxide slurry
Calcium long chain alkaryl sulphonate (CII-CSO)
Calcium long chain alkyl phenate sulphide (Ca-C40)
Calcium long chain phenolic amine (Ca-C40)
- 37 -
b ,
III
D
ll23 D
1120 III
1120 III
1120 III
D
III
D
III
D
D
D
III
1..1 Use tlBrake fluid base mix" as a proper name on the shipping document .
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING DANGEROUS CHEMICALS IN BULK (IBC CODE)a
Calcium nitrate/Magnesium nitrat el

Potassium chloride solution

ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)a
Calcium nitrate/Magnesium nitrat el
Potassium chloride solution
epsilon-Caprolactam (molten or
aqueous solutions)
Chlorinated paraffins (C14-C17)
(with 52% chlorine)
Choline chloride solutions
Citric acid (70% or less)
Clay slurry
Coal sl ur ry
Coconut oil fatty acid methyl ester
Cyclohexanol
Decahydronaphthslene
Dextrose so l u tion
Di8cetone alcohol
Dialkyl(C7-Cl) phth sla tes
Diethylene glycol
Diethylene glyco l dibutyl ether
Diethylene gl yco l dieth yl ether
Diethylene glyco l phthalate
- 38 -
b
III
D
III
D
D
III
II I
D
o
1147 (D)
III
1148 D
D
D
o
III
D
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)a
Diethylenetriamine pentaacetic acid,
pentasodium s alt solution
Di-(2 - ethylhexyl) adipate
Diheptyl phthalate
Dihexyl phthalate
1 , 4-Di hydr o-9 ,IO-dihydroxy
anthracene, disodium salt solution
Diisobutyl ketone
Diisononyl adipate

Diethylenetriamine pentaacetic acid,
pentasodium s alt solution
Di-(2 - ethylhexyl) adipate
Diheptyl phthalate
Dihexyl phthalate
1 , 4-Di hydr o-9 ,IO-dihydroxy
anthracene, disodium salt solution
Diisobutyl ketone
Diisononyl adipate
Diisoocty1 phthalate
Diisopropyl naphthalene (bb)
2, 2-Dimethylpropane-l,3-diol
Dimethyl po1ysi1oxane
Dinonyl phthalate
Dio ct yl phthalate
Di propy1ene g l yco l
Ditridecyl phthalate
Diunde cyl phthalate
Dodecane (all isomers)
- 39 -
b c
III
o
III
III
o
1157 o
o
III
o
(D)
III
o
ill
III
o
o
III
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)a
Dodecenyl succ~n~c acid,
dipotassium sa lt so lution
Dode cyl benzene
Dodecyl xylene
Drilling brines
Including:
Calcium bromide so lu tion
Calci um chloride so l u ti on
Sodium chloride 901u tion
2-Ethoxyethanol
Ethyl acetate
Eth yl acet oace tate
Ethyl alcohol
Ethylene carbonate
Eth ylene diamine tetraa cetic acid,
tetrasodium salt solution

Ethylene glycol
Ethylene glycol acetate

Sodium chloride 901u tion
2-Ethoxyethanol
Ethyl acetate
Eth yl acet oace tate
Ethyl alcohol
Ethylene carbonate
Eth ylene diamine tetraa cetic acid,
tetrasodium salt solution
Ethylene glycol
Ethylene glycol acetate
Ethylene glycol methyl butyl ether
Ethyle ne glycol phenyl ethe r
Ethylene glycol phenyl ether/
Diethylene glycol phenyl ether
mixt ure
- 40 -
b c
(0)
III
III
III
1171 o
1173 o
(0)
1170 III
III
o
o
(0)
o
o
o
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)
Ethylene-vinyl acetate copolymer
(emulsion)
2-Ethylhexanoic acid
Ethyl propionate
Fatty acid (aaturated C13+)
Ferric hydroxyethylethylene diamine
triacetic acid, trisodium aalt
solution
Fish solublea*
Formamide
Glucose solution
Glycerine
Glycerine (83 %) , Dioxanedimethanol
(17 %) mixture
Glycerol po l ya l koxylate
Glyceryl triscetate
Glycine, sodium salt solution
Glyoxal so luti on (~O % or less)
n-Heptano ic acid
* Water -based fish meal extract.
- 41 -
b

III
D
1195 D
III
D
III
D
III
III
D
III
(III)
III

Glycerol po l ya l koxylate
Glyceryl triscetate
Glycine, sodium salt solution
Glyoxal so luti on (~O % or less)
n-Heptano ic acid
* Water -based fish meal extract.
- 41 -
b
III
D
1195 D
III
D
III
D
III
III
D
III
(III)
III
D
D
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING DANGEROUS CHEMICALS IN BULK (IBC CODE)a
Hexameth ylenediami ne adipate
(50% in water)
Hexamethylene glycol
Hexamet hylenetetra mine solutions
Hexano ic acid
Hexanol
Hexyl ene g l ycol
N- (Hydroxye t hyl)e th ylenediamine
tri acet i c ac i d, tr is odium sa l t solution
Isoamyl alcohol
Is obutyl alco hol
Isobuty l for mate
Iso - & cycle-A l kanes (CIO-CI I)
1so- & cyc l e-Alkanes (C I2+)
Isoph orene
l sop r opy l ace t ate
Is opr opy l alcohol
Kaol in sl urry
La c ti c acid
- 42 -
b ,
o
III
o
o
2282 o
111
o
1105 o
1212 111

2393 o
o
III
o
1220 III
1219 III
III
o
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING

III
o
o
2282 o
111
o
1105 o
1212 111
2393 o
o
III
o
1220 III
1219 III
III
o
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING DANGEROUS CHEMICALS IN BULK (IBC CODE)a
Lard
Latex:
Carboxylated styrene-butadiene copolymer
St yrene-Butadiene rubber
- 43 -
b
Latex, ammonia (1 % or less) inhibited
Lignin sUlphonic acid, sodium salt solution
Long chain a lkaryl suI phonic acid (CI6- C60)
Long chain alkylphenate/phenol sulfide
Magnesium chloride solution
Magnesium hydroxide slurry
Magnesium long chain alkaryl sulphonate (Cll-CSO)
3-Hethoxy-I-butanol
3- Methoxybutyl acetate
Methyl acetate
Methyl acetoacetate
Methyl alcohol
Methyl amyl ketone
1231
1230
c
III
III
III
D
III
D
III
III
III
D
III

D
III
D
D
D
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)
Methyl propyL ketone
N-Hethyl - 2-pyrroiidone
Methyl butenel
Methyl Cert - butyl ether
Methyl butyl ketone
Methyl buty not

AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)
Methyl propyL ketone
N-Hethyl - 2-pyrroiidone
Methyl butenel
Methyl Cert - butyl ether
Methyl butyl ketone
Methyl buty not
Hethyl ethyl ketone
Methyl isobutyl ketone
3- MethyL-3-methoxy butanol
3-Methyl-3-methoxy butyl acetate
MoLasses
Myrcene
Naphthalene s uI phonic acid l
Formaldehyde copolymer,
sod ium salt solu tion
Nitrilo tr iacetic ac i d ,
trisodi um salt solution
Nonanoic acid (all isomers)
Nonyt methacrylate monomer
- 44 -
b c
o
o
(0)
2398 o
o
o
1193 III
1245 o
III
III
III
o
o
o
o
(0)
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)a
Noxious liquid, n.O,B. (17)
(trade name .
contains) Cat. 011
Non-noxious liquid, n.0.8. (18)
(trade name ..
contains ...) Appendix 1111/
Octanoic acid (all isomers)
Detyl deeyl adipate
Olefins (C13+' all isomers)
Olefin/alkyl ester copolymer
(molecular weight 2000+)
Oleic acid
Palm oil fatty acid methyl ester
Palm stearin
Paraffin wax

Pentaethylenehexamine

Octanoic acid (all isomers)
Detyl deeyl adipate
Olefins (C13+' all isomers)
Olefin/alkyl ester copolymer
(molecular weight 2000+)
Oleic acid
Palm oil fatty acid methyl ester
Palm stearin
Paraffin wax
Pentaethylenehexamine
Pentanoic acid
Petrolatum
- 45 -
b c
D
III
D
III
III
D
D
D
D
III
D
D
(III)
In case of a specific n . o.s. (not otherwise specified) cargo assessed as
f alling within this n.o.s. group that is carried on a ship, this entry,
including the cargo's trade name and one or two principal components,
should be provided in the shipping document.
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)
Poly(2- S)alkyl ene glycol
monoalkyl (C l-C6) ether
Poly (Z-8) alk yLene glyco l
monoalkylCCl - C6) ether aceta te
Polyaluminium ch lo ride solution
Pol ybutene
Polyether (molecular weigh t 2000+)
Polyethylene gly col
Polyethyl ene glyco l dimethyl eth er
Pol yglyce rin, Sodi um sa lt sol ut i on
(containin g less t han 3% s odi um
hydroxide)
Polyglyce ro l
Poly(4+)i sobuty lene

Pol ybutene
Polyether (molecular weigh t 2000+)
Polyethylene gly col
Polyethyl ene glyco l dimethyl eth er
Pol yglyce rin, Sodi um sa lt sol ut i on
(containin g less t han 3% s odi um
hydroxide)
Polyglyce ro l
Poly(4+)i sobuty lene
Polyolefi n (molec ul ar weight 300+)
Polyolefi n amide alkeneamine (e2S.)
Polyolefin amide alkeneamine
borate (e2S-e250)
Polyolefin amide al keneamine
mo l ybdenum oxy sul f ide
Polyolefin amide aLkeneamine
potyol
- 46 -
b ,
o
o
Il l
III
o
III
III
III
III
Il l
Il l
o
o
Il l
o
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)
Polyolefin anhydride
Polyolefin phenolic amine (C28-C2S0)
Poly(20)oxyethylene sorbitan
monooleate
Poly(S+)propylene
Polypropylene glycol
Polysiloxane
n-Propyl acetate
n-Propyl alcohol
Propylene/Butylene copolymer
Propylene glycol
Propylene glycol monoalkyl ether
- 47 -
b
1276
1274
Propylene glycol methyl ether acetate
Sodium acetate solutions
Sodium aluminosilicate slurry
Sodium benzoate

Sodium carbonate 80lution
c
D
D
D
III

Propylene glycol
Propylene glycol monoalkyl ether
- 47 -
b
1276
1274
Propylene glycol methyl ether acetate
Sodium acetate solutions
Sodium aluminosilicate slurry
Sodium benzoate
Sodium carbonate 80lution
c
D
D
D
III
III
D
III
D
III
III
III
(D)
D
(D)
III
D
D
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION
AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)a
Sodium poly(4+)acrylate solutions
Sodium sulphate so lu tions
Sorbitol solution
Sulphohydrocarbon (C3-C8S)
Sulpholane
TalloW'
Tallow fatty acid
Tetraethylene glycol
Tride cane
Tridecyl acetate
Trieth yl phosphate
Triethylene glycol
Tr i isopropa no lami ne
Trimethylol propane polyet hoxyl ate
2,2,4-Trimethyl-l,3-pentanediol
diisob uty rate
Tripropylene glycol
- 48 -
b
III
III
III
D
D
D

(D)
II I
III
I II
D
III
III
D
III
III
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)- 49 -
a
Urea/Ammonium mono- and di-hydrogen

III
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)- 49 -

a	Urea/Ammonium mono- and di-hydrogen phosphate/Potassium chloride solution
	Urea/Ammonium nitrate so lution
	Urea/Ammonium phosphate solution
	Urea formaldeh yde resin solution
	Urea solution
	Vegetable oi l s, n.o.s. Including: beech nut oil, castor oil, coco a butter. coconut oil. corn oil, cotton seed oil, groundn ut oil, hazelnut oil, linseed oil, nutmeg butter, oiticica oil, olive oil, palm nut oil. palm oil, peel oil (oranges and lemons), perilla oil, poppy oil, raisin seed oil, rape seed oil, rice bran oil, safflower oil, salad oil, sesame oil, soya bean oil, sunflower oil, tucum oil. tung oil, waln ut oi l
b	Vegetable acid oils and distillates, n.o.8. Including: corn acid oil, cotton seed acid oil, dark mixed acid oi l, groundnut acid oil. mixed acid oil, mixed general acid oil, mixed hard acid oil, mixed soft ac id oil, rape seed acid oi l , safflower acid oil, soya aci d oil. sunflower seed acid oil

b
dark mixed acid oi l, groundnut acid oil.
mixed acid oil, mixed general acid oil,
mixed hard acid oil, mixed soft ac id oil,
rape seed acid oi l , safflower acid oil,
soya aci d oil. sunflower seed acid oil
Vegetable protein solution (hydrolysed) -
Water
Waxes
,
(D)
o
o
III
II I
o
o
III
III
D
RESOLUTION MEPC.55(33) (adopted on 30 October 1992)
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)- 50 -
New chap t er 20 i s added as follows:
CKAPTER 20 - TRANSPORT OF LIQUID CHEMI CAL WASTES
20 .1 Preamble
20.1 .1 Mari time tr ans port of liquid chemical wastes could present a threa t t o human health and to the environment.
20.1.2 Li quid chemica l was te s should, ther efo r e, be transported in acco r dan ce with relevant i nt erna tio nal conventions and r ecommendations and, in par tic ular, in the case of maritime transport in bulk, with the r equi r ements of this Code.
20 . 2 Defin itions
For the purp ose of t his chapter:
20.2. 1 "Liquid chemical waste s " are substa nces, solutio ns or mixt ures,

par tic ular, in the case of maritime transport in bulk, with the
r equi r ements of this Code.
20 . 2 Defin itions
For the purp ose of t his chapter:
20.2. 1 "Liquid chemical waste s " are substa nces, solutio ns or mixt ures,
o ffered for ship me nt , containing or contaminat ed with one or more
co nstituen t s whic h are su bj ec t to the r equire ments of this Code an d
for which no di rec t use is envisaged but wh ich are carried for
dum ping, inci neration or o ther methods of disposal o th er than a t se a.
20.2 . 2 "Tran s boundary movement" means maritime transport of wastes from an
area under the national jurisdiction of one coun try to or through an
area under the national jurisdiction of another cou ntr y, or to or
t hrough an area not under t he national juris diction of any coun try,
provided at le ast t wo countries are concerned by the moveme nt.
20.3 Appl i cabi l ity
20 . 3. 1 The requir emen ts of this chapter are applicable to the transbo undary
movement of liq uid chemical wastes in bu lk by seago ing ships and
should be co nside red in conjunction with all oth er requirements of
this Code .

20 . 3. 1 The requir emen ts of this chapter are applicable to the transbo undary movement of liq uid chemical wastes in bu lk by seago ing ships and should be co nside red in conjunction with all oth er requirements of this Code .

20.3.2 The re qui re ments of this chapter do not apply to:

. 1 was tes de rived from shipboard operations which are covete d by the req uireme nt s of HARPOL 73/78;

. 2 liqui d chemica l wastes carr ied by s hips engaged i n the incineration of such was te s at sea whic h ar e c overed by cha pte r 19 of this Code; and

.3 substa nce s, solutio ns or mixtu res containing or contaminated with radioactive materials whi ch are subject t o t he applicable requirements for radioactive mater ia ls.

20.4 Permitted shipments

20.4.1 Transboundary movement of waste s is permitted t o commence only when:

RESOLUTION MEPC.55(33) (adopted on 30 October 1992)

ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING

DANGEROUS CHEMICALS IN BULK (IBC CODE)- 51 -

. 1 notification has been aent by the competent authority of the country of origin, or by the generator or exporter through the

AND EQUIPMENT OF SHIPS CARRYING
DANGEROUS CHEMICALS IN BULK (IBC CODE)- 51 -
. 1 notification has been aent by the competent authority of the country of origin, or by the generator or exporter through the channel of the competent authority of the country of origin, to the country of final destination ; and
.2 the competent authority of the country of Orl&ln, having received the written consent of the count r y of final destination stating that the wastes will be safely incinerated or treated by other methods of disposal, has given authorization for the movement.
20.5 Documentati on
20.5.1 In addition to the documentation specified in 16 .2 of this Code s h ips engaged in tran sbou ndar y movement of liquid chemical wastes should carryon board a waste movement document issued by the competent authority of the country of origin.
20.6 Classification of liquid chemical wastes
20.6.1 For the purpoae of the protection of the marine environment al l liqui d chemical wastes tran s ported in bulk should be treated as category A noxious liquid substances, irrespective of the actual evaluated ca tegory .
20.7 Carriage and handling of liquid chemical wastes

chemical wastes tran s ported in bulk should be treated as category A noxious liquid substances, irrespective of the actual evaluated ca tegory .

20.7 Carriage and handling of liquid chemical wastes

20.1.1 Liquid chemical wastes shou ld be carried in shi ps and cargo tan ks in accordance with the minimum requirements for liquid chemical wastes specified in chapter 17, unless there are clear grounds indicating that the hazards of the wastes would warrant;

.1 carriage in accordance with the ship type 1 requirements; or

.2 any additional require ments of this Code applicable to the substance or, in case of a mixture. it s constituent presenting the predominant hazard.

RESOLUTION MEPC.55(33) (adopted on 30 October 1992)

ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING DANGEROUS CHEMICALS IN BULK (IBC CODE)RESOLUTION MEPC.55(33) (adopted on 30 October 1992)

ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CODE FOR THE CONSTRUCTION AND EQUIPMENT OF SHIPS CARRYING DANGEROUS CHEMICALS IN BULK (IBC CODE)