RESOLUTION MSC.31(63)
adopted on 23 May 1994
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974 RESOLUTION MSC.31(63)
adopted on 23 May 1994
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974
THE MARITIME SAFETY COMMITTEE,
RECALLING Article 28(b) of the Convention on the Inte rnational Maritime Organization concerning the functions of the Committee,
RECALLING FURTHER article VIII(b) of the Internation al Convention for the Safety of Life at Sea (SOLAS), 1974. hereinafter referred to a s "the Convention", concerning the procedures for amending the Annex to the Conv ention, other than the provisions of chapter I,
HAVING CONSIDERED, at its sixty-third session, amendmen ts t o t he Convention proposed and circulated in accordance with article VIII(b)(i) thereof,
1. ADOPTS, in accordance with article VIII(b)(iv) of the Co nvention, the amendments to the Convention, the text of which is set out in the Annexes to the present resolution;
2 . DETERMINES, in accordance with article VIII(b)(vi)(2)(bb) of the Convention, that:

amendments to the Convention, the text of which is set out in the Annexes to the present resolution;
2 . DETERMINES, in accordance with article VIII(b)(vi)(2)(bb) of the Convention, that:
(a) the amendments set out in Annex I shall be deem ed t o ha ve bee n accepted on 1 July 1995; and
(b) the amendments set out in Annex 2 shall be deemed to hav e been accepted on 1 January 1998;
unless, prior to these dates, more than one third of the Contracting Governments to the Convention, or Contracting Governments the combined merchant fleets of which constitute not less than fifty per cent of the gross tonnage of the world's merchant fleet, have notified their objections to the amendments;
3. INVITES Contracting Governments to note that, in accordance wi th article VIII(b)(vii)(2) of the Convention:
(a) the amendments set out in Annex 1 shall enter into force on I January 1996; and
(b) the amendments set out in Annex 2 shall enter into force on 1 July 1996;
upon their acceptance in accordance with paragraph 2 above;
RESOLUTION MSC.31(63)
adopted on 23 May 1994
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974 - 2 -

1 July 1996;
upon their acceptance in accordance with paragraph 2 above;
RESOLUTION MSC.31(63)
adopted on 23 May 1994
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CONVENTION
FOR THE SAFETY OF LIFE AT SEA, 1974 - 2 -
4. REQUESTS the Secretary-General, in conformity with article VIII(b)(v) of the Convention, to transmit certified copies of the present resolution and the text of the amendments contained in the Annexes to all Contracting Governments to the Convention;
S. FURTHER REQUESTS the Secretary-General to transmit copies of the resolution and its Annexes to Members of the Organization which are not Contracting Governments to the Convention.
RESOLUTION MSC.31(63)
adopted on 23 May 1994
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CONVENTION
FOR THE SAFETY OF LIFE AT SEA, 1974 - 3 -
ANNEX 1
AMENDMENTS TO THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974
Regulation Y/8_1 Ship reporting systems
1 The following new regulation V/B - l is added:
"Regulation 8-1
Ship reporting system s
(a) Ship reporting systems contribute to safety of life at sea, saf ety and efficiency of navigation, and protection of the marine envi ronment .

1 The following new regulation V/B - l is added:
"Regulation 8-1
Ship reporting system s
(a) Ship reporting systems contribute to safety of life at sea, saf ety
and efficiency of navigation, and protection of the marine envi ronment .
A ship reporting system. when adopt ed and implement ed in accordan ce with
the guidelines and criteria developed by the Organization pur sua n t to this
regulation. shall be used by all ships. or certain cat egorie s of ships or
ships carrying certain cargoes, in accordance with the provi si o ns of eac h
system so adopted.
(b) The Organization is recognized as the only interna t ional body for
developing guidelines, criteria and regulations on an internation a l level for
ship reporting systems. Contracting Governments s h a l l refer proposa ls for the
adoption of ship reporting systems to the Organizatio n . The Org anization wil l
collate and disseminate to Contracting Governmen ts a l l relevan t i nfo rmation
with regard to any adopted ship reporting system.
(c) This regulation and its associated guidelines an d criteria do no t apply
to any warship, naval auxiliary or other vessel owned o r opera t ed by a

with regard to any adopted ship reporting system.
(c) This regulation and its associated guidelines an d criteria do no t apply to any warship, naval auxiliary or other vessel owned o r opera t ed by a Contracting Government and used, for the time being , only on government non-commercial service ; however, such ships are encouraged to par tic ipate in ship reporting systems that have been adopted in acco rdan ce with this regUlation.
(d) The initiation of action for establishing a ship reporting system is the responsibility of the Government or Governments con ce rned. In developing such systems , pro v isions of the guidelines and criteria de veloped by the Organization shall be taken into account.
(e) Ship reporting systems not submitted to the Organization for adoption do not necessarily need to comply with this regulation. Howeve r, Governments implementing such systems are encouraged to follow, wherever possible, the guidelines and criteria developed by the Organization. Contracting Governments may submit such systems to the Organization for recognition.
(f) Where two or more Governments have a common interest in a particular

guidelines and criteria developed by the Organization. Contracting Governments may submit such systems to the Organization for recognition.
(f) Where two or more Governments have a common interest in a particular area, they should formulate proposals for a co-ordinated ship reporting system on the basis of agreement between them. Before proceeding with a proposal fo r adoption of a ship reporting system, the Organization shall disseminate details of the proposal to those Governments which have a common interest in the area covered by the proposed system. Where a co-ordinated ship reporting system is adopted and established, it shall have un i form pr oc edure s an d opera.tions.
RESOLUTION MSC.31(63)
adopted on 23 May 1994
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974 - 4 -
(g) After adoption of a ship reporting system in accordance with this regulation, the Government or Government s con cern ed shall take al l measu res necessary for the promulgation of any information needed for the eff i c ient an d eff ecti ve use of the system. Any adopted ship rep ort ing system shall have the

regulation, the Government or Government s con cern ed shall take al l measu res necessary for the promulgation of any information needed for the eff i c ient an d eff ecti ve use of the system. Any adopted ship rep ort ing system shall have the capability of interaction and the ability to assist s hips with information when nece ssary. Such systems shall be oper ated in accor dan ce wi th th e guidelines and c riteria developed by the Or gan iz at i on pursu a nt to t hi s regulation .

(h) The master of a ship s ha l l comp ly wi t h the req u irements of adop ted s hi p reporting syste ms and report to the appropriate auth or ity a l l i nformation required in ac cordance with the p rovis i ons o f each suc h sys tem.

(i) Al l adopted ship r e po rt ing sys t ems and a ctions taken to enf or ce complian ce with those systems sha l l b e consistent wit h internati onal la\>,', including the releva nt pr ov i s ions of the United Natio ns Convention on the Law of the Sea. .

(j) Noth i ng in this regulation or i n its associated guide lin es and c r ite ri a s hall prejudice the rights and duties of Gover nments under intern ationa l law,

Law of the Sea. .
(j) Noth i ng in this regulation or i n its associated guide lin es and c r ite ri a s hall prejudice the rights and duties of Gover nments under intern ationa l law, or the legal regime of international stra i ts.
(k) The participation of ships in accordance with the provision s of adopted ship reporting s ystems s hall be free of c ha rge to the s hip s concer ned .
(1) The Orga nization shall ensure that adopted ship repo rti ng sy s tems a re reviewed under the guideline s and c riteria develope d by the Organizat io n."
Regulation y/ lS _l _ Emergency towing arrangements gn tanker s
2 The f ollowi ng new regulation V/15 - 1 is added:
" Regulat ion 15 - 1
Emergen cy towing a rrangements on tankers
(a) For the purpose of this reg ul ation, tankers include oil tanke r s as defined in regulation 11 - 1 / 2.12; chemical tan ker s as defined in regulation V11 /B .2 and gas carriers as defined in re gul ation V11 /1 l . 2 .
(b) An emergency tow i ng arrangement shall be fitte d at both end s on boar d all tankers of not less than 20;000 tonnes deadweight as defined in regulation 11-1/3.21 constru c ted on or after 1 January 1996. Fo r tankers

(b) An emergency tow i ng arrangement shall be fitte d at both end s on boar d all tankers of not less than 20;000 tonnes deadweight as defined in regulation 11-1/3.21 constru c ted on or after 1 January 1996. Fo r tankers constructed before 1 Janua ry 1996, such an arrangement shall be fitted at the first scheduled dry-docking after 1 January 1996, but not later than 1 January 1999. The design and construction of the towing arrangement sha l l be approved by the Administration , based on the guide l ines developed by the Organization."

RESOLUTION MSC.31(63)

adopted on 23 May 1994

ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974 - 5 -

ANNEX 2

AMENDMENTS TO THE INTE:RNATIONAL CONVENTION FOR THE SAFETY OF LI~E AT SEA. 1974

Regulatign II_VIS - Arrangements fOf oil fuel. lubricating oil and other flammable gils

1 The following text is added after the title:

"(Paragraphs 2.9 to 2.12 of this regulation apply to all ships)"

2 The following Dew subparagraphs .9 to .12 are added after existing subparagraph .8 of paragraph 2:

".9 All external high pressure fuel delivery lines bet~een the high

"(Paragraphs 2.9 to 2.12 of this regulation apply to all ships)"
2 The following Dew subparagraphs .9 to .12 are added after existing subparagraph .8 of paragraph 2:
".9 All external high pressure fuel delivery lines bet~een the high pressure fuel pumps and fuel injector s shall be protected with a jacketed piping system capable of containing fuel from a high pressure line failure. A jacketed pip e incorporates a n outer pipe into whi c h the high pressure fu el pipe is placed form ing a permanent assembly. The jack eted piping system shal l include a means for collection of leakages and arrangements shall be provided for an alarm to be given of a fuel l ine failure,
. 10 All surfaces with temperatures above 220·C which may be imp inged as a result of a fuel system failure shall be proper l y i nsu lated .
11 Oil fuel lines shall be screened or otherwise suitably pro tected to avoid as far as practicable oil spray or oil leakage s onto hot surfaces, into machinery air intakes, or other sources of ignition. The number of joints in such piping system s shal l be kept to a minimum .
. 12 Ships constructed before 1 July 1998 sh a ll comply wit h the

hot surfaces, into machinery air intakes, or other sources of ignition. The number of joints in such piping system s shal l be kept to a minimum .

. 12 Ships constructed before 1 July 1998 sh a ll comply wit h the requirements of paragraphs 2.9 to Z.ll not later than 1 July Z003, ezcept that a suitable enclosure on engine s having an output of 375 kW or less having fuel injection pumps se rving more than one injector may be used as an alternative to the jackete d piping system in paragrapb 2.9. "

3 The words "Z.7 and 2.6" in the 8zisting parag raph 3 are rep laced by "2.7. 2.6, 2.10 and 2.11".

4 The words "2.4 and 2.6" in the existing paragraph 4 are replaced by "Z.4. 2.6, 2.10 and 2. 11".

5 The ezisting paragraph 5.1 is deleted, and paragraphs 5.2 and 5.3 are r enumber ed 5,1 and 5.2 .

Regulatign V/3 _ Informotion required in danger mes sages

6 In paraqraph (b). the phrase "Tropical storms (hurricane s in the Wes t Indies. typhoons in the China Sea, cyclones in Indian waters and storms of a similar nature in other regions)" is replaced by "Tropical storm s ",

RESOLUTION MSC.31(63)

adopted on 23 May 1994

ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CONVENTION

a similar nature in other regions)" is replaced by "Tropical storm s ",
RESOLUTION MSC.31(63)
adopted on 23 May 1994
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CONVENTION
FOR THE SAFETY OF LIFE AT SEA, 1974 - 6 -
Regulation V/4 _ Meteprolpgical serVices
7 In paragraph (b)(ii), the phrase "To i ss ue daily, by radio" i s replaced
by "To issue twice daily, by radio".
Regu lation V/?2 - NAyigation bridge Visi h ility
8 The following new regulation V/22 is added:
"Regulation 22
Navigation bridge v isibility
(a) Ships o f not less than 45 m in length as defined i n regulation 111 /) .10,
constructed on or after 1 July 1998 , sh a ll meet the following requirements:
(i) The view of the sea surface from the c onning positi o n s ha l l not be
obscured by more than two ship lengths, or 500 m, whi c h ever is the
less, forward o f the bow to 10 0 on either side under all conditi ons
of draught, trim and deck carg o .
(il) No blind sector caused by cargo, cargo gear or other obst ructions
outside of the wheelhouse forward of the beam which obstructs the
view of the sea surface as seen from the co nning pos iti on, sha l l

of draught, trim and deck carg o .
(il) No blind sector caused by cargo, cargo gear or other obst ructions outside of the wheelhouse forward of the beam which obstructs the view of the sea surface as seen from the co nning pos iti on, sha l l exceed 10°. The total arc of blind sectors shal l not exceed 20 ° . The clear sectors between blind sectors shall be at least 5 °. However, in the view described in paragraph (a)(i) , each individual blind sector shall not exceed 5°.
(iii) The horizontal field of vision from the conning position shall extend over an arc of not less than 225°, that is from right ahead to not less than 22.5° abaft the beam on either side of the ship.
(iv) From each bridge wing the horizontal field of vision shall extend over an arc of at least 225 °, that is from at least 45 ° on the opposite bow through right ahead and then from right ahead to right astern through 160° on the same side of the Ship.
(v) From the main steering position the horizontal field of visio n shall extend over an arc from right ahead to at least 60 0 on each side of the Ship.
(vi) The ship's side shall be visible from the bridge wing.

(v) From the main steering position the horizontal field of visio n shall extend over an arc from right ahead to at least 60 0 on each side of the Ship.
(vi) The ship's side shall be visible from the bridge wing.
(v ii) The heigh t of the lower edge of the navigation bridge front windows above the bridge deck shall be kep t as low as possible. In no case shall the lower edge present an obstruction to the forward view as described in this regulation .
(viii) The upper edge of the navigation bridge front window s sha ll allow a forward view of the horizon, for a person with a height of eye of 1,800 mm above the bridge deck at the conning position, when the ship is pitching in heavy seas . The Administration, if satisfied that a 1 , 800 mm height of eye is unreasonable an d impractical. may allow reduction of the height of eye but not
tn l pf':1': thl'ln 1 .",on min.
RESOLUTION MSC.31(63)
adopted on 23 May 1994
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974 - 7 -
(lx) Windows shall meet the following requirements:
(1) framing between navigation bridge windows shall be kept to

adopted on 23 May 1994
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CONVENTION
FOR THE SAFETY OF LIFE AT SEA, 1974 - 7 -
(lx) Windows shall meet the following requirements:
(1) framing between navigation bridge windows shall be kept to a minimum and not be installed immediately forward of any workstation;
(2) to help avoid reflections, the bridge front windows shall be inclined from the vertical plane top out, at an angle of not less than 10° and not more than 25°;
(3) polarized and tinted windows shall not be fitted; and
(4) at all times regardless of weather conditions, at least two of the navigation bridge front windows shall provide a clear view, and in addition depending on the bridge configuration, an additional number of windows shall provide a clear view.
(b) Ships constructed before 1 July 1998 shall, where practicable, meet the requirements of (a) (i) and (a)(ii) . However, structural alterations or additional equipment need not be required.
(e) With ships of unconventional design which, in the opinion of the Administration cannot comply with this regulation, arrangements shall be

additional equipment need not be required.
(e) With ships of unconventional design which, in the opinion of the Administration cannot comply with this regulation, arrangements shall be provided to achieve a level of visibility that is as near as practical to those prescribed in this regulation."
RESOLUTION MSC.31(63)
adopted on 23 May 1994
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974 RESOLUTION MSC.31(63)
adopted on 23 May 1994
ADOPTION OF AMENDMENTS TO THE INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA, 1974