by article 9 of the Convention.

***

RESOLUTION MEPC.211(63)

Adopted on 2 March 2012

2012 GUIDELINES FOR THE AUTHORIZATION OF SHIP RECYCLING FACILITIESRESOLUTION MEPC.211(63)

Adopted on 2 March 2012

2012 GUIDELINES FOR THE AUTHORIZATION OF SHIP RECYCLING FACILITIES

-

RESOLUTION MEPC.212(63)

Adopted on 2 March 2012

2012 GUIDELINES ON THE METHOD OF CALCULATION OF THE

ATTAINED ENERGY EFFICIENCY DESIGN INDEX (EEDI) FOR NEW SHIPSMEPC 63/23

Annex 8, page 1

I:\MEPC\63\23.doc

ANNEX 8

RESOLUTION MEPC.212(63)

Adopted on 2 March 2012

2012 GUIDELINES ON THE METHOD OF CALCULATION OF THE

ATTAINED ENERGY EFFICIENCY DESIGN INDEX (EEDI) FOR NEW SHIPS

THE MARINE ENVIRONMENT PROTECTION COMMITTEE,

RECALLING article 38(a) of the Convention on the International Maritime Organization

concerning the functions of the Marine Envi ronment Protection Committee (the Committee)

conferred upon it by international conventions for the prevention and control of marine

pollution,

RECALLING ALSO that, at its sixty-second session, the Committee adopted, by resolution

MEPC.203(62),

Convention for the Prevention of Pollution from Ships, 1973, as modified by the Protocol

of 1978 relating thereto (inclusion of regulations on energy efficiency for ships in MARPOL

Annex VI),

NOTING the

-

of 1978 relating thereto (inclusion of regulations on energy efficiency for ships in MARPOL

Annex VI),

NOTING the

inclusion of a new chapter 4 for regulations on energy efficiency for ships, are expected
to

enter into force on 1 January 2013 upon their acceptance on 1 July 2012,

NOTING ALSO that regulation 20 (Attai ned EEDI) of MARPOL Annex VI, as amended,

requires that the Energy Efficiency Design Index shall be calculated taking into account
the

guidelines developed by the Organization,

RECOGNIZING that the

relevant guidelines for smooth and uniform implem entation of the regulations and to
provide

sufficient lead time for industry to prepare,

HAVING CONSIDERED, at its sixty-third session, the draft 2012 Guidelines on the method of calculation of the attained Energy Efficiency Design Index (EEDI) for new ships,

1. ADOPTS the 2012 Guidelines on the method of calculation of the attained Energy Efficiency Design Index (EEDI) for new ships, as set out at annex to the present resolution;

-

1. ADOPTS the 2012 Guidelines on the method of calculation of the attained Energy Efficiency Design Index (EEDI) for new ships, as set out at annex to the present resolution;

2. INVITES Administrations to take the annexed Guidelines into account when developing and enacting national laws which give fo rce to and implement provisions set forth in regulation 20 of MARPOL Annex VI, as amended;

3. REQUESTS the Parties to MARPOL Annex VI and other Member Governments to bring the annexed Guidelines related to the Energy Efficiency Design Index (EEDI) to the attention of shipowners, ship operators, shipbuilders, ship designers and any other interested groups;

4. AGREES to keep these Guidelines under review in light of the experience gained; and

5. REVOKES the Interim Guidelines circulated by MEPC.1/Circ.681, as from this date.

RESOLUTION MEPC.212(63)

Adopted on 2 March 2012

2012 GUIDELINES ON THE METHOD OF CALCULATION OF THE ATTAINED ENERGY EFFICIENCY DESIGN INDEX (EEDI) FOR NEW SHIPSMEPC 63/23

Annex 8, page 2

I:\MEPC\63\23.doc

ANNEX

2012 GUIDELINES ON THE METHOD OF CALCULATION OF THE ATTAINED ENERGY EFFICIENCY DESIGN INDEX (EEDI) FOR NEW SHIPS

-

ATTAINED ENERGY EFFICIENCY DESIGN INDEX (EEDI) FOR NEW SHIPSMEPC 63/23

Annex 8, page 2

I:\MEPC\63\23.doc

ANNEX

2012 GUIDELINES ON THE METHOD OF CALCULATION OF THE ATTAINED ENERGY EFFICIENCY DESIGN INDEX (EEDI) FOR NEW SHIPS

CONTENTS

1 Definitions

2 Energy Efficiency Design Index (EEDI) including the equation

2.1 CF ; conversion factor between fuel consumption and CO2 emission

2.2 Vref ; ship speed

2.3 Capacity

2.3.1 Bulk carriers, tankers, gas carriers, ro-ro cargo ships and general cargo ships

2.3.2 Passenger ships and ro-ro passenger ships

2.3.3 Containerships

2.4 Deadweight

2.5 P ; Power of main and auxiliary engines

2.5.1 PME ; power of main engines

2.5.2 PPTO ; shaft generator

2.5.3 PPTI ; shaft motor

2.5.4 Peff ; output of innovative mechanical energy efficient technolog