n the calendar

year, as reported under IMO DCS; and

■ represents the fuel oil mass to CO 2 mass conversion factor for fuel oil type

, in line with those specified in the 2018 Guidelines on the method of

calculation of the attained Energy Efficiency Design Index (EEDI) for new ships

(resolution MEPC.308(73)), as may be further amended. In case the type of the

-

calculation of the attained Energy Efficiency Design Index (EEDI) for new ships

(resolution MEPC.308(73)), as may be further amended. In case the type of the

fuel oil is not covered by the guidelines, the conversion factor should be obtained

from the fuel oil supplier supported by documentary evidence.

4.2 Transport work (W)

In the absence of the data on actual transport work, the supply-based transport work (Ws) can

be taken as a proxy, which is defined as the product of a ship ■s capacity and the distance

travelled in a given calendar year, as follows:

Ws= C×Dt (3)

where:

■ C represents the ship■s capacity:

- For bulk carriers, tankers, container ships, gas carriers, LNG carriers, ro- ro

cargo ships, general cargo ships, refrigerated cargo carrier and combination

carriers, deadweight tonnage (DWT)1 should be used as Capacity;

- For cruise passenger ships, ro- ro cargo ships (vehicle carriers) and ro- ro

-

carriers, deadweight tonnage (DWT)1 should be used as Capacity;

- For cruise passenger ships, ro- ro cargo ships (vehicle carriers) and ro- ro

passenger ships, gross tonnage (GT)2 should be used as Capacity; and

■ Dt represents the total distance travelled (in nautical miles), as reported under

IMO DCS.

1 Deadweight tonnage (DWT) means the difference in tonnes between the displacement of a ship in water of

relative density of 1,025 kg/m3 at the summer load draught and the lightweight of the ship. The summer load

draught should be taken as the maximum summer draught as certified in the stability booklet approved by

the Administration or any organization recognized by it.

2 Gross tonnage (GT) should be calculated in accordance with the International Convention on Tonnage

Measurement of Ships, 1969.

/ shipattained CII M W=

j

jFC j

jFC

j

-

Measurement of Ships, 1969.

/ shipattained CII M W=

j

jFC j

jFC

j

RESOLUTION MEPC.336(76) (adopted on 17 June 2021)

2021 GUIDELINES ON OPERATIONAL CARBON INTENSITY INDICATORS AND THE CALCULATION METHODS (CII GUIDELINES, G1)MEPC 76/15/Add.2

Annex 10, page 4

I:\MEPC\76\MEPC 76-15-Add.2.docx

5 Operational carbon intensity indicator (CII) of individual ships for trial purpose

The following metrics are encouraged to be used for trial purposes, where applicable:

.1 Energy Efficiency Performance Indicator (EEPI)

■■■■■■■■■ = ■■■■■×■■■■■

.2 cbDIST

■■■■■■■ ■■■■■■■ = ■■■■■ ■■■■■×■■■■■

.3 clDIST

■■ ■■■■■■■■■■■ = ■■■■■■■ ■■■■■■■■■■■■■■■■×■■■■■

.4 EEOI, as defined in MEPC.1/Circ.684 on Guidelines for voluntary use of the

ship energy efficiency operational indicator (EEOI).

In the formulas above:

• the mass of CO2 (M), the ship■s capacity (C) and the total distance travelled (Dt) are

-

ship energy efficiency operational indicator (EEOI).

In the formulas above:

• the mass of CO2 (M), the ship■s capacity (C) and the total distance travelled (Dt) are

identical with those used to calculate the attained CII of individual ships, as specified

in section 4.1 and 4.2;

• Dl means the laden distance travelled (in nautical miles) when the ship is loaded;

• ALB means the number of available lower berths of a cruise passenger ship; and

• Lanemeter means the length (in metres) of the lanes of a ro-ro ship.

***

RESOLUTION MEPC.336(76) (adopted on 17 June 2021)

2021 GUIDELINES ON OPERATIONAL CARBON INTENSITY INDICATORS AND THE CALCULATION METHODS (CII GUIDELINES, G1)RESOLUTION MEPC.336(76) (adopted on 17 June 2021)

2021 GUIDELINES ON OPERATIONAL CARBON INTENSITY INDICATORS AND THE CALCULATION METHODS (CII GUIDELINES, G1)

-

RESOLUTION MEPC.328(76)

INTERNATIONAL CONVENTION FOR THE PREVENTION OF POLLUTION FROM SHIPS,

1973, AS MODIFIED BY THE PROTOCOL OF 1978 RELATING THERETORESOLUTION MEPC.328(76)

INTERNATIONAL CONVENTION FOR THE PREVENTION OF POLLUTION FROM SHIPS,

1973, AS MODIFIED BY THE PROTOCOL OF 1978 RELATING THERETO

2021 Revised MARPOL Annex VI

THE MARINE ENVIRONMENT PROTECTION COMMITTEE,

RECALLING Article 38(a) of the Convention on the I