uidelines developed

by the Organization.50

45 Refer to the Code for Recognized Organizations (RO Code) (resolutions MSC.349(92) and MEPC.237(65)).

46 Refer to the 2022 Guidelines on the method of calculation of the attained Energy Efficiency Design Index

(EEDI) for new ships (resolution MEPC.364(79)).

47 Refer to the Code for Recognized Organizations (RO Code) (resolutions MSC.349(92) and MEPC.237(65)).

48 Refer to the 2022 Guidelines on the method of calculation of the attained Energy Efficiency Design Index

(EEDI) for new ships (resolution MEPC.364(79)).

-

48 Refer to the 2022 Guidelines on the method of calculation of the attained Energy Efficiency Design Index

(EEDI) for new ships (resolution MEPC.364(79)).

49 Refer to the Code for Recognized Organizations (RO Code) (resolutions MSC.349(92) and MEPC.237(65)).

50 Refer to the 2022 Guidelines on the method of calculation of the attained Energy Efficiency Existing

Ship Index (EEXI) (resolution MEPC.350(78)).

RESOLUTION MEPC.403(83) (adopted on 11 April 2025)

OF THE ENERGY EFFICIENCY DESIGN INDEX (EEDI)MEPC 83/17/Add.1

Annex 11, page 41

I:\MEPC\MEPC 83-17-Add.1.docx

3 Notwithstanding paragraph 1 of this regulation, for each ship to which regulation 22

of this Annex applies, the attained EEDI verified by the Administration or by any organization

duly authorized by it 51 in accordance with regulation 22.1 of this Annex may be taken as the

attained EEXI if the value of the attained EEDI is equal to or less than that of the required EEXI

as required by regulation 25 of this Annex. In this case, the attained EEXI shall be ve rified

based on the EEDI technical file.

Regulation 24

Required EEDI

-

as required by regulation 25 of this Annex. In this case, the attained EEXI shall be ve rified

based on the EEDI technical file.

Regulation 24

Required EEDI

1 For each:

.1 new ship,

.2 new ship which has undergone a major conversion, and

.3 new or existing ship which has undergone a major conversion that is so

extensive that the ship is regarded by the Administration as a newly

constructed ship

which falls into one of the categories in regulations 2.2.5, 2.2.7, 2.2.9, 2.2.11, 2.2.14 to 2.2.16,

2.2.22, and 2.2.26 to 2.2.29 and to which this chapter is applicable, the attained EEDI shall be

as follows:

Attained EEDI ≤ Required EEDI = (1 –

X

100) ■ Reference line value

where X is the reduction factor specified in table 1 for the required EEDI compared to the EEDI

reference line.

2 For each new and existing ship that has undergone a major conversion which is so

extensive that the ship is regarded by the Administration as a newly constructed ship, the

attained EEDI shall be calculated and meet the requirement of paragraph 1 of this r egulation

with the reduction factor applicable corresponding to the ship type and size of the converted

-

attained EEDI shall be calculated and meet the requirement of paragraph 1 of this r egulation

with the reduction factor applicable corresponding to the ship type and size of the converted

ship at the date of the contract of the conversion, or in the absence of a contract, the

commencement date of the conversion.

51 Refer to the Code for Recognized Organizations (RO Code) (resolutions MSC.349(92) and MEPC.237(65)).

Table 1 - Reduction factors (in percentage) for the EEDI relative to the EEDI reference

line

Ship Type Size

Phase 0

1 Jan

2013 –

31 Dec

2014

Phase 1

1 Jan

2015 –

31 Dec

2019

Phase 2

1 Jan

2020 –
31 Mar
2022
Phase 2
1 Jan
2020 –
31 Dec
2024
Phase 3
1 Apr
2022
and
onwards
Phase 3
1 Jan
2025
and
onwards
Bulk carrier
20,000 DWT
and above 0 10 20 30
10,000 and
above but less
than 20,000
DWT
n/a 0-10*
0-20* 0-30*
Gas carrier
15,000 DWT
and above 0 10 20 30
10,000 and
above but less
-
and
onwards
Phase 3
1 Jan
2025
and
onwards
Bulk carrier
20,000 DWT
and above 0 10 20 30
10,000 and
above but less

than 20,000
DWT
n/a 0-10*
0-20* 0-30*
Gas carrier
15,000 DWT
and above 0 10 20 30
10,000 and
above but less
than 15,000
DWT
0 10
20 30
2,000 and
above but less
than 10,000
DWT
n/a 0-10*
0-20* 0-30*
Tanker
20,000 DWT
and above 0 10 20 30
4,000 and
above but less
than 20,000
DWT
n/a 0-10*
0-20* 0-30*
Containers