DIOACTIVE WASTES ON BOARD SHIPS

(INF CODE)RESOLUTION MSC.135(76)

(adopted on 12 December 2002)

ADOPTION OF

FOR THE SAFE CARRIAGE OF ACKAGED IRRADIATED NUCLEAR FUEL, PLUTONIUM AND HIGH-LEVEL RADIOACTIVE WASTES ON BOARD SHIPS

(INF CODE)

-

RESOLUTION MSC.136(76)

(adopted on 11 December 2002)

PERFORMANCE STANDARDS FOR A SHIP

SECURITY ALERT SYSTEMMSC 76/23/Add.1

I:\MSC\76\23-ADD.1.DOC

ANNEX 5

RESOLUTION MSC.136(76)

(adopted on 11 December 2002)

PERFORMANCE STANDARDS FOR A SHIP SECURITY ALERT SYSTEM

THE MARITIME SAFETY COMMITTEE,

RECALLING Article 28(b) of the Convention on the International Maritime Organization

concerning the functions of the Committee,

RECALLING ALSO resolution A.886(21), by which the Assembly resolved that the functions

of adopting performance standards for radio and navigational equipment, as well as amendments

thereto, shall be performed by the Maritime Safety Committee on behalf of the Organization,

RECALLING FURTHER the provisions of the new chapter XI-2 of the International

Convention for the Safety of Life at Sea (SOLAS), 1974, as amended, and the requirements of

regulation XI-2/5, that all ships shall be provided with a ship security alert system,

RECOGNIZING that, for security reasons, a sh ip security alert system is necessary on

board for initiating and transmitting a ship-to-shore security alert to a competent authority

-

RECOGNIZING that, for security reasons, a sh ip security alert system is necessary on

board for initiating and transmitting a ship-to-shore security alert to a competent authority

designated by the Administration,

HAVING CONSIDERED the recommendation made by the Sub-Committee on Safety of

Navigation at its forty-eighth session,

1. ADOPTS the Recommendation on Performance Standards for a ship security alert system, set

out in the Annex to the present resolution;

2. RECOMMENDS Governments to ensure that a ship security alert system provided in

compliance with relevant international instruments in force on or after 1 July 2004 conforms to

performance standards not inferior to those specified in the Annex to the present resolution.

RESOLUTION MSC.136(76)

(adopted on 11 December 2002)

PERFORMANCE STANDARDS FOR A SHIP

SECURITY ALERT SYSTEMMSC 76/23/Add.1

ANNEX 5

Page 2

I:\MSC\76\23-ADD.1.DOC

ANNEX

RECOMMENDATION ON PERFORMANCE STANDARDS

FOR A SHIP SECURITY ALERT SYSTEM

1 Introduction

1.1 The ship security alert system is provided to a ship for the purpose of transmitting a

-

ANNEX 5

Page 2

I:\MSC\76\23-ADD.1.DOC

ANNEX

RECOMMENDATION ON PERFORMANCE STANDARDS

FOR A SHIP SECURITY ALERT SYSTEM

1 Introduction

1.1 The ship security alert system is provided to a ship for the purpose of transmitting a

security alert to the shore to indicate to a competent authority that the security of the ship is under

threat or has been compromised. It comprises a minimum of two activation points, one of which

is on the navigation bridge. These initiate the transmission of a ship security alert. The system is

intended to allow a covert activation to be made which alerts the competent authority ashore and

does not raise an alarm on board ship nor alert other ships.

1.2 As required by its Administration, the compet ent authority receiving the alert notifies the

authority responsible for maritime security with in its Administration, the coastal State(s) in

whose vicinity the ship is presently operating, or other Contracting Governments.

1.3 The procedures for the use of the ship s ecurity alert system and the location of the

activation points are given in the ship security plan agreed by the Administration.

-

1.3 The procedures for the use of the ship s ecurity alert system and the location of the

activation points are given in the ship security plan agreed by the Administration.

1.4 The ship security alert system may utilise the radio installation provided for compliance

with chapter IV of the SO LAS Convention, other radio systems provided for general

communications or dedicated radio systems.

2 General

2.1 In addition to complying with the genera l requirements set out in resolution A.694(17) 1,

the ship security alert system should comply with the following performance standards.

2.2 The radio system used for the ship security alert systems should comply with relevant international standards.

3 Power supply

Where the ship security alert system is powered from the ship■s main source of electrical power,

it should, in addition, be possible to operate the system from anothe