nstitute of Aeronautics and Astronautics, "Safety Standard for Hydrogen
and Hydrogen Systems (Guide to Safety of Hydrogen and Hydrogen Systems)", 2005
(AIAA)
RESOLUTION MSC.565(108) (adopted on 24 May 2024)
REVISED INTERIM RECOMMENDATIONS FOR CARRIAGE OF
LIQUEFIED HYDROGEN IN BULK

URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.570(109).pdf
RESOLUTION MSC.570(109) (adopted on 6 December 2024)
PERFORMANCE STANDARDS FOR A UNIVERSAL
SHIPBORNE AUTOMATIC IDENTIFICATION SYSTEM (AIS)
MSC 109/22/Add.1
Annex 23, page 1
I:\MSC\109\22\MSC 109-22-Add.1.docx
ANNEX 23
RESOLUTION MSC.570(109)
(adopted on 6 December 2024)
PERFORMANCE STANDARDS FOR A UNIVERSAL
SHIPBORNE AUTOMATIC IDENTIFICATION SYSTEM (AIS)
THE MARITIME SAFETY COMMITTEE,
RECALLING Article 28(b) of the Convention on the International Maritime Organization
concerning the functions of the Committee,
RECALLING ALSO resolution A.886(21), by which the Assembly resolved that the functions
of adopting performance standards and technical specifications, as well as amendments
thereto, shall be performed by the Maritime Safety Committee on behalf of the Organization,
RECALLING FURTHER resolution MSC.74(69), annex 3, by which the Committee adopted
the Recommendation on performance standards for a universal automatic identification system
---
URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.570(109).pdf
the Recommendation on performance standards for a universal automatic identification system
(AIS) to improve the safety of navigation,
TAKING INTO ACCOUNT resolution A.1192(33), by which the Assembly urged Member
States and all relevant stakeholders to promote actions to prevent illegal operations in
the
maritime sector by the "dark fleet" or "shadow fleet",
RECOGNIZING the need for measures to prevent unauthorized entry or tampering of the ship's
identity information in shipborne automatic identification systems (AIS),
HAVING CONSIDERED, at its 109th session, the recommendation made by the
Sub-Committee on Navigation, Communications and Search and Rescue at its eleventh
session,
1 ADOPTS revised Performance standards for a universal shipborne automatic
identification system (AIS), set out in the annex to the present resolution;

2 RECOMMENDS that Governments ensure that AIS equipment conforms to
performance standards not inferior to those specified in:

URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.570(109).pdf

2 RECOMMENDS that Governments ensure that AIS equipment conforms to
performance standards not inferior to those specified in:

.1 the present resolution if the equipment is installed on:

.1 new ships for which the building contract is placed on or
after 1 January 2029, or in the absence of the contract, the keel of
which is laid or which are at a similar stage of construction on or
after 1 January 2029; or

.2 ships other than those ships prescribed in sub-paragraph .1 above,
all installations of the specified type, having a contractual delivery
date on or after 1 January 2029, or in the absence of a contractual
delivery date to the ship, actually delivered to the ship on or
after 1 January 2029; or

.2 annex 3 to resolution MSC.74(69) if the equipment is installed on ships other
than those prescribed in paragraph 2.1 above.

RESOLUTION MSC.570(109) (adopted on 6 December 2024)
PERFORMANCE STANDARDS FOR A UNIVERSAL
SHIPBORNE AUTOMATIC IDENTIFICATION SYSTEM (AIS)

URL:
https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.570(109).pdf

RESOLUTION MSC.570(109) (adopted on 6 December 2024)
PERFORMANCE STANDARDS FOR A UNIVERSAL
SHIPBORNE AUTOMATIC IDENTIFICATION SYSTEM (AIS)

ANNEX

PERFORMANCE STANDARDS FOR
A UNIVERSAL SHIPBORNE AUTOMATIC IDENTIFICATION SYSTEM (AIS)

1 Scope

1.1 These performance standards specify the requirements for the universal AIS.

1.2 The AIS should improve the safety of navigation by assisting in the efficient navigation
of ships, protection of the environment, and operation of vessel traffic services (VTS),
by satisfying the following functional requirements:

.1 in a ship-to-ship mode for collision avoidance;

.2 as a means for littoral States to obtain information about a ship and its cargo;
and

.3 as a VTS tool, i.e. ship-to-shore (traffic management).

1.3 The AIS should be capable of providing to ships and to competent authorities

---

URL: https://wwwcdn.imo