RECALLING Article 28(b) of the Convention on the International Maritime Organization con cerning the functions of the Committee, RECALLING ALSO resolution A.534(13), by which th e Assembly, at its thirteenth session, adopted the Code of Safety for Special Purpose Sh ips, 1983 (1983 SPS Code), RECALLING FURTHER that the Assembly authorized the Committee to amend the SPS Code as may be necessary, NOTING the amendments to the International Co nvention for the Safety of Life at Sea, 1974 ("the Convention") adopted by resolution MS C.532(107), --- URL: https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMO Resolutions/MSCResolutions/MSC.542(107).pdf NOTING the amendments to the International C onvention for the Safety of Life at Sea, 1974 ("the Convention") adopted by resolution M SC.532(107), HAVING CONSIDERED, at its 107th session, consequential amendments to Record of Equipment for the Special Purpose Ship Safety Certificate (Form SPS), 1 ADOPTS amendm ents to the SPS Code, the text of which is set out in the annex to the present resolutio n; 2 DETERMINES that the said consequential amendments to the 1983 SPS Code should becom e effective on 1 January 2026, in conjunction with the entry into force of amendments to the appendix (Certificates) of the 1974 SOLAS Convention, and the 1994 and 2000 HSC Code s, adopted by resolutions MSC.532(107), MSC.536(107) and MSC.537(107), respectively.

RESOLUTION MSC.542(107) (adopted on 8 June 2023) AMENDMENTS TO THE CODE OF SAFETY FOR SP ECIAL PURPOSE SHIPS,1983 (1983 SPS CODE) MSC 107/20/Add.1 Annex 12, page 2 I:\MSC\107\MS C 107/20/Add.1.docx ANNEX --- URL: https://wwwcdn.imo.org/localresources/en/KnowledgeCen tre/IndexofIMOResolutions/MSCResolutions/MSC.542(107).pdf MSC 107/20/Add.1 Annex 12, pag e 2 I:\MSC\107\MSC 107/20/Add.1.docx ANNEX AMENDMENTS TO THE CODE OF SAFETY FOR SPECIAL PURPOSE SHIPS,1983 (1983 SPS CODE) APPENDIX Record of Equipment for the Special Purpose Ship Safety Certificate (Form SPS) 1 In the table for "Details of life-saving appliances ", entries 9 to 9.2 are replaced by the following: 9 Number of immersion suits ……. *** RESOLUTION MSC.542(107) (adopted on 8 June 2023) AMENDMENTS TO THE CODE OF SAFETY FOR SP ECIAL PURPOSE SHIPS,1983 (1983 SPS CODE) RESOLUTION MSC.542(107) (adopted on 8 June 2023) AMENDMENTS TO THE CODE OF SAFETY FOR SPECIAL PURPOSE SHIPS,1983 (1983 SPS CODE) --- UR L: https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCRes olutions/MSC.506(105).pdf RESOLUTION MSC.506(105) (adopted on 28 April 2022) AMENDMENTS TO THE CODE FOR THE CONSTRUCTION AND EQUIPMENT OF MOBILE OFFSHORE DRILLING UNITS, 2009 (2009 MODU CODE) MSC 105/20/Add.1 I:\MSC\105\MSC 105-20-Add.1.docx RESOLUTION MSC.506(105) (adopted on 28 April 2022) AMENDMENTS TO THE CODE FOR THE CONSTRUCTION AND EQUIPMENT O F MOBILE OFFSHORE DRILLING UNITS, 2009 (2009 MODU CODE) THE MARITIME SAFETY COMMITTEE, R ECALLING Article 28(b) of the Convention on the International Maritime Organization conc erning the functions of the Committee, RECALLING ALSO that the Assembly, when adopting r esolution A.1023(26) on the Code for the Construction and Equipment of Mobile Offshore D rilling Units, 2009 (2009 MODU Code), authorized the Committee to amend the Code as appr opriate, taking into consid eration development in the design and technologies, in consu ltation with appropriate organizations, --- URL: https://wwwcdn.imo.org/localresources/e n/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.506(105).pdf development in t he design and technologies, in consultation with appropriate organizations, NOTING the a mendments to the International Convention for the Safety of Life at Sea, 1974, adopted b y resolution MSC.496(105), HAVING CONSIDERED, at its 105th session, consequential amendm ents to the 2009 MODU Code, 1 ADOPTS amendments to the 2009 MODU Code, the text of which is set out in the annex to the present resolution; 2 INVITES all Governments concerned t o take appropriate steps to give effect to the annexed amendments to the 2009 MODU Code as from 1 January 2024.

RESOLUTION MSC.506(105) (adopted on 28 April 2022) AMENDMENTS TO THE CODE FOR THE CONSTR UCTION AND EQUIPMENT OF MOBILE OFFSHORE DRILLING UNITS, 2009 (2009 MODU CODE) MSC 105/20 /Add.1 I:\MSC\105\MSC 105-20-Add.1.docx ANNEX AMENDMENTS TO THE CODE FOR THE CONSTRUCTIO N AND EQUIPMENT OF MOBILE OFFSHORE DRILLING UNITS, 2009 (2009 MODU CODE) CHAPTER 10 --- URL: https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCR esolutions/MSC.506(105).pdf ANNEX AMENDMENTS TO THE CODE FOR THE CONSTRUCTION AND EQUIPM ENT OF MOBILE OFFSHORE DRILLING UNITS, 2009 (2009 MODU CODE) CHAPTER 10 LIFE-SAVING APPL IANCES AND EQUIPMENT 1 Paragraphs 10.14, 10.14.1 and 10.14.2 are replaced by the followi ng: "10.14 [Reserved*] _____ * The provisions related to radio life -saving appliances were relocated under chapter 11 (refer to resolution MSC.506(105).

Paragraph 10.14 was intentionally left blank to avoid renumbering of existing paragraphs ." CHAPTER 11 RADIOCOMMUNICATION AND NAVIGATION 2 The text of chapter 11 is replaced by the following: ■11.1 General The purpose of this chapter is to provide minimum provision s for navigation equipment and for distress and safety radiocommunications between mobil

e offshore drilling units, including associated survival craft, and coast stations, ship
s and supporting aircraft.

11.2 Training --- URL: https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofI
MOResolutions/MSCResolutions/MSC.506(105).pdf associated survival craft, and coast stati
ons, ships and supporting aircraft.

11.2 Training Training in the use of IMO Standard Marine Communication Phrases should be
provided to personnel responsible for radio communications.1 _____ 1 Refer t
o IMO Standard Marine Communication Phrases (resolution A.918(22)).

11.3 Self-propelled units Each unit should comply with the applicable provisions concern
ing radio stations for cargo ships in SOLAS chapter IV.2 _____ 2 All require
ments of SOLAS chapter IV referring to ■from the position from which the ship is normall
y navigated■ should be appl ied as meaning ■from the position the MODU is normally navig
ated■.

11.4 Non-self-propelled units under tow 11.4.1 The provisions for non-self-propelled uni
ts under tow when manned depend upon the radio installations fitted in the towing ship,
as set out in paragraphs 11.4.2 and 11.4.3.

RESOLUTION MSC.506(105) (adopted on 28 April 2022) --- URL: https://wwwcdn.imo.org/local
resources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.506(105).pdf radio
installations fitted in the towing ship, as set out in paragraphs 11.4.2 and 11.4.3.

RESOLUTION MSC.506(105) (adopted on 28 April 2022) AMENDMENTS TO THE CODE FOR THE CONSTR
UCTION AND EQUIPMENT OF MOBILE OFFSHORE DRILLING UNITS, 2009 (2009 MODU CODE) MSC 105/20
/Add.1 I:\MSC\105\MSC 105-20-Add.1.docx 11.4.2 In cases where the towing ship complies f
ully with all applicable requirements concerning radiocommunications for ships prescribe
d in SOLAS chapter IV, the unit under tow when manned should: .1 be fitted with VHF faci
lities as required by SOLAS regulations IV/7.1.1 3 and 7.1.2 and with MF facilities as r
equired by regulations IV/9.1.1 and 9.1.2; .2 be fitted with an EPIRB as required by SOL
AS regulation IV/7.1.5; and .3 be fitted with receiver(s) capable of re ceiving MSI and
SAR related information throughout the entire voyage in which the unit is engaged in acc
ordance with SOLAS regulation IV/7.1.4.

--- URL: https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/
MSCResolutions/MSC.506(105).pdf information throughout the entire voyage in which the un
it is engaged in accordance with SOLAS regulation IV/7.1.4.

11.4.3 In cases where the towing ship does not comply fully with the applicable requirem
ents concerning radiocommunications for ships prescribed in SOLAS chapter IV, the unit u
nder tow when manned should comply with all the applicable provisions concerning radioco
mmunications prescribed in SOLAS chapter IV.3 _____ 3 All requirements of SO
LAS chapter IV referring to ■from the position from which the ship is normally navigated
■ should be applied as meaning ■from a position which is continuously manned and which i
s controlling the MODU while under tow■.

11.5 Units stationary at the site or engaged in drilling operations 11.5.1 Each unit, wh
ile stationary at the site, including when engaged in drilling operations, should comply
with all requirements prescribed in SOLAS chapter IV that are applicable to a --- URL: h
ttps://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolut
ions/MSC.506(105).pdf should comply with all requirements prescribed in SOLAS chapter IV
that are applicable to a ship sailing through the same area.4 Each unit should also repo
rt its position to the relevant World-Wide Navigational Warning Service (WWNWS) NAVAREA
Coordinator when arriving on-site, in order for a Navigational Warning to be broadcast.5
Additionally, units should inform the NAVAREA Coordinator when departing from that site,
in order for the broadcast to be cancelled.

11.5.2 On units which do not have a navigation bridge, it should be possible to initiate
transmission of the distress alerts by the radio installation specified in SOLAS regulat
ions IV/10.1.1, 10.1.2 and 10.1.4, as applicable, from a position in an accessible and p
rotected area which is acceptable to the Administration.

11.5.3 If the acoustic noise level in a room fitted with operating controls for radio eq
uipment is so high or could be so high, during particular operating conditions, that it
may disturb or --- URL: https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/Indexof
IMOResolutions/MSCResolutions/MSC.506(105).pdf is so high or could be so high, during pa
rticular operating conditions, that it may disturb or prevent proper use of the radio eq
uipment, then adequate noise protection should be provided by mechanical or other means,
in association with the op erating controls for the radio equipment.

_____ 4 All requirements of SOLAS chapter IV referring to ■from the position from which the ship is normally navigated■ should be applied as meaning ■from a position or positions which are continuously manned and which are controlling the MODU while stat ionary at the site including its drilling operations (i.e.

normally the control room)■.

5 Refer to the World-Wide Navigational Warning Service (resolution A.706(17), as amended).

RESOLUTION MSC.506(105) (adopted on 28 April 2022) AMENDMENTS TO THE CODE FOR THE CONSTR UCTION AND EQUIPMENT OF MOBILE OFFSHORE DRILLING UNITS, 2009 (2009 MODU CODE) MSC 105/20 /Add.1 I:\MSC\105\MSC 105-20-Add.1.docx --- URL: https://wwwcdn.imo.org/localresources/e n/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.506(105).pdf OF MOBILE OFFSHO RE DRILLING UNITS, 2009 (2009 MODU CODE) MSC 105/20/Add.1 I:\MSC\105\MSC 105-20-Add.1.do cx 11.6 Radio life-saving appliances Two-way VHF radiotelephone apparatus 11.6.1 All lif eboats should carry a two-way VHF radiotelephone apparatus.

11.6.2 At least two two -way VHF radiotelephone apparatuses should be available on the M ODU, so stowed that they can be rapidly placed in any liferaft.

6 All two -way VHF radiotelephone apparatuses should conform to performance standards no t inferior to those adopted by the Organization.

_____ 6 The two -way VHF radiotelephone apparatus required by 11.6.2 may ful fil or partially fulfil the requirements of SOLAS regulations IV/7.2, 7.3 or 7.4, as app licable.

Search and rescue locating device 11.6.3 All lifeboats should carry one radar SART or AI S-SART.

11.6.4 At least two radar SARTs or AIS-SARTs should be available on the MODU, so stowed --- URL: https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/ MSCResolutions/MSC.506(105).pdf 11.6.4 At least two radar SARTs or AIS-SARTs should be a vailable on the MODU, so stowed that they can be rapidly placed in any liferaft.

7 All SARTs or AIS -SARTs should conform to performance standards not inferior to those adopted by the Organization.

_____ 7 The radar SARTs or AIS-SARTs required by 11.6.4 may fulfil the requi rements of SOLAS regulations IV/7.1.3, 7.2, 7.3 or 7.

5, as applicable.

11.7 Helicopter communications In order to ensure communication with helicopters, MODUs should carry an aeromobile VHF radiotelephone station complying with the relevant requir ements of ICAO 8 and suitable for communication with helicopters in its area of operatio n.

_____ 8 Refer to Volume 3, Part II of annex 10, and Part III, section II of annex 6 to the ICAO Convention.

11.8 Internal communications All types of MODUs should be fitted with efficient means of communication between the control --- URL: https://wwwcdn.imo.org/localresources/en/Know ledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.506(105).pdf 11.8 Internal communic ations All types of MODUs should be fitted with efficient means of communication between the control room, the bridge (if provided) and position or positions fitted with facilit ies for operation of radio equipment.

11.9 Performance standards All radio equipment should be of a type approved by the Admin istration issuing the licence.

Such equipment should conform to appropriate performance standards not inferior to those adopted by the Organization.9 _____ 9 Refer to the following performance sta ndards adopted by the Organization: General requirements .1 General requirements for shi pborne radio equipment forming part of the Global Maritime Distress and Safety System (G MDSS) and for electronic navigational aids (resolution A.694(17)); .2 Performance standa rds for the presentation of navigation-related information on shipborne navigational dis plays (resolution MSC.191(79), as amended); --- URL: https://wwwcdn.imo.org/localresourc es/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.506(105).pdf navigational displays (resolution MSC.191(79), as amended); .3 Performance standards for bridge alert management (resolution MSC.302(87)); RESOLUTION MSC.506(105) (adopted on 28 April 2022) AMENDMENTS TO THE CODE FOR THE CONSTRUCTION AND EQUIPMENT OF MOBILE OFFSHORE DRILLING UN ITS, 2009 (2009 MODU CODE) MSC 105/20/Add.1 I:\MSC\105\MSC 105-20-Add.1.docx VHF equipme nt .4 Performance standards for shipborne VHF radio installations capable of voice commu

nication and digital selective calling (resolution MSC.511(105)); .5 Performance standar
ds for survival craft portable two-way VHF radiotelephone apparatus (resolution MSC.515(
105)); .6 Recommendation on Performance standards for on -scene (aeronautical) portable
two-way VHF radiotelephone apparatus (annex 1 to resolution MSC.80(70), as amended); MF
and HF equipment .7 System performance standard for the pro mulgation and coordination o
f maritime safety --- URL: https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/Inde
xofIMOResolutions/MSCResolutions/MSC.506(105).pdf MF and HF equipment .7 System performa
nce standard for the pro mulgation and coordination of maritime safety information using
high-frequency narrow-band direct-printing (resolution MSC.507(105)); .8 Performance sta
ndards for shipborne MF and MF/HF radio installations capable of voice communication, di
gital selective calling and reception of maritime safety information and search and resc
ue related information (resolution MSC.512(105)); .9 Performance standards for the recep
tion of maritime safety information and search and rescue related information by MF (NAV
TEX) and HF (resolution MSC.508(105)); Ship earth stations and enhanced group call (EGC)
equipment .10 Performance standards for Inmarsat -C ship earth stations capable of trans
mitting and receiving direct-printing communications (resolution MSC.513(105)); .11 Revi
sed performance standards for enhanced group call (EGC) equipment (resolution MSC.306(87
), as amended); --- URL: https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/Indexo
fIMOResolutions/MSCResolutions/MSC.506(105).pdf .11 Revised performance standards for en
hanced group call (EGC) equipment (resolution MSC.306(87), as amended); .12 Performance
standards for a ship earth station for use in the GMDSS (resolution MSC.434(98)); Integr
ated radiocommunication systems .13 Performance standards for a shipborne integrated com
munication system (ICS) when used in the Global Maritime Distress and Safety System (GMD
SS) (resolution MSC.517(105)); Emergency position-indicating radio beacons .14 Performan
ce standards for float-free release and activation arrangements for emergency radio equi
pment (resolution A.662(16)); .15 Performance standards for float -free emergency positi
on -indicating radio beacons (EPIRBs) operating on 406 MHz (resolution MSC.471(101)); Se
arch and rescue transmitters and transponders .16 Performance standards for search and r
escue radar transponders (resolution MSC.510(105)); and --- URL: https://wwwcdn.imo.org/
localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.506(105).pdf
Search and rescue transmitters and transponders .16 Performance standards for search and
rescue radar transponders (resolution MSC.510(105)); and .17 Performance standards for s
urvival craft AIS search and rescue transmitters (AIS -SART) for use in search and rescu
e operations (resolution MSC.246(83)).

11.10 Survey of the radio station 11.10.1 The radio station of a unit should be subject
to survey as specified below: .1 by the Administration which issues the licence or its a
uthorized representative before the radio station is put into service; RESOLUTION MSC.50
6(105) (adopted on 28 April 2022) AMENDMENTS TO THE CODE FOR THE CONSTRUCTION AND EQUIPM
ENT OF MOBILE OFFSHORE DRILLING UNITS, 2009 (2009 MODU CODE) MSC 105/20/Add.1 I:\MSC\105
\MSC 105-20-Add.1.docx .2 when the unit is moved and comes under the administrative cont
rol of another coastal State a survey may be carried out by that State or its authorized
representative; and --- URL: https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/In
dexofIMOResolutions/MSCResolutions/MSC.506(105).pdf another coastal State a survey may b
e carried out by that State or its authorized representative; and .3 within three months
before or after the anniversary date of the MODU Code certificate, a periodical survey c
arried out by an officer of the Administration and/or the coastal State or their respect
ive authorized representative.

11.10.2 EPIRBs should be serviced at intervals not exceeding five years, to be performed
by an approved shore-based maintenance facility.

11.10.3 The Administration may recognize the coastal State as its authorized representat
ive.

11.10.4 In every case when an authorized representative of the coastal State carries out
an inspection, a report should be issued and kept with the radio documents, and a copy,
if requested, should be forwarded to the Administration.

11.11 Navigation equipment 11.11.1 All units should comply with SOLAS chapter V.

11.11.2 Administrations may exempt units from navigation equipment carriage requirements
, --- URL: https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolution
s/MSCResolutions/MSC.506(105).pdf 11.11.1 All units should comply with SOLAS chapter V.

11.11.2 Administrations may exempt units from navigation equipment carriage requirements
, in accordance with SOLAS regulation V/3.■ *** RESOLUTION MSC.506(105) (adopted on 28 A
pril 2022) AMENDMENTS TO THE CODE FOR THE CONSTRUCTION AND EQUIPMENT OF MOBILE OFFSHORE
DRILLING UNITS, 2009 (2009 MODU CODE) RESOLUTION MSC.506(105) (adopted on 28 April 2022)

AMENDMENTS TO THE CODE FOR THE CONSTRUCTION AND EQUIPMENT OF MOBILE OFFSHORE DRILLING UNITS, 2009 (2009 MODU CODE) --- URL: https://wwwcdn.imo.org/localresources/en/KnowledgeCentre/IndexofIMOResolutions/MSCResolutions/MSC.524(106).pdf RESOLUTION MSC.524(106) (adopted on 10 November 2022) AMENDMENTS TO THE INTERNATIONAL CODE OF SAFETY FOR SHIPS USING GASES OR OTHER LOW-FLASHPOINT FUELS (IGF CODE) RESOLUTION MSC.524(106) (adopted on 10 November 2022) AMENDMENTS TO THE INTERNATIONAL CODE OF SAFETY FOR SHIPS USING GASES OR OTHER LOW-FLASHPOINT FUELS (IGF CODE) THE MARITIME SAFETY COMMITTEE, RECALLING Article 28(b) of the Convention on the International Maritime Organization concerning the functions of the Committee, NOTING resolution MSC.391(95), by which it adopted the International Code of Safety for Ships using Gases or other Low -flashpoint Fuels (IGF Code), which has become mandatory under chapters II-1 and II-2 of the International Convention for