SYNTHETIC RECORD. NOT A REAL PERSON. NOT FOR CLINICAL USE.

Serum Biomarker Panel

Riverside University Hospital, Clinical Biochemistry

Patient name: Maya Ortiz
MRN: SYN-004127
Date of birth: 2004-03-22 (age 22)
Sex: Female
Document date: 2026-10-09
Collected: 2026-10-09 07:40, approximately 22 hours post-injury
Specimen: Serum, gel separator tube
Requested by: Emergency Medicine, research protocol SYN-TBI-02

RESULTS

Analyte	Result	Unit	Reference	Flag
GFAP	**412.0**	pg/mL	cutoff 22 (ALERT-TBI)	POS
UCH-L1	318.0	pg/mL	cutoff 327 (ALERT-TBI)	-
NfL	14.2	pg/mL	see comment	-
S100B	0.09	ug/L	see comment	-

COMMENT

The GFAP and UCH-L1 figures quoted are the ALERT-TBI decision cutoffs of 22 and 327 pg/mL, not reference intervals. That study combined the two into a single test for ruling out intracranial injury on CT, so a value above a cutoff is a positive test rather than an abnormal result.

GFAP is positive at 412 pg/mL. UCH-L1 at 318 pg/mL is just below its cutoff. NfL rises later after injury, so a value in range at 22 hours is not reassuring on its own. S100B is not specific to brain and is affected by extracranial injury.

These assays are used here as research covariates. They are not diagnostic and no clinical decision should rest on them.