DriftGuard Clinical | Movement Risk Screening Report

AI-Assisted Biomechanical Assessment & Baseline Comparison Platform

NON-DIAGNOSTIC SCREENING AID: *This report presents computer-vision movement screening proxies and baseline comparisons. It is intended solely for clinical decision support by licensed doctors and physiotherapists, and does NOT constitute a formal medical diagnosis or ACL injury confirmation.*

MEASUREMENT PROVENANCE & HARDWARE DISCLOSURE: *Camera Setup: Monocular RGB (MediaPipe 3D) | IMU Status: IMU integration available — hardware not connected | Kinematics: Pose-Derived Proxies | Mocap Validation: Not Validated against Mocap Reference*

NON-DIAGNOSTIC SCREENING AID: *This report presents computer-vision movement screening proxies and baseline comparisons. It is intended solely for clinical decision support by licensed doctors and physiotherapists, and does NOT constitute a formal medical diagnosis or ACL injury confirmation.*

1. Athlete & Session Metadata

Athlete Name: saran	**Session ID:** ses_6d7ac3bf50d9
Athlete ID: ath_306ff4ea4c03	**Assessment Date:** 2026-10-06
Sport Profile: Basketball	**Camera Setup:** frontal+sagittal
Dominant Leg: Right	**Overall Risk Band:** **LOW**

2. Observed Kinematic Summary (Mean / Event Peak)

Biomechanical Metric	Left Limb	Right Limb	Limb Symmetry (LSI)
Knee FPPA Valgus Proxy	-16.0°	-9.9°	47.6%
Sagittal Knee Flexion	21.0°	14.9°	33.7%
Trunk Lateral Lean	17.5°	N/A	N/A

3. Confirmed Risk Flags & Literature Evidence

Feature	Risk Band	Deviation	Clinical Detail / Citation
trunk_lean	**Moderate**	+-2.7 IQR	**Elevated movement-risk pattern: Trunk lateral lean has been moderately elevated across recent sessions.** This athlete's recent movement trials show a biomechanical deviation in trunk lateral lean, consistently below their established baseline median of 61.4 degrees (+/-6.3 degrees) by 2.7x their normal spread. This pattern has persisted across at least 3 of their last 5 recorded events. Citation: Zazulak et al. 2007 (trunk control deficit, 83% sensitivity / 76% specificity for knee injury)

trunk_lean	**Moderate**	+-0.6 IQR	**Elevated movement-risk pattern: Trunk lateral lean has been moderately elevated across recent sessions.** This athlete's recent movement trials show a biomechanical deviation in trunk lateral lean, consistently below their established baseline median of 57.2 degrees (+/-23.7 degrees) by 0.6x their normal spread. This pattern has persisted across at least 3 of their last 5 recorded events. Citation: Zazulak et al. 2007 (trunk control deficit, 83% sensitivity / 76% specificity for knee injury)

4. Clinician Observations & Neuromuscular Retraining Notes

No clinician notes recorded for this session yet.

Assessing Clinician Signature: _____ **Date:** _____