**Home Assignment**

**Implement playwright/typescript with vibe coding**

1) **AI Extension Primary Colour and font change have been implemented using agent.**




AI Browser Extension for Code Generati...
Code Generator
Settings
Supported Language
Java
Browser Engine
Selenium
Select LLM Provider
Groq
Select Model
llama-3.3-70b-versatile
Groq API Key

2) **Added more model list under select model dropdown section using agent implementation:**



3) **Typescript and Playwright implementation completed using agent:**



## Feature File: 3 feature files created for login functionality









## Page class:


myntra.com/login?referer=https%3A%2F%2Fwww.myntra.com%2Fwomen-kurtas-kurtis-suits
MEN
WOMEN
KIDS
HOME LIVING
STUDIO
Wishlist
Bag
FLAT +
₹300 OFF
MYNTRA300
Search for products, brands and more
Login or Signup
+91 | Mobile Number*
By continuing, I agree to the Terms of Use & Privacy Policy and I am above 18 years old.
CONTINUE
Have trouble logging in? Get help
AI Browser Extension for Code Generation
Code Generator
Settings
Feature File
Page Class
Reset Chat
Feature: Myntra login via mobile number
Scenario Outline: Successful login using a valid South Indian mobile nu
Given I open the Myntra login page
When I enter "<mobileNumber>" into the mobile number field
And I accept the consent checkbox
And I click the "CONTINUE" button
Then I should be taken to the next step of the login flow
Examples:
| mobileNumber |
| 9876543210 |
| 9123456789 |
| 9988776655 |
import { Given, When, Then, Before, After } from '@cucumber/cucumber';


myntra.com/login?referer=https%3A%2F%2Fwww.myntra.com%2Fwomen-kurtas-kurtis-suits
MEN
WOMEN
KIDS
HOME LIVING
STUDIO
Wishlist
Bag
FLAT +
₹300 OFF
MYNTRA300
Search for products, brands and more
Login or Signup
+91 | Mobile Number*
By continuing, I agree to the Terms of Use & Privacy Policy and I am above 18 years old.
CONTINUE
Have trouble logging in? Get help
AI Browser Extension for Code Generation
Code Generator
Settings
Feature File
Page Class
Reset Chat
import { Given, When, Then, Before, After } from '@cucumber/cucumber';
import { chromium, Browser, BrowserContext, Page, expect } from '@playwri
let browser: Browser;
let context: BrowserContext;
let page: Page;
Before(async function () {
// Launch Playwright Chromium; switch to headless: true in CI environme
browser = await chromium.launch({ headless: true });
context = await browser.newContext({
viewport: { width: 1280, height: 720 },
});
page = await context.newPage();
});
After(async function () {
await browser.close();
});
Given('I open the Myntra login page', async function () {







## 4) Additional details have been provided:


myntra.com/login?referer=https%3A%2F%2Fwww.myntra.com%2Fwomen-kurtas-kurtis-suits
MEN
WOMEN
KIDS
HOME LIVING
STUDIO
Wishlist
Bag
FLAT
₹300 OFF
MYNTRA300
Search for products, brands and more
Login or Signup
+91 | Mobile Number*
By continuing, I agree to the Terms of Use & Privacy Policy and I am above 18 years old.
CONTINUE
Have trouble logging in? Get help
AI Browser Extension for Code Generation
Code Generator
Settings
Feature File
Page Class
Reset Chat
Provide negative scenarios
Inspect
Generate


myntra.com/login?referer=https%3A%2F%2Fwww.myntra.com%2Fwomen-kurtas-kurtis-suits
MEN
WOMEN
KIDS
HOME LIVING
STUDIO
Wishlist
Bag
FLAT
₹300 OFF
MYNTRA300
Search for products, brands and more
Login or Signup
+91 | Mobile Number*
By continuing, I agree to the Terms of Use & Privacy Policy and I am above 18 years old.
CONTINUE
Have trouble logging in? Get help
AI Browser Extension for Code Generation
Code Generator
Settings
Feature File
Page Class
Reset Chat
# ----------
# Negative flow - malformed or too short numbers
# ----------
Scenario Outline: Unsuccessful login with an invalid mobile number
Given I open the Myntra login page
When I enter mobile number "<mobile>"
And I accept the terms and conditions
And I click the Continue button
Then I should see an inline validation error for the mobile number
Examples:
| mobile |
| 12345 |
| abcdefgh |
| 98765 |
# ----------
# Negative flow - consent not given
# ----------
Scenario: Attempt to continue without accepting the terms
Given I open the Myntra login page


myntra.com/login?referer=https%3A%2F%2Fwww.myntra.com%2Fwomen-kurtas-kurtis-suits
MEN
WOMEN
KIDS
HOME LIVING
STUDIO
Wishlist
Bag
FLAT
₹300 OFF
MYNTRA300
Search for products, brands and more
Login or Signup
+91 | Mobile Number*
By continuing, I agree to the Terms of Use & Privacy Policy and I am above 18 years old.
CONTINUE
Have trouble logging in? Get help
AI Browser Extension for Code Generation
Code Generator
Settings
Feature File
Page Class
Reset Chat
# ----------
# Negative flow - consent not given
# ----------
Scenario: Attempt to continue without accepting the terms
Given I open the Myntra login page
When I enter mobile number "9440012345"
And I click the Continue button
Then I should see a validation error for the consent checkbox
import { Given, When, Then, Before, After } from '@cucumber/cucumber';
import { Browser, BrowserContext, Page, chromium } from '@playwright/test
import assert from 'assert';
let browser: Browser;
let context: BrowserContext;
let page: Page;
@Before(async function () {
// Launch a headless Chromium instance - can be switched to headed for
browser = await chromium.launch({ headless: true });


myntra.com/login?referer=https%3A%2F%2Fwww.myntra.com%2Fwomen-kurtas-kurtis-suits
MEN WOMEN KIDS HOME LIVING STUDIO
Wishlist
Bag
Search for products, brands and more
FLAT ₹300 OFF
MYNTRA300
Login or Signup
+91 | Mobile Number*
By continuing, I agree to the Terms of Use & Privacy Policy and I am above 18 years old.
CONTINUE
Have trouble logging in? Get help
AI Browser Extension for Code Generation
Code Generator
Settings
Feature File
Page Class
Reset Chat
GIVEN
Given('I open the Myntra login page', async function () {
await page.goto(
'https://www.myntra.com/login?referer=https%3A%2F%2Fwww.myntra.com%2F
);
// Ensure the login container is present before we continue
await page.waitForSelector('.signInContainer', { state: 'visible' });
});
WHEN
When('I enter mobile number {string}', async function (mobile: string) {
const mobileInput = page.locator('.mobileNumberInput');
await mobileInput.waitFor({ state: 'visible' });
await mobileInput.fill(mobile);
});
When('I accept the terms and conditions', async function () {
const consent = page.locator('.consentCheckbox');


myntra.com/login?referer=https%3A%2F%2Fwww.myntra.com%2Fwomen-kurtas-kurtis-suits
MEN WOMEN KIDS HOME LIVING STUDIO
Wishlist
Bag
Search for products, brands and more
FLAT ₹300 OFF
MYNTRA300
Login or Signup
+91 | Mobile Number*
By continuing, I agree to the Terms of Use & Privacy Policy and I am above 18 years old.
CONTINUE
Have trouble logging in? Get help
AI Browser Extension for Code Generation
Code Generator
Settings
Feature File
Page Class
Reset Chat
When('I accept the terms and conditions', async function () {
const consent = page.locator('.consentCheckbox');
await consent.waitFor({ state: 'visible' });
// Using check() guarantees the checkbox ends up checked
await consent.check();
});
When('I click the Continue button', async function () {
const continueBtn = page.locator('.disabledSubmitBottomOption');
await continueBtn.waitFor({ state: 'visible' });
// The button is not disabled in the DOM, but the UI may prevent click
// the form is valid - we still click and let Playwright wait for any n
await continueBtn.click();
});
THEN - Positive outcome
Then('I should be taken to the OTP verification page', async function ()
// The OTP page URL contains "/otp". Adjust if the real URL differs.
await page.waitForURL('**/otp**', { timeout: 5000 });


myntra.com/login?referer=https%3A%2F%2Fwww.myntra.com%2Fwomen-kurtas-kurtis-suits
MEN WOMEN KIDS HOME LIVING STUDIO
Wishlist
Bag
Search for products, brands and more
FLAT ₹300 OFF
MYNTRA300
Login or Signup
+91 | Mobile Number*
By continuing, I agree to the Terms of Use & Privacy Policy and I am above 18 years old.
CONTINUE
Have trouble logging in? Get help
AI Browser Extension for Code Generation
Code Generator
Settings
Feature File
Page Class
Reset Chat
THEN - Invalid mobile number error
Then('I should see an inline validation error for the mobile number', asy
// The UI shows an error either via a visible message or the :invalid p
const errorLocator = page.locator('.mobileNumberInput:invalid, .error-m
await errorLocator.first().waitFor({ state: 'visible', timeout: 3000 })
});
THEN - Consent not given error
Then('I should see a validation error for the consent checkbox', async fu
// The consent error appears as a text near the checkbox or as a red ou
const consentError = page.locator('text=I agree to the Terms of Use', {
// Fallback to a generic error selector if the exact text changes.
const genericError = page.locator('.error-message, text=Please accept t
const visibleError = await Promise.race([
consentError.waitFor({ state: 'visible', timeout: 3000 }).then(() =>
genericError.waitFor({ state: 'visible', timeout: 3000 }).then(() =>
]);
assert.ok(visibleError, 'Expected a consent validation error to be visi
});