30-Day Incident Evidence & Compliance Dossier

1. Compliance & Evidence Organization Summary

This master dossier catalogs all **179 verified physical equipment interaction events** extracted across the 30-day continuous surveillance archive (8.20 GB, 6.55 hours). All clips enforce mandatory ±60-second contextual safety buffers and are archived in daily subdirectories under D:/facial/incident_evidence/day_01/ through day_30/ alongside 90 daily verification sheets (30 clipping indices, 30 manual audit sheets, 30 frame indexes).

2. Complete 30-Day Master Incident Timeline (179 Verified Events)

Event ID	Day	Timestamp	Duration	Facility Zone	Hazard	Ground-Truth ID	ArcFace Sim
EVT-D01-001	D01	07:29:32	150s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-06**	0.5287
EVT-D01-002	D01	08:14:29	131s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-05**	0.5776
EVT-D01-003	D01	09:04:18	134s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-02**	1.0000
EVT-D01-004	D01	09:08:10	130s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.4382
EVT-D01-009	D01	09:53:20	175s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-42**	0.4871
EVT-D01-005	D01	11:16:19	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.4590
EVT-D01-006	D01	12:00:08	128s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.6445
EVT-D01-007	D01	14:14:35	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-29**	0.4180
EVT-D01-008	D01	16:29:07	140s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-42**	0.5387
EVT-D02-001	D02	07:36:12	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-29**	0.4551
EVT-D02-002	D02	07:44:05	129s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-36**	1.0000
EVT-D02-003	D02	07:54:10	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-06**	0.3975
EVT-D02-004	D02	08:04:05	120s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-04**	0.4317
EVT-D02-005	D02	08:56:17	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-04**	0.3313
EVT-D02-006	D02	09:14:20	122s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-42**	0.5007
EVT-D02-007	D02	13:52:05	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-29**	0.4607
EVT-D02-008	D02	14:12:43	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.5930
EVT-D02-009	D02	14:15:00	124s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-22**	0.4340
EVT-D02-010	D02	16:30:44	127s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-03**	0.4965
EVT-D03-001	D03	11:31:42	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.5775
EVT-D03-002	D03	11:56:26	140s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-15**	0.6745
EVT-D03-003	D03	13:08:24	139s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-15**	0.3773
EVT-D03-004	D03	13:22:41	122s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.5417
EVT-D03-005	D03	16:39:31	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.6601
EVT-D03-006	D03	16:48:42	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-33**	0.4919
EVT-D03-007	D03	19:43:01	129s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.4522
EVT-D04-001	D04	07:33:51	153s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-27**	0.2908
EVT-D04-002	D04	11:03:07	140s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-12**	0.2982
EVT-D04-003	D04	12:14:26	127s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-23**	0.3521
EVT-D05-001	D05	07:20:42	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-07**	0.3376
EVT-D05-002	D05	08:42:38	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-29**	0.4313
EVT-D05-003	D05	09:12:57	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-14**	0.3724
EVT-D06-001	D06	08:53:34	153s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.5939
EVT-D06-002	D06	11:57:30	125s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-39**	1.0000
EVT-D07-001	D07	07:39:27	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-07**	0.4749
EVT-D07-002	D07	09:01:48	121s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-29**	0.4547
EVT-D07-003	D07	09:16:15	120s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.5856
EVT-D07-004	D07	11:24:24	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-08**	0.3742
EVT-D07-005	D07	16:30:55	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-34**	0.3540
EVT-D07-006	D07	16:32:51	121s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.5591
EVT-D07-007	D07	16:37:39	131s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.4891
EVT-D07-008	D07	16:59:42	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-34**	1.0000
EVT-D07-009	D07	17:52:34	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-23**	0.3749
EVT-D08-001	D08	07:36:03	125s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.4746
EVT-D08-002	D08	07:47:17	134s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-15**	0.3935
EVT-D08-003	D08	07:52:45	120s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-25**	0.3440
EVT-D08-004	D08	07:57:28	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-29**	0.4237
EVT-D08-005	D08	09:45:13	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.6901

Event ID	Day	Timestamp	Duration	Facility Zone	Hazard	Ground-Truth ID	ArcFace Sim
EVT-D08-006	D08	10:36:27	121s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.5109
EVT-D08-007	D08	16:28:42	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.5102
EVT-D08-008	D08	16:37:04	121s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.6359
EVT-D09-001	D09	07:40:06	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-06**	0.4346
EVT-D09-002	D09	10:33:21	123s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.4320
EVT-D09-003	D09	10:37:15	175s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-04**	0.6627
EVT-D09-004	D09	10:43:17	120s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.4350
EVT-D09-005	D09	16:21:55	162s	Zone 2 (Power Switch)	**SEVERE**	**REAL-01**	0.6383
EVT-D09-006	D09	16:24:51	125s	Zone 2 (Power Switch)	**SEVERE**	**REAL-38**	0.3913
EVT-D09-007	D09	17:44:15	213s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-14**	1.0000
EVT-D09-008	D09	17:49:13	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-17**	0.5584
EVT-D10-001	D10	11:16:34	223s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.6313
EVT-D10-002	D10	14:18:53	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.6834
EVT-D11-001	D11	06:33:37	121s	Zone 2 (Power Switch)	**SEVERE**	**REAL-29**	0.4821
EVT-D11-002	D11	07:43:29	132s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-26**	0.5397
EVT-D11-003	D11	09:50:20	122s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-23**	0.4832
EVT-D11-004	D11	14:16:46	138s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-22**	0.4033
EVT-D11-005	D11	14:41:33	128s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-24**	0.4567
EVT-D11-006	D11	15:31:52	121s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-04**	0.5068
EVT-D11-007	D11	16:26:51	188s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.6027
EVT-D11-008	D11	16:50:34	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-38**	0.5240
EVT-D12-001	D12	07:49:21	166s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-29**	0.3912
EVT-D12-002	D12	08:10:35	123s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.6104
EVT-D12-003	D12	17:04:38	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-25**	0.4734
EVT-D13-001	D13	08:20:39	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-03**	0.4250
EVT-D13-002	D13	08:50:07	120s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-29**	0.5194
EVT-D14-001	D14	06:42:46	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-29**	0.5513
EVT-D14-002	D14	15:15:29	120s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-39**	0.2643
EVT-D14-003	D14	18:38:34	120s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.7462
EVT-D15-001	D15	09:17:54	150s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.6046
EVT-D15-002	D15	10:34:08	121s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-03**	0.5523
EVT-D15-003	D15	11:06:22	127s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.6289
EVT-D15-004	D15	13:47:09	141s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.7319
EVT-D15-005	D15	14:40:04	121s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-15**	0.3713
EVT-D15-006	D15	16:24:47	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-33**	0.5629
EVT-D15-007	D15	16:40:50	136s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.6495
EVT-D15-008	D15	16:42:54	191s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-17**	0.4723
EVT-D15-009	D15	23:24:04	120s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.5872
EVT-D16-001	D16	07:41:31	136s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-02**	0.2980
EVT-D16-002	D16	07:43:29	132s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-29**	0.5499
EVT-D16-003	D16	07:46:08	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-42**	0.3219
EVT-D16-004	D16	07:55:08	124s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.4263
EVT-D16-005	D16	08:54:57	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-34**	0.2879
EVT-D16-006	D16	08:59:05	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.4900
EVT-D16-007	D16	11:19:01	121s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-32**	0.3677
EVT-D16-008	D16	11:21:42	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-25**	0.4866
EVT-D16-009	D16	11:26:27	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.6073
EVT-D16-010	D16	14:25:04	120s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.6979
EVT-D17-001	D17	07:56:06	121s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-22**	0.4813

Event ID	Day	Timestamp	Duration	Facility Zone	Hazard	Ground-Truth ID	ArcFace Sim
EVT-D17-002	D17	09:13:59	121s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-25**	0.5605
EVT-D17-003	D17	11:07:53	121s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.7065
EVT-D17-004	D17	11:22:39	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-17**	0.4440
EVT-D17-005	D17	14:41:10	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.5759
EVT-D18-001	D18	06:19:54	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-04**	0.4261
EVT-D18-002	D18	10:20:57	124s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.7454
EVT-D18-003	D18	11:15:18	128s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-16**	0.5877
EVT-D18-004	D18	17:25:00	178s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.6257
EVT-D19-001	D19	07:56:12	120s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-39**	0.5700
EVT-D19-002	D19	08:16:31	121s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-05**	0.3903
EVT-D19-003	D19	08:20:40	121s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.6729
EVT-D19-004	D19	08:23:09	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-22**	0.4497
EVT-D19-005	D19	11:23:59	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-08**	0.4246
EVT-D19-006	D19	11:25:44	167s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.5670
EVT-D19-007	D19	16:37:50	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-26**	0.4339
EVT-D19-008	D19	16:52:39	122s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.6553
EVT-D19-009	D19	17:06:14	143s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-18**	1.0000
EVT-D19-010	D19	17:10:32	125s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-26**	0.5010
EVT-D19-011	D19	17:51:55	128s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-29**	0.3916
EVT-D20-001	D20	07:49:40	122s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-06**	0.5002
EVT-D21-001	D21	12:38:54	121s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-23**	0.4164
EVT-D21-002	D21	14:08:14	124s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.6739
EVT-D22-001	D22	07:40:50	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-25**	0.5226
EVT-D22-002	D22	07:46:19	131s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-06**	0.4378
EVT-D22-003	D22	07:55:51	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-29**	0.3828
EVT-D22-004	D22	11:05:48	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.6855
EVT-D22-005	D22	11:12:46	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.6632
EVT-D22-006	D22	14:04:16	132s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-14**	0.4039
EVT-D22-007	D22	14:11:56	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.5780
EVT-D23-001	D23	07:47:53	132s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.3294
EVT-D23-002	D23	07:53:46	135s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-09**	0.4883
EVT-D23-003	D23	08:52:30	120s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.6148
EVT-D23-004	D23	11:26:49	128s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-34**	0.4001
EVT-D23-005	D23	14:31:26	122s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-14**	0.4288
EVT-D23-006	D23	15:07:55	123s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-33**	0.4059
EVT-D24-001	D24	07:39:36	126s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-29**	0.4811
EVT-D24-002	D24	08:11:51	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.7382
EVT-D24-003	D24	09:20:29	120s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.6207
EVT-D24-004	D24	09:27:39	138s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.7405
EVT-D24-005	D24	11:04:13	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-15**	0.5208
EVT-D24-006	D24	11:26:11	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.6142
EVT-D24-007	D24	11:37:50	121s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.5766
EVT-D24-008	D24	14:14:48	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.6114
EVT-D24-009	D24	14:16:29	124s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.5686
EVT-D24-010	D24	14:34:18	266s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-25**	0.5257
EVT-D24-011	D24	16:15:33	273s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.5998
EVT-D24-012	D24	16:27:44	121s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-23**	0.4777
EVT-D24-013	D24	16:39:26	121s	Zone 2 (Power Switch)	**SEVERE**	**REAL-01**	0.4786
EVT-D25-001	D25	09:13:16	282s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-39**	0.4757

Event ID	Day	Timestamp	Duration	Facility Zone	Hazard	Ground-Truth ID	ArcFace Sim
EVT-D25-002	D25	11:43:10	121s	Zone 2 (Power Switch)	**SEVERE**	**REAL-33**	0.4836
EVT-D25-003	D25	11:45:16	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.5838
EVT-D25-004	D25	14:09:28	120s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-33**	0.4646
EVT-D25-005	D25	14:56:02	129s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.7518
EVT-D25-006	D25	16:13:32	121s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.5245
EVT-D25-007	D25	16:26:00	128s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-03**	0.4822
EVT-D25-008	D25	16:50:19	121s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.7114
EVT-D25-009	D25	17:21:18	121s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.6968
EVT-D25-010	D25	17:27:21	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-11**	1.0000
EVT-D26-001	D26	07:42:17	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.5500
EVT-D26-002	D26	07:45:59	235s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-05**	0.4111
EVT-D26-003	D26	07:50:09	134s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-07**	0.5008
EVT-D26-004	D26	08:00:07	126s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-22**	0.4403
EVT-D26-005	D26	08:05:41	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.4475
EVT-D26-006	D26	08:08:56	127s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-29**	0.3225
EVT-D26-007	D26	08:10:53	132s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.5819
EVT-D26-008	D26	11:43:10	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-32**	0.4903
EVT-D26-009	D26	14:19:35	142s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-29**	0.5626
EVT-D26-010	D26	14:30:43	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-22**	0.4803
EVT-D26-011	D26	17:42:52	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-03**	0.3434
EVT-D26-012	D26	17:47:28	126s	Zone 1A/B (Valves)	**CRITICAL**	**REAL-01**	0.6171
EVT-D26-013	D26	19:55:54	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.4647
EVT-D26-014	D26	20:00:27	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.6188
EVT-D28-001	D28	09:04:56	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-29**	0.5305
EVT-D28-002	D28	10:19:57	165s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.5795
EVT-D28-003	D28	13:57:44	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-29**	0.4799
EVT-D28-004	D28	19:30:26	126s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.6110
EVT-D29-001	D29	07:44:09	127s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-07**	0.4577
EVT-D29-002	D29	11:23:09	121s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-31**	0.3960
EVT-D29-003	D29	12:50:39	241s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-25**	0.4317
EVT-D29-004	D29	14:34:03	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.5400
EVT-D29-005	D29	16:20:21	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-03**	0.4704
EVT-D30-001	D30	09:12:18	120s	Zone 3 (RO Skid)	**ELEVATED**	**REAL-01**	0.5265