

Write a program for binary search

Your Code

```
1 #include<stdio.h>
2 int main() {
3
4
5     int a[5]={10,20,30,40,50};
6     int key,l=0,h=4,m;
7     scanf("%d",&key);
8     while(l<=h){
9         m=(l + h)/2;
10        if(a[m]==key){
11            printf("Found");
12            return 0;
13        }
14        else if(a[m]<key)
15            l=m+1;
16        else
17            h=m-1;
18    }
19    printf("Not found");
20    return 0;
21 }
```

Input

30

Output

Found

Write a C program for Merge Two Arrays

Your Code

```
1 #include<stdio.h>
2 int main(){
3     int a[5],b[5],c[10],i;
4     for(i=0;i<5;i++)
5         scanf("%d",&a[i]);
6     for(i=0;i<5;i++)
7         scanf("%d",&b[i]);
8     for(i=0;i<5;i++)
9         c[i]=a[i];
10    for(i=0;i<5;i++)
11        c[i+5]=b[i];
12    for(i=0;i<10;i++)
13        printf("%d",c[i]);
14    return 0;
15 }
16 |
```

Input

```
1 2 3 4 5
6 7 8 9
```

Output

```
1 2 3 4 5 6 7 8 9
```



Run



Save



Submit

Your Code

```
1 #include<stdio.h>
2 int main(){
3     int arr[100],n,i,element,count=0;
4     printf("Enter the number of elements:");
5     scanf("%d",&n);
6     printf("Enter %d elements:\n",n);
7     for(i=0;i<n;i++){
8         scanf("%d",&arr[i]);
9     }
10    printf("Enter the element to count:");
11    scanf("%d",&element);
12    for(i=0;i<n;i++){
13        if(arr[i] == element){
14            count++;
15        }
16    }
17    printf("the element %d occurs %d time(s).\n",element,count);
18    return 0;
19 }
```



Run



Save



Submit

Input

```
5
1 2 3 3 2
2
```

Output

```
Enter the number of elements:Enter
5 elements:
Enter the element to count:the
element 2 occurs 2 time(s).
```