




Simulation Panel

Event List	
At Device	Type
Motion	STP
Parking	STP
Home Gateway0	STP
Laptop0	STP
RFID Reader	STP
Motion	STP
Parking	STP
Home Gateway0	STP
Laptop0	STP
RFID Reader	STP
Motion	STP
Parking	STP
Laptop0	ICMP
Home Gateway0	ICMP
RFID Reader	ICMP
Home Gateway0	ICMP
Laptop0	ICMP
Home Gateway0	STP

Reset Simulation ☒ Constant Delay Captured to: 89.039 s

Play Controls

⏮ ⏪ ⏩ ⏭

Event List Filters - Visible Events

ACL Filter, Bluetooth, CAPWAP, CDP, DHCPv6, DTP, EAPOL, EIGRPv6, FTP, H.323, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPSec, ISAKMP, IoT, IoT TCP, LACP, LLDP, NDP, NETFLOW, NTP, OSFPv6, PAgP, POP3, PPP, PPPoE, PTP, RADIUS, REP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters Show All/None



Scenario 0

New Delete

Toggle PDU List Window

Fire	Last Status	Source	Destination	Type	Color	Time(sec)	Periodic	Num	Edit	Delete
Successful		Laptop0	Parking	ICMP	Green	0.000	N	0	(edit)	(delete)
Successful		Laptop0	RFID Reader	ICMP	Yellow	5.072	N	1	(edit)	(delete)

OSI Model

Inbound PDU Details

Outbound PDU Details

Layer7

Layer6

Layer5

Layer4

Layer 3: IP Header Src. IP:
192.168.25.102, Dest. IP:
192.168.25.100 ICMP Message Type: 8

Layer 2: Ethernet II Header
000A.41C5.4657 >> 00E0.F900.1E67

Layer 1: Port FastEthernet0

Layer7

Layer6

Layer5

Layer4

Layer 3: IP Header Src. IP:
192.168.25.100, Dest. IP:
192.168.25.102 ICMP Message Type: 0

Layer 2: Ethernet II Header
00E0.F900.1E67 >> 000A.41C5.4657

Layer 1: Port(s): FastEthernet0

1. FastEthernet0 receives the frame.

Challenge Me

<< Previous Layer

Next Layer >>

Page 1

Scenario 4 – Successful PDU Test

Page 2

ICMP Analysis

- Echo Request: Type 8
- Echo Reply: Type 0
- Communication Successful