

Ex. No: 14

```
CREATE TABLE employeepersonaldetails (id INT PRIMARY KEY, name  
VARCHAR(30) NOT NULL,  
age INT NOT NULL, mobilenumbers NUMBER(10) NOT NULL UNIQUE);
```

Output:

Table created.

```
INSERT INTO employeepersonaldetails VALUES (1, 'Ajay', 20, 9876543210);  
INSERT INTO employeepersonaldetails VALUES (2, 'Brindha', 20, 9874563210);  
INSERT INTO employeepersonaldetails VALUES (3, 'Kumaran', 20, 9673443210);
```

Output:

3 rows created.

```
SELECT * FROM employeepersonaldetails;
```

Output:

ID	NAME	AGE	MOBILE NUMBER
1	Ajay	20	9876543210
2	Brindha	20	9874563210
3	Kumaran	20	9673443210

```
COMMIT;
```

Output:

Commit complete.

```
INSERT INTO employeepersonaldetails VALUES (4, 'Archana', 20, 9876543410);
```

Output:

1 row created.

```
SELECT * FROM employeepersonaldetails;
```

Output:

ID	NAME	AGE	MOBILE NUMBER
1	Ajay	20	9876543210
2	Brindha	20	9874563210
3	Kumaran	20	9673443210
4	Archana	20	9876543410

ROLLBACK;

Output:

Rollback complete.

SELECT * FROM employeepersonaletails;

Output:

ID	NAME	AGE	MOBILE NUMBER
1	Ajay	20	9876543210
2	Brindha	20	9874563210
3	Kumaran	20	9673443210

INSERT INTO employeepersonaletails VALUES (5, 'Braham', 20, 9878953210);

Output:

1 row created.

SAVEPOINT a;

Output:

Savepoint created.

INSERT INTO employeepersonaletails VALUES (6, 'Srimathi', 20, 9678953210);

Output:

1 row created.

SAVEPOINT b;

Output:

Savepoint created.

SELECT * FROM employeepersonaletails;

Output:

ID	NAME	AGE	MOBILE NUMBER
1	Ajay	20	9876543210
2	Brindha	20	9874563210
3	Kumaran	20	9673443210
5	Braham	20	9878953210
6	Srimathi	20	9678953210

ROLLBACK TO a;

Output:

Rollback complete.

SELECT * FROM employeepersonaldetails;

Output:

ID	NAME	AGE	MOBILE NUMBER
1	Ajay	20	9876543210
2	Brindha	20	9874563210
3	Kumaran	20	9673443210
5	Braham	20	9878953210

COMMIT;

Output:

Commit complete.

CREATE TABLE account (accno INT PRIMARY KEY, cname VARCHAR(20),
balance NUMBER(10,2));

Output:

Table created.

INSERT INTO account VALUES (101, 'Ajay', 5000);
INSERT INTO account VALUES (102, 'Brindha', 3000);

Output:

2 rows created.

COMMIT;

Output:

Commit complete.

UPDATE account SET balance = balance - 1000 WHERE accno = 101;

Output:

1 row updated.

SAVEPOINT debited;

Output:

Savepoint created.

UPDATE account SET balance = balance + 1000 WHERE accno = 102;

Output:

1 row updated.

SELECT * FROM account;

Output:

ACCNO	CNAME	BALANCE
101	Ajay	4000
102	Brindha	4000

ROLLBACK TO debited;

Output:

Rollback complete.

SELECT * FROM account;

Output:

ACCNO	CNAME	BALANCE
101	Ajay	4000
102	Brindha	3000

ROLLBACK;

Output:

Rollback complete.

SELECT * FROM account;

Output:

ACCNO	CNAME	BALANCE
101	Ajay	5000
102	Brindha	3000

CREATE USER student2 IDENTIFIED BY student2pwd;

Output:

User created.

GRANT CREATE SESSION TO student2;

Output:

Grant succeeded.

CONNECT student2/student2pwd

Output:

Connected.

SELECT * FROM system.employeepersonaldetails;

Output:

ERROR at line 1:

ORA-00942: table or view does not exist

CONNECT system/&&sys_pwd

Output:

Connected.

GRANT SELECT ON employeepersonaldetails TO student2;

Output:

Grant succeeded.

SELECT grantee, table_name, privilege FROM user_tab_privs_made WHERE grantee = 'STUDENT2';

Output:

GRANTEE	TABLE_NAME	PRIVILEGE
STUDENT2	EMPLOYEEPERSONALDETAILS	SELECT

CONNECT student2/student2pwd

Output:

Connected.

SELECT * FROM system.employeepersonaldetails;

Output:

ID	NAME	AGE	MOBILE NUMBER
1	Ajay	20	9876543210
2	Brindha	20	9874563210
3	Kumaran	20	9673443210
5	Braham	20	9878953210

```
INSERT INTO system.employeepersonaldetails VALUES (7, 'Test', 20, 90000000001);
```

Output:

ERROR at line 1:
ORA-01031: insufficient privileges

```
CONNECT system/&&sys_pwd
```

Output:

Connected.

```
GRANT INSERT ON employeepersonaldetails TO student2;
```

Output:

Grant succeeded.

```
CONNECT student2/student2pwd
```

Output:

Connected.

```
INSERT INTO system.employeepersonaldetails VALUES (7, 'Test', 20, 90000000001);
```

Output:

1 row created.

```
ROLLBACK;
```

Output:

Rollback complete.

```
CONNECT system/&&sys_pwd
```

Output:

Connected.

```
REVOKE INSERT ON employeepersonaldetails FROM student2;
```

Output:

Revoke succeeded.

```
REVOKE SELECT ON employeepersonaldetails FROM student2;
```

Output:

Revoke succeeded.

```
CONNECT student2/student2pwd
```

Output:

Connected.

```
SELECT * FROM system.employeepersonaldetails;
```

Output:

ERROR at line 1:

ORA-00942: table or view does not exist