


ECA3102 – NANO ELECTRONICS

EXPERIMENT. 4. Kronig Penney Model

Aim:

To simulate Energy functional vs Energy graph using Kronig Penney model

OUTPUT:




- At low energy, $F(E)$ is large and positive.
- As energy increases, the curve decreases and oscillates.
- The points where the blue curve intersects the green line correspond to allowed electron energies (energy bands).
- Regions where there is no intersection correspond to forbidden energies (band gaps).

Physical interpretation

Electrons in a periodic potential do not have continuous energies. The crystal periodicity produces:

- Allowed bands $\rightarrow$ electrons can exist.
- Forbidden band gaps $\rightarrow$ electrons cannot exist.


Case Study 1: Simulation of the output for Triangular well



Output Explanation

The simulation shows the **energy levels and wave functions** in a triangular quantum well. Due to the **triangular potential profile**, the energy levels are **non-uniformly spaced**. Electrons are confined near the lower potential region, resulting in **quantized energy states**. The wave functions are concentrated inside the well and decay outside the barrier.

Case Study 2: Simulation of the output for Sinusoidal Potential



OUTPUT:

The simulation demonstrates that a **sinusoidal potential** forms periodic quantum states and influences electron confinement. Such potential profiles are widely used in **superlattices, quantum devices, and nanostructures**.

CONCLUSION:

The simulations show that both the **Triangular Quantum Well** and **Sinusoidal Potential** produce **quantized energy levels** due to quantum confinement. The potential shape influences electron behavior, making these structures useful for **semiconductor and nanoelectronic applications**.

