


Login page:




The screenshot shows a web browser window with the title "Login page". The address bar displays "localhost:9050/dbtoser/". The page content includes a heading "Welcome" and a login form with the following elements:

- A text input field labeled "Name :".
- A text input field labeled "Password :".
- A "Login" button.

The Windows taskbar at the bottom shows the search bar, taskbar icons, and system tray with the date "29-07-2020" and time "22:53".

Page after Login:



The screenshot shows a web browser window with the title "Transactions". The address bar displays "localhost:9050/dbtoser/display.do". The page content includes the heading "Recent transactions made:" and a table with the following structure:

TransId	status	balance
fund transfer		

Below the table, there is a "logout" link.

The Windows taskbar at the bottom shows the search bar, taskbar icons, and system tray with the date "29-07-2020" and time "22:55".

Page after a transaction

The screenshot shows a web browser window with the title 'Transactions'. The address bar displays 'localhost:9050/dbtoser/display.do'. The page content includes a heading 'Recent transactions made:' followed by a table with three columns: 'TransId', 'status', and 'balance'. The table contains one row with the values '2', 'Success', and '9000'. Below the table, there is a 'fund transfer' button and a 'logout' link. The Windows taskbar at the bottom shows the search bar and various application icons.

TransId	status	balance
2	Success	9000

[fund transfer](#)

[logout](#)

Page after some transactions:

The screenshot shows the same web browser window as before, but the table now displays five transactions. The 'TransId' values are 8, 7, 6, 5, and 4, with corresponding 'Success' statuses and 'balance' values of 3000, 4000, 5000, 6000, and 7000. The 'fund transfer' button and 'logout' link remain below the table.

TransId	status	balance
8	Success	3000
7	Success	4000
6	Success	5000
5	Success	6000
4	Success	7000

[fund transfer](#)

[logout](#)

Page in which the table contains a Failure transaction:

The screenshot shows a web browser window with the address bar displaying 'localhost:9050/dbtoser/display.do'. The page title is 'Transactions'. The main content area displays a table titled 'Recent transactions made:' with the following data:

TransId	status	balance
13	Failure	0
12	Failure	0
11	Success	0
10	Success	1000
9	Success	2000

Below the table, there is a button labeled 'fund transfer' and a link labeled 'logout'.

Table before making any transaction:

Result Grid			
	trandid	statusinfo	balance
▶	1	Initial Balance	10000
*	NULL	NULL	NULL

Table after making transactions:

Result Grid			
	trandid	statusinfo	balance
▶	13	Failure	0
	12	Failure	0
	11	Success	0
	10	Success	1000
	9	Success	2000
*	NULL	NULL	NULL

transaction 13