

Kishan ram


192421268

DevSecOps Assessment Task 1 - Technical Documentation

Concept Map


DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces

security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration



between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software

development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.




RL Framework

DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability

management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely.


remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances



collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident

analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability

management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.



README

DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture.

Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to

3. DEVSECOPS CONCEPT MAP (HIGH LEVEL)

People, Process, Tools and Practices Working Together



enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.

developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and


Technical Documentation 1

DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring,

logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software

quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.


developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and



Technical Documentation 2

DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability

management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to



developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and

Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is

Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests.

Continuous

managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to enables organizations to deliver reliable applications faster.

Technical Documentation 3


DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations

[illegible]

Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests.

Continuous

security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.



Technical Documentation 4

DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing,

[illegible]

Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests.

Continuous

SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.



Technical Documentation 5

DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster. DevSecOps integrates development, security, and operations throughout the software development lifecycle. The workflow begins with planning and requirements gathering, followed by threat modeling, secure design, and secure coding. Source code is managed using Git and GitHub with branches and pull requests. Continuous Integration automates builds, testing, SAST, SCA, and secret scanning. Docker images are created and validated using container scanning before Continuous Deployment releases applications to Kubernetes. After deployment, monitoring, logging, SIEM, vulnerability management, and incident analysis provide continuous visibility into the application's security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations

security posture. Findings are returned to developers through a feedback loop, allowing vulnerabilities to be remediated quickly and securely. This iterative process continuously improves software quality, reduces security risks, supports compliance, enhances collaboration between development, security, and operations teams, and enables organizations to deliver reliable applications faster.

