



Software Engineering Jira Lab (Lab2)

Name: SAI KISHAN A SRN: PES1UG24CS608 Class: 5K


1)Epics




2) OBS-13 detail




3) Active Sprint board



4) Burndown Chart





Q1: Did your estimations reflect the actual effort?

The relative estimates matched the simulated complexity: Sprint 1 carried 39 points across 10 stories, while Sprint 2 carried 19 points across 6 stories, and Checkout & Payment was correctly the largest item at 8 points. Because this was a compressed simulation without time tracking, the estimates cannot be compared with real elapsed effort, but both planned point totals were completed.

Q2: Was your backlog well-prioritized?

Yes. Sprint 1 placed the core customer journey first — account access, search, cart, checkout, and order tracking — and assigned it 39 points across 10 stories; Sprint 2 then covered the remaining seller, review, wishlist, and administration work in 19 points across 6 stories.

Q3: How did your simulated sprint align with your plan?

The simulation aligned with the plan: all 10 Sprint 1 stories (39 points) and all 6 Sprint 2 stories (19 points) reached Done. Sprint 1 also demonstrated the intended workflow by showing work across To Do, In Progress, and Done before completion.

Q4: What insights did the burndown chart give about your team's capacity?

The charts show capacity sufficient to finish both planned scopes, with remaining work falling from 39 to 0 points in Sprint 1 and from 19 to 0 points in Sprint 2. The steep early drops reflect the compressed simulation rather than a steady daily delivery rate, so a real sprint would need work updates spread over time before using the chart for dependable capacity forecasting.