

Lab 1 – Requirements Table

Campus Placement and Internship Pipeline

<u>REQ ID</u>	<u>TYPE</u>	<u>DESCRIPTION</u>	<u>PRIORITY</u>	<u>ACCEPTANCE CRITERIA</u>	<u>RATIONALE</u>
FR-001	FUNCTIONAL	THE SYSTEM SHALL PARSE UPLOADED STUDENT RESUMES (PDF FORMAT), EXTRACT SKILL TAGS, AND MATCH PROFILES AGAINST ACTIVE COMPANY ELIGIBILITY RULES.	HIGH	PASS: INELIGIBLE APPLICANTS ARE FILTERED OUT WITH CLEAR DISCREPANCY REASONS. FAIL: APPLICANT WITH AN ACTIVE BACKLOG BYPASSES THE ELIGIBILITY FILTER.	AUTOMATES FIRST-PASS RESUME SCREENING SO PLACEMENT OFFICERS DO NOT MANUALLY CROSS-CHECK HUNDREDS OF RESUMES AGAINST EACH DRIVE'S ELIGIBILITY RULES.
FR-002	FUNCTIONAL	THE SYSTEM SHALL ALLOW A STUDENT APPLICANT TO SUBMIT AN APPLICATION TO ANY PLACEMENT/INTERNSHIP DRIVE FOR WHICH THEY MEET ALL ELIGIBILITY CRITERIA, AND SHALL BLOCK SUBMISSION OTHERWISE.	HIGH	PASS: STUDENT APPLIES SUCCESSFULLY TO AN ELIGIBLE DRIVE IN ≤ 3 CLICKS AND RECEIVES AN ON-SCREEN CONFIRMATION. FAIL: APPLICATION IS ACCEPTED FOR A DRIVE THE STUDENT DOES NOT MEET THE ELIGIBILITY CRITERIA FOR.	ENFORCES ELIGIBILITY RULES AT THE POINT OF APPLICATION, PREVENTING INVALID APPLICATIONS FROM ENTERING THE INTERVIEW PIPELINE.

FR-003	FUNCTIONAL	THE SYSTEM SHALL ALLOW A PLACEMENT OFFICER TO CONFIGURE AND SCHEDULE MULTIPLE INTERVIEW ROUNDS (E.G., APTITUDE, TECHNICAL, HR) FOR A DRIVE, EACH WITH ITS OWN DATE, TIME, AND VENUE/LINK.	HIGH	PASS: OFFICER CREATES A 3-ROUND INTERVIEW SCHEDULE FOR 200 SHORTLISTED STUDENTS IN UNDER 10 MINUTES, WITH NO OVERLAPPING SLOTS FOR ANY STUDENT. FAIL: TWO ROUNDS ARE SAVED WITH OVERLAPPING TIME SLOTS FOR THE SAME STUDENT WITHOUT A WARNING.	MULTI-ROUND INTERVIEWING IS CENTRAL TO THE PLACEMENT PROCESS; SCHEDULING CONFLICTS DIRECTLY CAUSE MISSED INTERVIEWS AND GRIEVANCES.
FR-004	FUNCTIONAL	THE SYSTEM SHALL NOTIFY A STUDENT APPLICANT BY EMAIL AND IN-APP ALERT WITHIN 5 MINUTES OF ANY CHANGE TO THEIR INTERVIEW SCHEDULE (DATE, TIME, VENUE, OR ROUND OUTCOME).	MEDIUM	PASS: TIMESTAMP COMPARISON BETWEEN THE SCHEDULE-CHANGE LOG AND NOTIFICATION-SENT LOG SHOWS A GAP UNDER 5 MINUTES FOR 100/100 TEST CASES. FAIL: NOTIFICATION IS SENT MORE THAN 5 MINUTES LATE OR NOT SENT AT ALL.	TIMELY NOTIFICATION REDUCES MISSED INTERVIEWS AND LAST-MINUTE CONFUSION DURING HIGH-VOLUME DRIVE SEASON.
FR-005	FUNCTIONAL	THE SYSTEM SHALL AUTO-GENERATE A DIGITAL OFFER LETTER (ROLE, CTC, JOINING DATE, COMPANY NAME) FOR A CANDIDATE MARKED “SELECTED” BY THE PLACEMENT OFFICER, AND MAKE IT AVAILABLE FOR DOWNLOAD IN THE STUDENT'S PORTAL.	HIGH	PASS: OFFER LETTER PDF IS GENERATED WITHIN 60 SECONDS OF THE “SELECTED” STATUS BEING CONFIRMED, WITH ALL FOUR FIELDS CORRECTLY POPULATED. FAIL: ANY FIELD IS BLANK/INCORRECT, OR THE LETTER IS NOT GENERATED WITHIN 60 SECONDS.	REDUCES MANUAL DOCUMENT-PREPARATION ERRORS AND SPEEDS UP THE OFFER-RELEASE CYCLE FOR THE PLACEMENT CELL.

NFR-001	NONFUNCTIONAL (SECURITY)	THE SYSTEM SHALL ENCRYPT ALL STUDENT ACADEMIC RECORDS AND OFFER DOCUMENTS AT REST USING AES-256.	HIGH	PASS: BENCHMARKING TESTS CONFIRM TARGET LATENCY AND SECURITY STANDARDS ARE MET UNDER SIMULATED PEAK LOAD. FAIL: ANY RECORD IS FOUND STORED UNENCRYPTED, OR ENCRYPTION DEGRADES RESPONSE TIME BEYOND THE AGREED THRESHOLD.	ACADEMIC RECORDS AND OFFER LETTERS ARE SENSITIVE PERSONAL DATA; ENCRYPTION AT REST IS REQUIRED TO PROTECT STUDENT PRIVACY AND INSTITUTIONAL COMPLIANCE.
NFR-002	NONFUNCTIONAL (PERFORMANCE)	THE SYSTEM SHALL SUPPORT AT LEAST 500 CONCURRENT RESUME UPLOADS/APPLICATIONS DURING PEAK REGISTRATION WINDOWS WHILE KEEPING 95TH-PERCENTILE RESPONSE TIME UNDER 3 SECONDS.	HIGH	PASS: LOAD TEST WITH 500 CONCURRENT SIMULATED USERS SHOWS P95 LATENCY UNDER 3 SECONDS AND A 0% FAILED-UPLOAD RATE. FAIL: P95 LATENCY EXCEEDS 3 SECONDS OR ANY UPLOAD FAILS UNDER THE SAME TEST.	REGISTRATION DEADLINES CREATE SHARP TRAFFIC SPIKES; A SLOW OR FAILING SYSTEM AT THAT MOMENT CAN CAUSE ELIGIBLE STUDENTS TO LOSE THEIR APPLICATION WINDOW.

Lab 1 – Use Case Flow Specification

Campus Placement & Internship Pipeline

Use Case	UC-02: Apply for Placement Drive (Actor: Student Applicant)
Preconditions	1) Student Applicant is registered and logged in with a verified academic profile. 2) Student has uploaded at least one resume (UC-01) currently on file. 3) The target drive is published and open for applications (registration window active).
Postconditions	Success: Application record is created with status “Applied,” linked to the student's resume, and visible to the Placement Officer's shortlist queue. Failure: No application record is created; student is informed of the reason and remains free to apply to other eligible drives.

Main Success Scenario

1. Student Applicant browses the list of published placement/internship drives and selects a drive of interest.
2. System displays the drive's eligibility criteria (minimum CGPA, maximum active backlogs, allowed branches) alongside an “Apply” button.
3. Student Applicant clicks “Apply.” System triggers <<include>> UC-03: Check Eligibility.
4. System retrieves the student's academic record and resume skill tags, and evaluates them against the drive's eligibility rules.
5. System confirms the student meets all eligibility criteria.
6. System creates an application record with status “Applied,” timestamps it, and attaches the student's current resume.
7. System displays an on-screen confirmation to the Student Applicant and adds the drive to their “My Applications” list.
8. System adds the application to the Placement Officer's shortlist queue for that drive.
9. Use case ends successfully.

Alternate Flow – 5a: Student Does Not Meet Eligibility Criteria

- a) System detects that the student fails one or more eligibility rules (e.g., CGPA below threshold, active backlog present).
- b) System displays a “Not Eligible” message that lists the specific criteria not met (e.g., “Minimum CGPA 7.0 required; your CGPA is 6.4”).

- c) System blocks creation of the application record; no entry is added to the Placement Officer's queue.
- d) Student Applicant may update their profile (if data is outdated) or browse other drives; use case ends without an application being filed.

Campus Placement & Internship Pipeline System

