Experiment 7

AIM:Develop Feedback Management Module using MVC Layout, Partial View & Validation(HTML Helpers, Validation, Layouts)

Source: FeedbackController.cs

```
using Microsoft.AspNetCore.Mvc;
using FeedbackManagementApp.Models;

namespace FeedbackManagementApp.Controllers
{
    public class FeedbackController : Controller
    {
        // In-memory static list to retain feedback entries during application runtime
private static readonly List<Feedback> _feedbackList = new List<Feedback>();

        [HttpGet]
        public IActionResult Index()
        {
            // Analytics computations passed to the View
            ViewBag.TotalCount = _feedbackList.Count;
            ViewBag.AverageRating = _feedbackList.Any() ? _feedbackList.Average(f =>
    f.Rating) : 0.0;
            ViewBag.PositivePercentage = _feedbackList.Any()
                ? (_feedbackList.Count(f => f.Rating >= 4) * 100 / _feedbackList.Count)
                : 0;

            return View(_feedbackList);
        }

        [HttpGet]
        public IActionResult Create()
        {
            return View();
        }

        [HttpPost]
        [ValidateAntiForgeryToken]
        public IActionResult Create(Feedback feedback)
        {
            if (ModelState.IsValid)
            {
                feedback.Id = _feedbackList.Count + 1;
feedback.SubmittedOn = DateTime.Now;
                _feedbackList.Add(feedback);

                TempData["SuccessMessage"] = "Thank you! Your feedback has been submitted
    successfully.";
                return RedirectToAction(nameof(Index));
            }
```

```
                // Return to view with validation errors if invalid
                return View(feedback);
            }
        }
    }
```

Source: HomeController.cs

```
using System.Diagnostics; using
FeedbackManagementApp.Models; using
Microsoft.AspNetCore.Mvc;

namespace FeedbackManagementApp.Controllers
{
    public class HomeController : Controller
    {
        private readonly ILogger<HomeController> _logger;

        public HomeController(ILogger<HomeController> logger)
        {
            _logger = logger;
        }

        public IActionResult Index()
        {
            return View();
        }

        public IActionResult Privacy()
        {
            return View();
        }

        [ResponseCache(Duration = 0, Location = ResponseCacheLocation.None, NoStore = true)]
        public IActionResult Error()
        {               return View(new ErrorViewModel { RequestId = Activity.Current?.Id ??
HttpContext.TraceIdentifier });
        }
    }
}
```

Source: Feedback.cs

```
using System.ComponentModel.DataAnnotations;

namespace FeedbackManagementApp.Models
{
    public class Feedback
    {
        public int Id { get; set; }

        [Required(ErrorMessage = "Full Name is required.")]
        [StringLength(50, ErrorMessage = "Name cannot exceed 50 characters.")]
```

```
        [Display(Name = "Full Name")]
        public string FullName { get; set; } = string.Empty;
        [Required(ErrorMessage = "Email address is required.")]
        [EmailAddress(ErrorMessage = "Please enter a valid email address.")]
        [Display(Name = "Email Address")]
        public string Email { get; set; } = string.Empty;

        [Required(ErrorMessage = "Please select a feedback category.")]
        [Display(Name = "Feedback Category")]
        public string Category { get; set; } = string.Empty;
        [Required(ErrorMessage = "Please give us a star rating.")]
        [Range(1, 5, ErrorMessage = "Rating must be between 1 and 5 stars.")]
        public int Rating { get; set; }

        [Required(ErrorMessage = "Feedback comments are required.")]
        [MinLength(10, ErrorMessage = "Comments must be at least 10 characters long.")]
        [Display(Name = "Your Feedback")]
        public string Comments { get; set; } = string.Empty;

        public DateTime SubmittedOn { get; set; } = DateTime.Now;
    }
}
```

Source: _FeedbackItem.cshtml

```
@model FeedbackManagementApp.Models.Feedback

<div class="card mb-3 border-0 shadow-sm rounded-3 border-start border-4 @(Model.Rating >= 4
? "border-success" : Model.Rating == 3 ? "border-warning" : "border-danger")">
<div class="card-body p-4">
        <div class="d-flex justify-content-between align-items-center mb-2">
            <div>
                <h5 class="fw-bold mb-0 text-dark">@Model.FullName</h5>
                  <small class="badge bg-light text-secondary border mt-
1">@Model.Category</small>
            </div>
            <div class="text-warning fs-5 fw-bold">
                @for (int i = 0; i < Model.Rating; i++)
                {
                    <span>★</span>
                }
                @for (int i = Model.Rating; i < 5; i++)
                {
                    <span class="text-muted opacity-25">★</span>
                }
                <small class="text-dark fs-6 ms-1">(@Model.Rating/5)</small>
            </div>
        </div>

            <p class="card-text my-3 text-secondary" style="white-space: pre-
line;">@Model.Comments</p>
        <div class="d-flex justify-content-between align-items-center text-muted small pt-2
border-top">
            <span><strong>Email:</strong> @Model.Email</span>
```

```
            <span><i class="bi bi-clock"></i> @Model.SubmittedOn.ToString("MMM dd, yyyy · hh:mm
tt")</span>
        </div>
    </div>
</div>
```

SOURCE:Index.cshtml

```
@model IEnumerable<FeedbackManagementApp.Models.Feedback>

@{
    ViewData["Title"] = "Feedback Dashboard";
}

<div class="my-4">
    <div class="d-flex justify-content-between align-items-center mb-4">
<div>
            <h2 class="fw-bold m-0 text-dark">Feedback Overview</h2>
            <p class="text-muted m-0">Real-time user feedback and analytics</p>
</div>
                    <a asp-action="Create" class="btn btn-primary btn-lg shadow-sm">+ Submit New
Feedback</a>
    </div>

    <!-- Alert Banner -->
    @if (TempData["SuccessMessage"] != null)
    {
        <div class="alert alert-success alert-dismissible fade show shadow-sm" role="alert">
            <i class="bi bi-check-circle-fill me-2"></i> @TempData["SuccessMessage"]
            <button type="button" class="btn-close" data-bs-dismiss="alert" aria-
label="Close"></button>
        </div>
    }

    <!-- Analytics Counters -->
    <div class="row g-3 mb-4">
        <div class="col-md-4">
            <div class="card border-0 shadow-sm bg-white p-3 text-center rounded-3">
                <span class="text-muted text-uppercase fw-bold small">Total Responses</span>
                <h2 class="fw-bold text-primary m-0 mt-1">@ViewBag.TotalCount</h2>
            </div>
        </div>
        <div class="col-md-4">
            <div class="card border-0 shadow-sm bg-white p-3 text-center rounded-3">
                <span class="text-muted text-uppercase fw-bold small">Average Rating</span>
                                                        <h2 class="fw-bold text-warning m-0
mt-1">@ViewBag.AverageRating.ToString("0.0") <small class="fs-6 text-muted">/ 5</small></h2>
            </div>
        </div>
        <div class="col-md-4">
            <div class="card border-0 shadow-sm bg-white p-3 text-center rounded-3">
                <span class="text-muted text-uppercase fw-bold small">Positive Sentiment (4★ &
5★)</span>
                <h2 class="fw-bold text-success m-0 mt-1">@ViewBag.PositivePercentage%</h2>
```

```
            </div>
        </div>
    </div>

    <!-- Feedback Entries rendered using Partial View -->
    <div class="row">
        <div class="col-12">
            @if (!Model.Any())
            {
                <div class="card border-0 shadow-sm p-5 text-center my-3">
                    <h4 class="text-muted mb-3">No feedback submissions found yet.</h4>
<div>
                        <a asp-action="Create" class="btn btn-outline-primary px-4">Be the first
to submit feedback</a>                    </div>
                </div>
            }
else
            {
                @foreach (var item in Model.OrderByDescending(f => f.SubmittedOn))
{
                    @await Html.PartialAsync("_FeedbackItem", item)
                }
            }
        </div>
    </div>
</div>
```

Source: Create.cshtml

```
@model FeedbackManagementApp.Models.Feedback

@{
    ViewData["Title"] = "Submit Feedback";
}

<style>
    /* Radio-based Interactive CSS Star Rating Control */
    .star-rating {
display: flex;
        flex-direction: row-reverse;         justify-
content: flex-end;
        gap: 0.25rem;
    }

        .star-rating input {
display: none;
        }

        .star-rating label {
font-size: 2.2rem;
color: #ddd;             cursor:
pointer;
            transition: color 0.2s ease-in-out;
        }
```

```
            .star-rating input:checked ~ label,
            .star-rating label:hover,
            .star-rating label:hover ~ label {
                color: #ffc107;
            }
</style>

<div class="row justify-content-center my-4">
    <div class="col-lg-7 col-md-9">
        <div class="card shadow border-0 rounded-4">
            <div class="card-header bg-primary bg-gradient text-white p-4 rounded-top-4">
                <h3 class="mb-1 fw-bold">Share Your Experience</h3>
                <p class="mb-0 text-white-50">We value your input to continuously improve our
platform.</p>
            </div>

            <div class="card-body p-4 p-md-5">
                @using (Html.BeginForm("Create", "Feedback", FormMethod.Post))
{
                    @Html.AntiForgeryToken()

                    @if (!ViewData.ModelState.IsValid && ViewData.ModelState.Values.Any(v =>
v.Errors.Count > 0))
                    {
                        <div class="alert alert-danger mb-4">
                            @Html.ValidationSummary(false, "Please correct the errors below
before submitting:")
                        </div>
                    }

                    <!-- Full Name & Email -->
                    <div class="row g-3 mb-3">
                        <div class="col-md-6">
                            @Html.LabelFor(m => m.FullName, new { @class = "form-label fw-
semibold" })
                            @Html.TextBoxFor(m => m.FullName, new { @class = "form-control
form-control-lg", placeholder = "John Doe" })
                                @Html.ValidationMessageFor(m => m.FullName, "", new { @class =
"text-danger small" })
                        </div>
                        <div class="col-md-6">
                            @Html.LabelFor(m => m.Email, new { @class = "form-label fw-
semibold" })
                            @Html.TextBoxFor(m => m.Email, new { @class = "form-control form-
control-lg", placeholder = "john@example.com" })
                                    @Html.ValidationMessageFor(m => m.Email, "", new { @class =
"text-danger small" })
                        </div>
                    </div>

                    <!-- Category Dropdown -->
                    <div class="mb-3">
                        @Html.LabelFor(m => m.Category, new { @class = "form-label fw-semibold"
})
```

```
                    @Html.DropDownListFor(m => m.Category, new SelectList(new[]
                    {
                        "General Feedback",
                                    "Bug / Technical Issue",
                                    "Feature Request",
                                    "User Interface / Design",
                                    "Other"
                                                }), "-- Select Category --", new { @class =
"form-select form-select-lg" })
                @Html.ValidationMessageFor(m => m.Category, "", new { @class = "text-danger
small" })
            </div>

            <!-- Star Rating (HTML Helper bound via Radio Buttons) -->
            <div class="mb-3">
                @Html.LabelFor(m => m.Rating, new { @class = "form-label fw-semibold d-
block" })
                <div class="star-rating mb-1">
                    <input type="radio" id="star5" name="Rating" value="5" @(Model?.Rating
== 5 ? "checked" : "") />
                    <label for="star5" title="5 Stars">★</label>

                    <input type="radio" id="star4" name="Rating" value="4" @(Model?.Rating
== 4 ? "checked" : "") />
                    <label for="star4" title="4 Stars">★</label>

                    <input type="radio" id="star3" name="Rating" value="3" @(Model?.Rating
== 3 ? "checked" : "") />
                    <label for="star3" title="3 Stars">★</label>

                    <input type="radio" id="star2" name="Rating" value="2" @(Model?.Rating
== 2 ? "checked" : "") />
                    <label for="star2" title="2 Stars">★</label>

                    <input type="radio" id="star1" name="Rating" value="1" @(Model?.Rating
== 1 ? "checked" : "") />
                    <label for="star1" title="1 Star">★</label>
                </div>
                @Html.ValidationMessageFor(m => m.Rating, "", new { @class = "text-danger
small d-block" })
            </div>

            <!-- Comments Textarea -->
            <div class="mb-4">
                @Html.LabelFor(m => m.Comments, new { @class = "form-label fw-semibold" })
                @Html.TextAreaFor(m => m.Comments, new { @class = "form-control", rows = 4,
placeholder = "Tell us what you liked or what we can improve..." })
                @Html.ValidationMessageFor(m => m.Comments, "", new { @class = "text-danger
small" })
            </div>

            <!-- Actions -->
            <div class="d-flex justify-content-between align-items-center pt-3 border-top">
```

```
                        <a asp-action="Index" class="btn btn-outline-secondary px-4">View All
Submissions</a>
                    <button type="submit" class="btn btn-primary btn-lg px-5 shadow-sm">Submit
Feedback</button>
                </div>
                                    }
            </div>
        </div>
    </div>
</div>

@section Scripts {
    @{
        await Html.RenderPartialAsync("_ValidationScriptsPartial");
    }
}
```


Source: _layout.cshtml


```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>@ViewData["Title"] - FeedbackManagementApp</title>
    <link rel="stylesheet" href="~/lib/bootstrap/dist/css/bootstrap.min.css" />
      <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.3/font/bootstrap-icons.min.css">
    <link rel="stylesheet" href="~/css/site.css" asp-append-version="true" />
    <link rel="stylesheet" href="~/FeedbackManagementApp.styles.css" asp-append-version="true"
/>
</head>
<body>
    <header>
        <nav class="navbar navbar-expand-sm navbar-toggleable-sm navbar-light bg-white border-
bottom box-shadow mb-3">
            <div class="container-fluid">
                <a class="navbar-brand fw-bold" asp-area="" asp-controller="Home" asp-
action="Index">FeedbackManagementApp</a>
                <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target=".navbar-collapse" aria-controls="navbarSupportedContent"
                        aria-expanded="false" aria-label="Toggle navigation">
                    <span class="navbar-toggler-icon"></span>
                </button>
                <div class="navbar-collapse collapse d-sm-inline-flex justify-content-between">
                    <ul class="navbar-nav flex-grow-1">
                        <li class="nav-item">
                              <a class="nav-link text-dark" asp-area="" asp-controller="Home"
asp-action="Index">Home</a>
                        </li>
                        <li class="nav-item">
                            <a class="nav-link text-dark fw-semibold" asp-area="" asp-
controller="Feedback" asp-action="Index">Feedback</a>
                        </li>
                        <li class="nav-item">
```

```
                            <a class="nav-link text-dark" asp-area="" asp-controller="Home"
asp-action="Privacy">Privacy</a>
                        </li>
                    </ul>
                </div>
            </div>
        </nav>
    </header>
    <div class="container">
        <main role="main" class="pb-3">
            @RenderBody()
        </main>
    </div>

    <footer class="border-top footer text-muted">
        <div class="container">
            &copy; 2026 - FeedbackManagementApp - <a asp-area="" asp-controller="Home" asp-
action="Privacy">Privacy</a>
        </div>
    </footer>
    <script src="~/lib/jquery/dist/jquery.min.js"></script>
    <script src="~/lib/bootstrap/dist/js/bootstrap.bundle.min.js"></script>
    <script src="~/js/site.js" asp-append-version="true"></script>
    @await RenderSectionAsync("Scripts", required: false)
</body>
</html>
```

OUTPUT:





Github: https://github.com/kishlay764/.net_practise