Java keywords :-

*) Keywords are reserved words that have some predefined meanings and are used by java. compiler for some internal process.

*) These words cannot be used as identifiers such as variables names, method names, class names or object names.

Java keywords list (As of Java 21) :-

*) There are 53 keywords in java.

- Used keywords = 48
- Unused keywords = 2
- literals = 3 (Not keywords)

Datatype keywords :-

1. boolean
2. byte
3. char
4. short
5. int
6. float
7. double
8. void

Control Flow keywords :-

1. if
2. else
3. switch
4. case
5. default
6. for
7. while
8. do
9. break
10. continue
11. return

Exception Handling keyword :-

1. try
2. catch
3. finally
4. throw
5. throws
6. assert

Access Control keywords :-

1. Public
2. protected
3. private

Package and Import keywords :-

1. package
2. import

Multithreading & Synchronization :-

1. synchronized
2. volatile

Modifier & Utility :-

1. strictfp

Object-Oriented keyword :-

1. class
2. interface
3. extends
4. implements
5. new
6. this
7. super
8. Abstract
9. final
10. static
11. sealed
12. permits

Memory Management :-

1. transient
2. native

Reserved (unused) :-

1. const
2. goto

Special Literals :-

1. true
2. false
3. null

Reserved Words in Java :-

*) In java, reserved words are predefined identifiers that have a specific meaning.

*) Same as keywords.



*) All keywords are reserved words.

*) Reserved words = keywords + future reserved words

Java Identifiers :-

*) An identifier in java is the name given to variables, classes, Methods, Packages, Interfaces, etc..

eg:- int x = 9;

Rules :-

1. Allowed Characters - [A-Z], [a-z], [0-9], $, '_'
   (dollar, underscore)
2. Identifiers should not start with digits [0-9]
3. Case - sensitive
4. No limits to length of identifier.
5. Reserved words can't be used as identifier.

Examples :-

MyVariable ✓	My Variable ✗
MYVARIABLE ✓	123geeks ✗
myvariable ✓	a+b ✗
x ✓	variable-2 ✗
i ✓	sum_&_diff ✗
x1 ✓	
_score ✓	Integer ✓
$score ✓	we know Integer x = 10;
sum_of ✓	Integer is not keyword, so
geeks123 ✓	it can be used as identifier.
	But, not recommended.
	Integer x = 10;
	Integer = 5;
	It is valid but, it may not work properly