A treasury of engineering knowledge.

The approved emblem and wordmark, prepared for product and media use.



PRIMARY PALETTE

Tangerine
#EF5A28

Charcoal
#262522

Ivory
#FAF8F4

Logo lettering is supplied as outlines; it has no installed-font dependency.

For supporting copy, use a clear sans serif with a regular or medium weight.

One identity. Consistent applications.





CLEAR SPACE

Keep at least 1/4 emblem height clear on all sides of the artwork.

MINIMUM SIZE

Horizontal logo: 220 px wide.
Emblem: 32 px. Favicons: 16 / 32 px.

Preserve proportions, spacing and colours. Use monochrome for one-colour work.

No stretching, shadows, gradients, extra borders or rearranged elements.

Ready for the repository and beyond.

GitHub

README SVGs and snippet; 1280 x 640 social previews.

Product UI

Transparent SVG / PNG logos for light and dark backgrounds.

App icons

PNG 16-1024 px, SVG favicon, multi-size ICO and macOS ICNS.

Web app

180 px touch icon, 192 / 512 px PWA icons and maskable icon.

Media

1200 x 630, 1080 x 1080 and 1600 x 900 social images.

Print

Outlined SVG, PDF and EPS; no font installation required.

Print files use RGB colours. Convert with the printer's ICC profile and proof first.

The original concept PNG is archived. All vector exports preserve the approved form.

See START_HERE.md for setup, file choices and rights/provenance notes.