




labs.surennetwork.com/legacy/topology

FPS N/A | GPU 0% | CPU 4% | LAT N/A

Notifications

10.0.0.1 20.0.0.1 20.0.0.2 30.0.0.1 30.0.0.2 40.0.0.1

R1 R2 R3

Win-1 Win-2

10.0.0.10 40.0.0.10

SUREN NETWORK
PLAY WITH TECHNOLOGIES

```
R1
R1#
R1# 15 08:56:18.986: VSYS-5-CONFID_1: Configured from console by console
R1#sh ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
       D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
       N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
       E1 - OSPF external type 1, E2 - OSPF external type 2
       I - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
       Ia - IS-IS inter area, * - candidate default, U - per-user static route
       o - ODR, F - periodic downloaded static route, H - NHRP, I - IISF
       A - application route
       * - replicated route, h - next hop override, p - overrides from PFH
Gateway of last resort is not set
10.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C       10.0.0.0/8 is directly connected, Ethernet0/0
C       10.0.0.1/32 is directly connected, Ethernet0/0
C       20.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C       20.0.0.0/8 is directly connected, Ethernet0/1
C       20.0.0.1/32 is directly connected, Ethernet0/1
C       30.0.0.0/8 [1/0] via 20.0.0.2
C       40.0.0.0/8 [1/0] via 20.0.0.2

R2
R2#
R2# 15 09:03:46.300: VSYS-5-CONFID_1: Configured from console by console
R2#sh ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
       D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
       N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
       E1 - OSPF external type 1, E2 - OSPF external type 2
       I - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
       Ia - IS-IS inter area, * - candidate default, U - per-user static route
       o - ODR, F - periodic downloaded static route, H - NHRP, I - IISF
       A - application route
       * - replicated route, h - next hop override, p - overrides from PFH
Gateway of last resort is not set
10.0.0.0/8 [1/0] via 20.0.0.1
S       20.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C       20.0.0.0/8 is directly connected, Ethernet0/0
C       20.0.0.2/32 is directly connected, Ethernet0/0
C       30.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C       30.0.0.0/8 is directly connected, Ethernet0/1
C       30.0.0.1/32 is directly connected, Ethernet0/1
C       40.0.0.0/8 [1/0] via 30.0.0.2

R3
R3#
R3# 15 09:04:13.241: VSYS-5-CONFID_1: Configured from console by console
R3#sh ip route
Codes: L - local, C - connected, S - static, R - RIP, M - mobile, B - BGP
       D - EIGRP, EX - EIGRP external, O - OSPF, IA - OSPF inter area
       N1 - OSPF NSSA external type 1, N2 - OSPF NSSA external type 2
       E1 - OSPF external type 1, E2 - OSPF external type 2
       I - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
       Ia - IS-IS inter area, * - candidate default, U - per-user static route
       o - ODR, F - periodic downloaded static route, H - NHRP, I - IISF
       A - application route
       * - replicated route, h - next hop override, p - overrides from PFH
Gateway of last resort is not set
10.0.0.0/8 [1/0] via 30.0.0.1
S       20.0.0.0/8 [1/0] via 30.0.0.1
S       30.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C       30.0.0.0/8 is directly connected, Ethernet0/0
C       30.0.0.2/32 is directly connected, Ethernet0/0
C       40.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C       40.0.0.0/8 is directly connected, Ethernet0/1
C       40.0.0.1/32 is directly connected, Ethernet0/1
```

Activate Windows
Go to Settings to activate Windows.

Physical + - 01:00:00 START

Search

ENG 14:34 15-07-2020

