

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x: 1200, y: 1158

Time: 01:38:53

PC1

Physical Config Desktop Programming Attributes

Command Prompt

```
Ping statistics for 60.0.0.1:
  Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
  Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>ping 10.0.0.10

Pinging 10.0.0.10 with 32 bytes of data:

Reply from 10.0.0.10: bytes=32 time=11ms TTL=123
Reply from 10.0.0.10: bytes=32 time=11ms TTL=123
Reply from 10.0.0.10: bytes=32 time=10ms TTL=123
Reply from 10.0.0.10: bytes=32 time=12ms TTL=123

Ping statistics for 10.0.0.10:
  Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
  Approximate round trip times in milli-seconds:
    Minimum = 10ms, Maximum = 12ms, Average = 11ms

C:\>ipconfig

FastEthernet0 Connection: (default port)

    Connection-specific DNS Suffix...:
    Link-local IPv6 Address . . . . .: FE80::201:64FF:FE75:C4DE
    IPv6 Address . . . . .: ::
    IPv4 Address. . . . .: 60.0.0.10
    Subnet Mask . . . . .: 255.0.0.0
    Default Gateway . . . . .: ::
                                60.0.0.1

Bluetooth Connection:

    Connection-specific DNS Suffix...:
    Link-local IPv6 Address . . . . .: ::
    IPv6 Address . . . . .: ::
    IPv4 Address. . . . .: 0.0.0.0
    Subnet Mask . . . . .: 0.0.0.0
    Default Gateway . . . . .: ::
                                0.0.0.0

C:\>
```

2811 Router5

PC-PT PC1

Root

Power & Battery

Your battery is low
You should plug in your device.

Time: 01:38:53

35°C Mostly cloudy

Search

ENG IN

6% 12:53 16-07-2026

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x: 251, y: 1106

PC0

Physical Config Desktop Programming Attributes

Command Prompt

```
C:\>
C:\>
C:\>
C:\>
C:\>ping 60.0.0.10

Pinging 60.0.0.10 with 32 bytes of data:

Request timed out.
Request timed out.
Reply from 60.0.0.10: bytes=32 time=11ms TTL=123
Reply from 60.0.0.10: bytes=32 time=11ms TTL=123

Ping statistics for 60.0.0.10:
    Packets: Sent = 4, Received = 2, Lost = 2 (50% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 11ms, Maximum = 11ms, Average = 11ms

C:\>ipconfig

FastEthernet0 Connection: (default port)

    Connection-specific DNS Suffix...:
    Link-local IPv6 Address . . . . .: FE80::201:C7FF:FE06:BE06
    IPv6 Address . . . . .: ::
    IPv4 Address . . . . .: 10.0.0.10
    Subnet Mask . . . . .: 255.0.0.0
    Default Gateway . . . . .: ::
                                10.0.0.1

Bluetooth Connection:

    Connection-specific DNS Suffix...:
    Link-local IPv6 Address . . . . .: ::
    IPv6 Address . . . . .: 0.0.0.0
    IPv4 Address . . . . .: 0.0.0.0
    Subnet Mask . . . . .: 0.0.0.0
    Default Gateway . . . . .: ::
                                0.0.0.0

C:\>
```

2811 Router5

PC-PT PC1

Time: 01:38:34

Realtime Simulation

Type Color Time(sec) Periodic Num Edit Delete

35°C Mostly cloudy

Search

ENG IN 12:53 16-07-2026