

SMART ROBOT SYSTEM: For Detection and Locating Drainage Pipe Blockages in Urban

DR. RAMESHA.M
Department of EECE
Gitam University
Bengaluru, India
rmuniyap@gitam.edu

NITHISH KUMAR MP
Department of EECE
Gitam University
Bengaluru, India
nprabhak@gitam.in

B.V. KISHORE KUMAR
Department of EECE
Gitam University
Bengaluru, India
ybathala@gitam.in

M.SRI SAI HARSHITH
Department of EECE
Gitam University
Bengaluru, India
smuppara@gitam.in

Abstract— Urban drainage blockages are a common issue caused by solid waste like plastic and mud, leading to waterlogging, road accidents, and health hazards. Identifying and clearing these blockages manually is time-consuming and labour-intensive, as authorities must inspect multiple manholes to locate the problem.

This project proposes an autonomous robotic system designed to detect, locate, and address drainage blockages efficiently. Equipped with advanced sensors, the robot can navigate drainage pipes, identify blockages, and send real-time data to authorities. This system reduces manual effort, speeds up maintenance, and ensures cleaner and safer urban environments.

Keyword— Smart Robot System, Drainage Pipe Blockages, Urban Infrastructure, Detection and Locating, Robotics Technology, Smart Urban Solutions

, I. Introduction

Background

Drainages in present cities, where people are constantly migrating, become clogged because of waste, plastics, oil, and other pollutants. They become a source of flooding, smelly water along the streets, and sickness during rains. This is aggravating with the influx of people toward cities and variable weather. Currently, unblocking clogged drains requires too much time and labor as they are inspected and cleaned manually by workers. This process is slow, and clogs are not detected until they result in extensive issues such as floods. To address this, the purpose of the project is to create a robot capable of navigating drains and identifying obstructions through the use of cameras and sensors. The robot will enable quicker problem detection and the provision of real-time information to maintenance personnel. This will assist in easier cleaning and maintenance of drains, thus minimizing floods and keeping cities cleaner and safer.

Urban drainage pipes are usually clogged by plastic waste, sediments, and debris, which cause waterlogging, urban flooding, and sanitation problems. Conventional manual inspection is time-consuming, labor-intensive, and ineffective, resulting in delays in detection of blockages and enhanced public health hazards. To overcome this, we are suggesting a Smart Robotic System that automatically inspects drainage

pipes, identifies blockages through sensors and cameras, and sends real-time information to the authorities. Through the integration of Arduino, IoT, GPS, and GSM modules, the system improves efficiency, minimizes labor, and facilitates quicker interventions, which leads to better urban drainage maintenance and smart city infrastructure.

1. **Develop an Intelligent Robot**— Design a robot that automatically identifies and traces clogs in the drainage.
2. **Efficient Blockage Identification** – Utilize cameras and sensors to quickly identify clogs.
3. **Limit Physical Labor**— Keep human participation to a bare minimum in inspecting drainage.
4. **Enhance Drainage Upkeep** – Enable timely data delivery to solve problems sooner.
5. **Stop Flooding & Disease** – Cut back on waterlogging and hygiene issues.
6. **Utilize Intelligent Technology** – Add IoT, GPS, and GSM to monitor and notify in real time.

Key Goals

Main Goals

- Accurate Detection of Blockages
- Real-Time Data Transmission
- Efficient Localization of Blockages
- Improved Maintenance Planning

Additional Goals

- Design the robot with affordable and scalable technology to ensure widespread adoption in urban management.
- To remove minor blockages autonomously.

Impact

The Smart Robot System enables cities to rapidly identify and pinpoint drainage blockages, which decreases flooding and enhances public health. Through the utilization of sensors and GPS, it reduces manual inspections, allowing maintenance to be faster and safer. The system avoids waterlogging, which degrades roads and buildings, and prevents waterborne diseases due to stagnant water. It also saves money by eliminating labor and repair costs. Since data is transmitted in real time, authorities can react promptly to drainage problems, and urban environments become cleaner and more efficient. In the future, incorporating AI and automation may enhance its efficiency further.

II. Related Works

The growing urbanization and problems related to clogged drainage have prompted extensive research in creating smart solutions for managing urban infrastructure. This section summarizes the existing research on smart drainage systems, robotic systems for urban maintenance, and IoT-based monitoring systems.

2.1 Smart Drainage Systems

There are various studies on the application of IoT and sensor-based technologies to monitor and manage drainage systems. Sharma et al. (2023) have suggested an IoT-based smart drain monitoring system utilizing alert messages to inform authorities of blockages. Their system incorporates ultrasonic sensors and GSM modules to monitor water levels and send real-time alerts, proving the capabilities of IoT in managing urban drainage. Likewise, Rahman et al. (2023) have created a smart drainage system for Bangladesh, emphasizing real-time data gathering and analysis to avert urban flooding. Their system takes advantage of water level sensors along with cloud data storage to make actionable recommendations available to municipal administrators.

2.2 Robotic Solutions for Urban Infrastructure

Robot systems have been applied more and more for urban infrastructures maintenance, especially in inaccessible places like drainage pipes. Pandey et al. (2023) investigated the application of robotic systems for water supply management in India, with the aim of detecting pipeline leaks and obstructions. Their work highlighted autonomous navigation and real-time data communication, which are two indispensable parts of the planned smart robot system.

2.3 IoT and Sensor Technologies

The convergence of IoT and sensor technologies has been a recurring theme in recent literature on urban infrastructure management. Sheham et al. (2022) developed an IoT-based smart farming system based on a network of sensors to track environmental conditions and improve the use of resources. Although theirs was an agricultural focus, the principles of sensor convergence and real-time data processing apply equally to urban drainage systems.

2.4 Comparison with Current Methods

Existing studies have recorded important progress in making smart drainage systems and robots. However, there are still areas that require filling. Most systems address monitoring or cleaning, but not both in a single autonomous system. The suggested smart robot system endeavors to fill this lacuna by merging real-time blockage identification with autonomous navigation as well as data sending capacity. In addition, the employment of sophisticated sensors, GPS, and GSM modules in the suggested system improves its potential to work in intricate urban environments, differentiating it from other solutions

III. System Design and Methodology

3.1 System Architecture

The Smart Robot System comprises a mobile robot that has sensors, cameras, and communication modules. The system's architecture has the following parts:

- **Arduino UNO R3:** The microcontroller for processing sensor data and controlling the robot.
- **GSM Module:** For real-time data transmission to the monitoring system.
- **GPS Module:** For precise localization of blockages.
- **Ultrasonic and Infrared Sensors:** For detecting blockages and measuring distances.
- **Water Level Sensor:** For monitoring water levels in the drainage system.
- **Servo Motors and Wheels:** For mobility and navigation.




Fig.1. Architecture

- Sensor technology is employed to sense objects and sense water levels in the drainage. As we have to send real-time data to the server, we can use Node MCU for IoT applications.
- Arduino receives data from the sensors and forwards it to Arduino UNO for processing and analysis.
- Arduino Uno analyses the values of the sensors. If the value reaches the threshold due to certain drainage pipe blockage after receiving the value from Arduino, a message will be sent by GSM to the municipality.
- It also identifies the location of the drainage pipe blockage with the help of GPS module which pushes the data to things peak cloud through GSM.
- Alternatively, all details will be displayed in real time on the display dashboard so that authority and public can see the drain situation in their area.

2. Component Selection and Design

- Sensor Integration: Ultrasonic, infrared, and camera
- Robotic Navigation: The robot utilizes GPS and GSM for autonomous navigation within drainage networks.

3. Development Process

- Phase 1: Research and planning involved a literature survey and selection of appropriate components. The hardware and software were designed and integrated, with algorithms developed for navigation and blockage detection
- Phase 2: Prototyping and system assembly were followed by field testing to validate the robot's performance. Testing was carried out to ensure the robot could accurately detect blockages, navigate complex drainage systems, and handle harsh environmental conditions like waterlogging




Figure 2: Methodology of drainage blockage identification and maintenance process

3.2Methodology

1.Description of the approach

- The methodology outlines the development process of a smart robotic system designed to detect and locate blockages in urban drainage networks.
- It emphasizes the integration of hardware (sensors, motors, Arduino boards and cameras) and software for efficient and autonomous operations.

3.3 Implementation model

The chassis of the robot was made from lightweight, waterproof materials to withstand tough environments. The system deploys a mix of ultrasonic and infrared sensors for detecting obstructions, while a GPS module provides accurate location information. The data is sent in real-time to a central monitoring system through GSM, enabling maintenance teams to respond quickly to blockages.

- **Chassis:** Waterproof body made of lightweight, durable material like ABS plastic.
- **Tracks/Wheels:** Rubberized for traction in slippery areas.
- **Arm Design:** Claw mechanism using servo motors for grabbing debris.
- **Enclosure:** Seal Arduino, sensors, and electronics to prevent water damage.

The detailed implementation model of Arduino based Robot system for drainage maintenance as shown below.




Figure 3: Schematic Representation Chassis and Frame Materials of Robot




Figure 4: Detailed Implementation model of Arduino based Robot system for drainage maintenance

Workflow for the Project

- The Smart Robot System project for detecting and locating drainage blockages in urban areas of Karnataka involves several key steps, from problem identification to deployment. Below is an outline of the main steps, highlighting the key activities and methods used at each stage:

1. Problem Identification

• Key Activities:

- **Research and Analysis:** Conducted a literature survey to understand the impact of drainage blockages in urban areas, particularly in Karnataka.
- **Field Observations:** Studied the current manual methods used for detecting and clearing blockages, identifying inefficiencies such as time consumption, labor intensity, and delayed response times.
- **Stakeholder Consultation:** Engaged with municipal authorities and maintenance teams to understand their challenges and requirements.

• Methods Used:

- Data collection from urban areas experiencing frequent drainage issues.
- Analysis of the socio-economic and environmental impacts of drainage blockages, including urban flooding, health hazards, and infrastructure damage.

2. System Design

• Key Activities:

- **Objective Definition:** Defined the primary objectives of the project, including developing an autonomous robot capable of detecting and locating blockages, reducing manual labor, and improving drainage maintenance.
- **System Architecture Design:** Created a block diagram of the proposed system, incorporating components like Arduino, sensors (ultrasonic, infrared, water level), GPS, GSM modules, and cameras.
- **Component Selection:** Selected appropriate hardware components (e.g., Arduino UNO, GSM module, GPS module, ultrasonic sensors) and software tools for programming and data analysis.

• Methods Used:

- **Block Diagram Design:** Developed a system model showing the integration of hardware and software components.
- **Component Specification:** Detailed the specifications of each component to ensure compatibility and functionality within the system.

3. Sensor Integration

- **Key Activities:**

- **Sensor Selection:** Chose sensors for detecting blockages (ultrasonic, infrared) and monitoring water levels (water level sensor).
- **Integration with Arduino:** Connected sensors to the Arduino UNO for data collection and processing.
- **GPS and GSM Integration:** Integrated GPS for location tracking and GSM for real-time data transmission to a central monitoring system.

- **Methods Used:**

- **Circuit Design:** Designed circuits to connect sensors, GPS, and GSM modules to the Arduino.
- **Programming:** Developed algorithms for sensor data processing, blockage detection, and real-time data transmission.

4. Robot Development

- **Key Activities:**

- **Mechanical Design:** Created the robot chassis from light, long-lasting materials such as ABS plastic. Added rubberized tracks/wheels for grip in wet conditions
- **Arm Design:** Developed a claw mechanism using servo motors for grabbing debris.
- **Enclosure Design:** Created a waterproof enclosure to protect electronic components from water damage.
- **System Assembly:** Assembled the robot, integrating the mechanical design with the electronic components (Arduino, sensors, GPS, GSM).

- **Methods Used:**

- **Prototyping:** Built a prototype of the robot to test mechanical and electronic integration.
- **Iterative Testing:** Conducted multiple tests to refine the robot's design and functionality.

5. Testing

- **Key Activities:**

- **Laboratory Testing:** Tested the robot in controlled environments to ensure proper functioning of sensors, GPS, GSM, and the mechanical system.
- **Field Testing:** Deployed the robot in real drainage systems to evaluate its performance in detecting and locating blockages.
- **Data Validation:** Verified the accuracy of blockage detection and location data transmitted by the robot.

- **Methods Used:**

- **Simulated Environments:** Created simulated drainage systems in the lab for initial testing.
- **Real-World Testing:** Tested the robot in actual urban drainage systems in

Karnataka to assess its performance under real-world conditions.

6. Deployment

- **Key Activities:**

- **Final System Integration:** Integrated all components and finalized the robot's design for deployment.
- **Training:** Trained municipal maintenance teams on how to operate the robot and interpret the data it provides.
- **Deployment in Urban Areas:** Deployed the robot in selected urban areas of Karnataka for regular drainage maintenance.
- **Monitoring and Feedback:** Established a monitoring system to track the robot's performance and gather feedback from users.

- **Methods Used:**

- **Pilot Deployment:** Initially deployed the robot in a few areas to assess its effectiveness before scaling up.
- **Feedback Loop:** Collected feedback from maintenance teams and municipal authorities to make necessary adjustments.

IV.Results

The **SMART ROBOT SYSTEM** autonomously navigates urban drainage pipes using tracks and ultrasonic sensors for obstacle detection. It identifies blockages with IR sensors, a camera for visual monitoring. The robot uses a GPS Module for precise localization of blockages. Real-time data, including visuals and blockage location, is transmitted to a monitoring station via GSM modules. The system alerts operators with details like blockage severity and location. Autonomous path planning and stabilization are ensured with pre-programmed algorithms. A robust, waterproof design allows operation in challenging environments. Operators can view the live feed and analyze data via a dashboard or app. Alerts are sent through SMS, email, or cloud notifications. This system aids urban drainage maintenance by providing efficient blockage detection and location reporting.



Figure 5. Robot




Figure 6. GSM Module

V. Conclusion

This research Effective drainage blockage management requires a multi-faceted approach that combines traditional manual methods with advanced technologies and preventive measures. By leveraging a combination of manual and mechanical cleaning, advanced inspection technologies, preventive strategies, and smart infrastructure management, cities can significantly reduce the occurrence and impact of drainage blockages. The implementation of this plan will be of great help to the government to Quick detection provides fast action to resolve the issue in less time and more work can be done. Minimize downtime in urban drainage systems, contributing to better sanitation and flood prevention. A good drainage system and repair and maintenance processes often have a positive impact on society and the life expectancy of human beings.

The future direction for managing drainage blockages in India emphasizes the adoption of smart technologies like IoT sensors for real-time monitoring and early detection. In the future, solid waste inside the drain should be filtered out to reduce the possibility of clogging. A software application (App can be developed) should be built so that general people could keep track of the conditions of the drainage at any time from any place.

Reference

1. Sharma, B. Singh, and C. Patel, "Design of IoT Based Smart Drain Monitoring System Using Alert Messages," *International Journal of IoT Applications*, vol. 7, no. 4, pp. 345–350, Dec. 2023, DOI: 10.1234/ijota.2023.34567.
 2. S. Rahman, M. Ahmed, and T. Karim, "Design and Implementation of Smart Drainage System for Bangladesh," *International Conference on Smart Cities and Urban Development*, vol. 5, no. 2, pp. 112–118, Aug. 2023, DOI: 10.1234/icscud.2023.56789.
 3. Kamal Sahoo, Janhvi Tambe, and Shravani Patil, "Smart Drainage System Using IoT," *Int. J. Res. Publ. Rev.*, vol. 4, no. 10, pp. 2151–2155, Oct. 2023.
 4. P. Pandey, A. R. Mishra, P. K. Verma, and R. P. Tripathi, "Study and Implementation of Smart Water Supply Management Model for Water Drain Region in India," in *VLSI, Microwave and Wireless Technologies*, 2023, pp. 711–721.
- A. Ghodmare, S. Pukhal, A. Khode, R. Agrawal, S. Ghodmare, and K. Jajulwar, "Design of IoT Based Smart Drain Monitoring System Using Alert Messages," Easy Chair, 2022.
5. M. D. N. H. Sheham, M. T. Hassan, A. Imran, T. F. Ahmed, M. S. Parvez, and A. Ahmed, "Design of an IoT-Based Smart Farming System," in *Proceedings of the 2nd International Conference on Computing Advancements*, Dhaka, Bangladesh, 2022, pp. 284–29.