systemctl status containerd.
systemctl status kubelet.
sudo crictl ps.
# kubectl version
kubectl get nodes. , kubectl describe node.
kubectl describe node k8s-master. k8s-master
kubectl delete deployment testd testd name.
kubectl describe pod sitepod.
kubectl exec -it sitepod -- /bin/bash.
kubectl get pods.
kubectl delete pod sitepod.
kubectl create deployment sitedeploy --image httpd:latest
delete.
kubectl scale deployment sitedeploy --replicas=5 pods created
kubectl create deployment test --image=nginx --replicas=3.
kubectl scale deployment site --replicas=2.
kubectl describe pods. name (pod).
kubectl set image deployment testdeploy httpd=httpd:[illegible]
kubectl rollout status status deployment testdeploy.
kubectl exec -it testdeploy-7758c47gcd --/bin/bash.
kubectl get services.
kubectl get svc.
kubectl set image deployment test. httpd: nginx:latest nginx:latest.

What is Kubernetes Service?

- A Service provides a stable network endp
for pods.
- pods are temporary and their IPs chan
- Services provide a fixed IP and DNS nam
- They load balance traffic across mult
pods.

Types of Kubernetes Services

-> clusterIP - internal communication with
cluster.
-> Nodeport - Exposes service on node IP a
port
-> LoadBalancer - cloud provide external
balancer.
-> ExternalName - Maps service to external D

Role of Kube-proxy.

Runs on every node.
watches services and endpoints.
Creates iptables or IPVS rules
Implements service virtual IP routing.

4

kubectl apply -f [podnetwork].yaml 4.
sudo nano /etc/netplan/01-netcfg.yaml

kubectl get pods -o wide.

Kubernetes access methods (or ways) like ways to transfer.

1) declarative (resource objects - yaml based).

2) Imperative (cli).

Kubectl describe pod ~~task~~ 7 name.

understanding kubernetes objects.

Kubernetes objects are persistent entities in the Kubernetes. uses these entities to represent the state of your cluster. Specifically, they can describe.

what containerized applications are running.

· The resources available to the applications.

· The policies around how those applications behave, such as restart policies, upgrades, and fault tolerance.

pods

pods are generally not created directly and created using work load resources.