

Wire EDM Pro

Website Structure & Content Overview

This document describes the structure, page layouts and content of the new Wire EDM Pro website for client review. It shows **what each page contains and how it is organised**. Layout wireframes and information only, not the visual design.

Site: Wire EDM Pro. Precision machining, Sydney

Pages: 22 (9 primary + 12 industry pages + error page)

Platform: Static website (Astro), hosted on Amazon S3. No server required

Status: Built and ready for content sign-off

Date: 17 August 2026 (revision 2. Turnkey & solutions update)

1 · Site map

Twenty-two static pages. Every page shares the same header and footer.

PAGE	URL	PURPOSE
Home	/	Positioning, interactive 3D centrepiece, process facts, services, credibility, industries, enquiry prompt
EDM Wire Cutting Solution	/wire-edm/	Deepest service page: what wire EDM is, capability specs, when it beats conventional machining, applications
Milling Solutions	/milling/	CNC milling capability, specs and applications
Turning Solutions	/turning/	CNC turning capability, specs and applications
Reverse Engineering	/reverse-engineering/	Bring the sample → we measure → design in Mastercam → turnkey manufacture and delivery
Quality Assurance	/quality-assurance/	QC equipment list and what is checked before delivery
Industries (hub)	/industries/	"Solutions for every industry". Links to all twelve industry pages
12 × Industry pages	/industries/<name>/	Tooling & Diemaking · Sheet Metal Components · Aerospace & Defence · Medical & Dental · Mining · Automotive · Electronics · Energy · Machine Building · Robotics & Automation · Manufacturers · General Engineering
About Us	/about/	Company purpose, working values, machinery, history
Contact Us	/contact/	Contact details, hours, premises photo, call/email actions (no form)
404	/404.html	Friendly not-found page routing back to home

Global header (every page)

LOGO Wire EDM Pro wordmark	SOLUTIONS ▼ Full-width menu: 6 solutions with icons + info strip (incl. Reverse Engineering, Quality Assurance)	INDUSTRIES ▼ Full-width menu: 11 industries with icons + info strip	ABOUT US	CONTACT US Button
--------------------------------------	---	---	-----------------	-----------------------------

Both dropdown menus open as full-width panels containing every destination, a one-line prompt, and quick links (phone / get a quote). On mobile the header collapses to a menu sheet listing all pages.

Global footer (every page)

WORDMARK + ONE-LINE SUMMARY

25+ years, services, industries served

LINK ROW

All eight primary destinations

CONTACT BLOCK

Location · phone · email · copyright

2 · Home page layout

HERO. HEADLINE "We cut hardened steel to five microns." + 25-years commitment line + two actions (Get in touch / View services)				INTERACTIVE 3D MODEL Wire-EDM sample part (spline ring, gear ring, star core). Mouse: X rotates, Y telescopes the nested pieces apart/together. Live X/Y/Z coordinate readout tracks the pointer. Touch: drag to rotate/extend.		
FACT ±0.005 mm tolerance		FACT Maximum part size 420 mm		FACT 0 N cutting force		FACT 25+ years in Sydney
SERVICE CARD EDM Wire Cutting Solution. Photo + summary → service page		SERVICE CARD EDM cutting. Photo + summary → service page		SERVICE CARD CNC milling. Photo + summary → service page		SERVICE CARD CNC turning. Photo + summary → service page
TURNKEY STEP 1 · Your proposal (a verbal flow is enough)	TURNKEY STEP 2 · Design in Mastercam	TURNKEY STEP 3 · Design approval	TURNKEY STEP 4 · Material procurement	TURNKEY STEP 5 · Manufacturing	TURNKEY STEP 6 · Quality control	TURNKEY STEP 7 · Delivery
CREDIBILITY BAND (FULL-WIDTH WORKSHOP PHOTO) "Twenty-five years of saying what we can hold. And holding it." + working principles + machine list (Fanuc Robocut x2, Makino, DMG ecoMill 600 V)						
INDUSTRY Manufacturing. Tooling that keeps lines running		INDUSTRY Mining. Hardened spares without OEM lead times			INDUSTRY Medical. Burr-free stainless and titanium	
ENQUIRY BAND "Send us the drawing." + Get a quote button						

FACTS STRIP USES PROCESS FIGURES, NOT MARKETING CLAIMS. NUMBERS COUNT UP AS THE VISITOR SCROLLS TO THEM. SECTIONS REVEAL PROGRESSIVELY ON SCROLL.

3 · Service pages (Wire EDM · Milling · Turning)

All three share one structure so buyers can compare capabilities like-for-like. The Wire EDM page carries one extra section.

SERVICE HERO Name, one-line value proposition, plain-language explanation of the process, Get a quote button	MACHINE PHOTO
WIRE EDM PAGE ONLY: "WHEN WIRE EDM BEATS THE MILL" Why cut after hardening, no cutting force, kerf-radius corners + five-point checklist of when EDM is the right process	
CAPABILITY TABLE Tolerance · kerf/finish · hardness · materials · batch size (figures confirmed per quote)	
"WHERE IT EARNS ITS KEEP" 3–4 application rows: press tools & dies, splines & keyways, medical components, repairs / spares from worn samples	
ENQUIRY BAND Service-specific prompt + Get a quote	

Capability figures shown (industry-typical, flagged for confirmation)

PAGE	KEY FIGURES
Wire EDM	±0.005 mm positional · kerf ≈ 0.25–0.33 mm · to 60+ HRC · Ra 0.4 µm finish · 0 N cutting force · any conductive metal
Milling	±0.01 mm typical · 1-off to repeat batches · steels, stainless, alloys · in-house EDM follow-up
Turning	±0.01 mm typical · metric/imperial/custom threads · titanium & heat-resistant grades · EDM keyways after hardening

4 · Industries section

Hub page (/industries/)

INTRO "Solutions for every industry."		
Card	Card	Card
Card	Card	Card
... 12 cards total, each → industry page		
ENQUIRY BAND "Industry not listed?"		

Each industry page

INDUSTRY HERO Name + why this industry sends us work	
WHAT WE MACHINE 4–6 typical parts for this sector	WHY THE PROCESS FITS + links to the three service pages
ENQUIRY BAND Industry-specific prompt	

The twelve industries

INDUSTRY	POSITIONING LINE
Tooling & Diemaking	Punches, dies and mould components. Cut after heat treatment
Sheet Metal Components	Press tooling for sheet metal, plus burr-free wire-cut profiles from stacked blanks
Aerospace & Defence	Exotic alloys, burr-free, no cutting force
Medical & Dental	Stainless and titanium, edges that pass inspection
Mining	Hardened wear parts and fast spares
Automotive	Prototypes, tooling and motorsport one-offs
Electronics	Fine-feature tooling for connectors and stampings
Energy	Power generation and renewables spares
Machine Building	The precision details inside custom machines
Robotics & Automation	Exact fits for moving assemblies
Manufacturers	Food lid containers, packaging tooling and production parts
General Engineering	One-offs, repairs and everything between

5 · Reverse Engineering, Quality Assurance, About and Contact

About Us (/about/)

HERO "A workshop that answers the phone." Since the early 2000s		
PURPOSE "Keep your production moving" + two working values (honest quoting; precision backed by experience)	WORKSHOP + PREMISES PHOTOS	
Machine card: Fanuc Robocuts	Machine card: Makino U-series	Machine card: DMG ecoMill 600 V
THREE INDUSTRIES, ONE HABIT History + reliability narrative		
ENQUIRY BAND "Put us to work."		

Reverse Engineering (/reverse-engineering/)

HERO "No drawing? Bring the part."		
STEP 1 Bring the sample	STEP 2 We measure every dimension	STEP 3 Design created in Mastercam, approved by you
TURNKEY LIFECYCLE The same 7-step flow as the home page carries it to delivery		
ENQUIRY BAND "Got the part but not the drawing?"		

Quality Assurance (/quality-assurance/)

HERO "Measured before it leaves."		
EQUIPMENT TABLE CMM · optical comparator · surface roughness tester · height gauges & surface plate · micrometers & bore gauges · thread gauges · hardness tester (list to be confirmed by client)		
CHECKS Dimensions	CHECKS Surface finish	CHECKS Material & hardness
ENQUIRY BAND Inspection reports on request		

Contact Us (/contact/)

HERO "Send us the job." Quote from drawing, STEP file or photo, by phone or email	
DETAILS Location · phone · email · hours + email/call action buttons	PREMISES PHOTO

6 · Interactive features

FEATURE	BEHAVIOUR
3D sample part (home hero)	A to-scale model of a wire-cut demonstration piece (three nested profiles cut from one blank). Moving the mouse rotates it and telescopes the pieces apart "inside-out"; a machine-style X/Y/Z readout tracks the pointer. Draggable on touch devices. Falls back gracefully on old browsers and respects reduced-motion settings.
Full-width menus	Solutions and Industries open as full-width panels with icons and quick links; keyboard and touch accessible.
Scroll animation	Sections and cards ease in as the visitor scrolls; the four process facts count up when first seen. One-shot, subtle, disabled for reduced-motion users.
Service card hover	Photo zooms gently inside the card frame.
Turnkey lifecycle	Seven-step flow (proposal → Mastercam design → approval → procurement → manufacturing → QC → delivery) revealed step by step on scroll; shared by the Home and Reverse Engineering pages.
Contact actions	No form by design: prominent "email your drawing" and "call the workshop" actions; enquiries go straight to the inbox/phone.

7 · Technical summary

- **Fully static site.** No server, no database. Deploys to an Amazon S3 bucket with a one-command upload; near-zero hosting cost.
- **Fast.** Self-hosted fonts, responsive optimised images, 3D library loads only on the home page.
- **Accessible.** All colour combinations meet WCAG AA contrast; keyboard navigation throughout; reduced-motion respected.
- **SEO-ready.** Unique titles and descriptions per page, sitemap, robots.txt, semantic markup.
- **Responsive.** Mobile layouts for every page, including a stacked, touch-interactive hero.

8 · Content requiring client confirmation

The following are placeholders or industry-typical values awaiting sign-off before go-live.

ITEM	CURRENT STATE
Business hours	Placeholder (Mon-Fri 7 am-4 pm). Address (16/24 Garling Rd, Kings Park NSW 2148), phone (0452 558 052) and email (wireedmpro@gmail.com) are confirmed and applied
Domain name	wireedmpro.com.au assumed
Capability figures	Industry-typical (± 0.005 mm, Ra 0.4 μ m, ± 0.01 mm; 60+ HRC on the service page). Confirm against actual machines
Machine models	Read from workshop photos. Confirm exact models to publish

Maximum part size 420 mm	Shown on the home facts strip; confirm which process/axis it applies to
QC equipment list	Industry-typical instruments shown; confirm against the actual inspection room
Mastercam	Named as the design platform on turnkey/reverse-engineering content; confirm wording
Logo	Typographic wordmark in use; supply artwork if one exists
Certifications	None claimed. Add only if genuinely held