

Home x Untitled x Untitled1 x Untitled2 x +

localhost:8888/notebooks/Untitled1.ipynb

jupyter Untitled1 Last Checkpoint: 2 hours ago

File Edit View Run Kernel Settings Help Trusted

JupyterLab Python 3 (ipykernel)

```
[22]: # find greatest of four number using lamda function
bot=lambda a,b,c,d: a if a>b and a>c and a>d else b if b>c and b>d else c if c>d else d
bot(1,2,3,4)

[22]: 4

[24]: # find cube using lambda function
num=[1,2,3,4,5,5]
cube=list(map(lambda a:a**3,num))
print(cube)

[24]: [1, 8, 27, 64, 125, 125]

[28]: # find factor of two digit num using function :
def factor():
    num=int(input("enter two digit number:"))
    for i in range(1,num+1):
        if num%i==0:
            print(i)
factor()

enter two digit number: 33
1
3
11
33
```

33°C Mostly clear Search 21:07 07-06-2026

The image shows a JupyterLab interface with two code cells. The first cell, labeled '[114]:', contains a nested loop that prints a grid of characters for the name 'kishore', resulting in a 10x10 grid of characters. The second cell, labeled '[102]:', contains a nested loop that prints the name 'kishore' vertically, resulting in a 10x1 grid of characters. The interface includes a top bar with file tabs, a left sidebar, and a bottom status bar showing system information.

[illegible]

33°C Mostly clear Search 84% 21:08 07-06-2026