

```
: print("program for LAT num row")
for i in range (0,7,):
    for j in range (7,i,-1):
        print(" ",end=" ")
    for k in range(0,i):|
        print(i,end=" ")
    print()
```

program for LAT num row

```
      1
     2 2
    3 3 3
   4 4 4 4
  5 5 5 5 5
 6 6 6 6 6 6
```

```
: print("program for LAT num col")
for i in range (0,7,):
    for j in range (7,i,-1):
        print(" ",end=" ")
    for k in range(0,i):
        print(k,end=" ")
    print()
```

program for LAT num col

```
      0
     0 1
    0 1 2
   0 1 2 3
  0 1 2 3 4
 0 1 2 3 4 5
```

```
: print("program for LAT star")
for i in range (0,7,):
    for j in range (7,i,-1):
        print(" ",end=" ")
    for k in range(0,i):
        print("*",end=" ")
    print()
```

program for LAT star

```
      *
     * *
    * * *
   * * * *
  * * * * *
 * * * * *
* * * * *
```

```
: print("program for LAT upper row")
for i in range (0,7,):
    for j in range (7,i,-1):
        print(" ",end=" ")
    for k in range(0,i):
        print(chr(i+64),end=" ")
    print()
```

program for LAT upper row

```
      A
     B B
    C C C
   D D D D
  E E E E E
 F F F F F F
```

```
: print("program for LAT upper col")
for i in range (0,7,):
    for j in range (7,i,-1):
        print(" ",end=" ")
    for k in range(0,i):
        print(chr(k+65),end=" ")
    print()
```

program for LAT upper col

```
      A
     A B
    A B C
   A B C D
  A B C D E
 A B C D E F
```

```
: print("program for LAT lower row")
for i in range (0,7,):
    for j in range (7,i,-1):
        print(" ",end=" ")
    for k in range(0,i):
        print(chr(i+64+32),end=" ")
    print()
```

program for LAT lower row

```
      a
     b b
    c c c
   d d d d
  e e e e e
 f f f f f f
```

```

print("program for LAT lower col")
for i in range (0,7,):
    for j in range (7,i,-1):
        print(" ",end=" ")
    for k in range(0,i):
        print(chr(k+65+32),end=" ")
    print()

```

program for LAT lower col

```

        a
      a b
    a b c
  a b c d
a b c d e
a b c d e f

```

```

print("program for num row pyramid")
for i in range (0,7,):
    for j in range (7,i,-1):
        print("",end=" ")
    for k in range(0,i):
        print(i,end=" ")
    print()

```

program for num row pyramid

```

    1
  2 2
3 3 3
4 4 4 4
5 5 5 5 5
6 6 6 6 6 6

```

```

print("program for num col pyramid")
for i in range (0,7,):
    for j in range (7,i,-1):
        print("",end=" ")
    for k in range(0,i):
        print(k,end=" ")
    print()

```

program for num col pyramid

```

    0
  0 1
0 1 2
0 1 2 3
0 1 2 3 4
0 1 2 3 4 5

```

```

print("program for star pyramid")
for i in range (0,7,):
    for j in range (7,i,-1):
        print("",end=" ")
    for k in range(0,i):
        print("*",end=" ")
    print()

```

program for star pyramid

```

    *
  * *
* * *
* * * *
* * * * *
* * * * *

```



```
print("program for upper row pyramid")
for i in range (0,7,):
    for j in range (7,i,-1):
        print("",end=" ")
    for k in range(0,i):
        print(chr(i+64),end=" ")
    print()
```

program for upper row pyramid

```

    A
  B B
C C C
D D D D
E E E E E
F F F F F F
```

```
print("program for upper col pyramid")
for i in range (0,7,):
    for j in range (7,i,-1):
        print("",end=" ")
    for k in range(0,i):
        print(chr(k+65),end=" ")
    print()
```

program for upper col pyramid

```

    A
  A B
A B C
A B C D
A B C D E
A B C D E F
```

```

print("program for lower row pyramid")
for i in range (0,7,):
    for j in range (7,i,-1):
        print("",end=" ")
    for k in range(0,i):
        print(chr(i+64+32),end=" ")
    print()

```

program for lower row pyramid

```

      a
     b b
    c c c
   d d d d
  e e e e e
 f f f f f f

```

```

print("program for lower col pyramid")
for i in range (0,7,):
    for j in range (7,i,-1):
        print("",end=" ")
    for k in range(0,i):
        print(chr(k+65+32),end=" ")
    print()

```

program for lower col pyramid

```

      a
     a b
    a b c
   a b c d
  a b c d e
 a b c d e f

```

```

print("program for ILAT num row")
for i in range (7,0,-1):
    for j in range (7,i,-1):
        print(" ",end=" ")
    for k in range(0,i):
        print(i,end=" ")
    print()

```

```

program for ILAT num row
7 7 7 7 7 7 7
 6 6 6 6 6 6
  5 5 5 5 5
   4 4 4 4
    3 3 3
     2 2
      1

```

```

print("program for ILAT star")
for i in range (7,0,-1):
    for j in range (7,i,-1):
        print(" ",end=" ")
    for k in range(0,i):
        print("*",end=" ")
    print()

```

```

program for ILAT star
* * * * *
 * * * * *
  * * * *
   * * *
    * *
     *
      *
       *

```



```

print("program for ILAT upper row")
for i in range (7,0,-1):
    for j in range (7,i,-1):
        print(" ",end=" ")
    for k in range(0,i):
        print(chr(i+64),end=" ")
    print()

```

```

program for LAT upper row
G G G G G G G
  F F F F F F
    E E E E E
      D D D D
        C C C
          B B
            A

```

```

print("program for ILAT lower row")
for i in range (7,0,-1):
    for j in range (7,i,-1):
        print(" ",end=" ")
    for k in range(0,i):
        print(chr(i+64+32),end=" ")
    print()

```

```

program for ILAT lower row
g g g g g g g
  f f f f f f
    e e e e e
      d d d d
        c c c
          b b
            a

```

```

print("program for num row reverse pyramid")
for i in range (7,0,-1):
    for j in range (7,i,-1):
        print("",end=" ")
    for k in range(0,i):
        print(i,end=" ")
    print()

```

```

program for num row reverse pyramid
7 7 7 7 7 7 7
 6 6 6 6 6 6
  5 5 5 5 5
   4 4 4 4
    3 3 3
     2 2
      1

```

```

print("program for star reverse pyramid")
for i in range (7,0,-1):
    for j in range (7,i,-1):
        print("",end=" ")
    for k in range(0,i):
        print("*",end=" ")
    print()

```

```

program for star reverse pyramid
* * * * *
 * * * * *
  * * * *
   * * *
    * *
     *

```

```

print("program for upper row reverse pyramid")
for i in range (7,0,-1):
    for j in range (7,i,-1):
        print("",end=" ")
    for k in range(0,i):
        print(chr(i+64),end=" ")
    print()

```

```

program for upper row reverse pyramid
G G G G G G G
 F F F F F F
  E E E E E
   D D D D
    C C C
     B B
      A

```

```

print("program for lower row reverse pyramid")
for i in range (7,0,-1):
    for j in range (7,i,-1):
        print("",end=" ")
    for k in range(0,i):
        print(chr(i+64+32),end=" ")
    print()

```

```

program for lower row reverse pyramid
g g g g g g g
 f f f f f f
  e e e e e
   d d d d
    c c c
     b b
      a

```