
APPLE BLOCKED IT TWICE IN A WEEK

-8045.

Why AltServer stopped signing in on macOS 27, and the fix I proposed.



THE ERROR, OCT 15

ISSUE #1828

TWO ERRORS. ONE CAUSE.

Installing AltStore from AltServer failed at the very first sign-in request, before Apple ever looked at the password.

Oct 12 · -80045

Apple.APIError at step init.

Oct 15 · "Encountered unknown tag html"

An HTTP 503 HTML page read as a plist.

Sideloadly, iloader, SideStore and xtool failed the same way, so the tool was not the problem.

TIMELINE

APPLE CHECKS THAT THEY AGREE.

01 **Oct 5 · it works**

AltServer signs in with anisette data generated locally, emulating Android's CoreADI.

02 **Oct 12 · -80045**

The anisette says Android but the client info header says Mac. Apple starts rejecting the mismatch.

03 **Oct 14 · HTTP 503**

From about 20:50 UTC any Android client info gets a 503 HTML page.

The rule

The anisette and the client info must describe the same device.

MEASURED OCT 15, 03:40 TO 04:30 UTC

ASK THE SERVER. CAREFULLY.

Requests to GsService2 with an empty body and only the client info changed. They show how the edge routes you, not whether a login would work.

CLIENT INFO	RESPONSE
<Pixel 7> Android 14	**503 HTML, 6 of 6**
Pixel 5 and Pixel 8 variants	**503 HTML, 6 of 6**
<MacBookPro> akd	404 / 429, reaches the service
<PC> Windows, iTunes	404, reaches the service

The only recipe confirmed after the 503: Windows anisette from an anisette v3 server.

BUILD CHAIN

THE FRAMEWORK THAT WAS EMPTY.

Building AltServer with Xcode 27, the first run that reached Apple crashed on its own. A symbol AltSign binds at runtime was undefined in every framework.

```
$ nm -arch arm64 AltSign.framework/.../AltSign \
  | grep rfc5054
         U _alt_ccsrp_gp_rfc5054_2048
```

Rebuilding one dylib from `libcorecrypto_static.a` removed the crash. A build issue, deliberately not part of the pull request.

HOW IT WORKS

SIGN IN AS WHO YOU ARE.

	BEFORE	AFTER
Anisette	Android CoreADI, local	Windows ADI, v3 server
User-Agent	fixed AuthKit string	the server's user_agent
HTTP errors	plist parse error 3840	readable status

Six commits: three in AltStore, three in AltSign.

Your data

Password and 2FA code go straight to Apple. The anisette server only sees a device identity.

MEASURED

IT SIGNS IN. IT INSTALLS.

26

requests during an install, all HTTP 200

6

requests during a refresh, all HTTP 200


7

days remaining after the refresh

2

other users report sign-in works (#1828)

Installed on an iPad Pro and an iPhone 15 Pro Max, then a refresh of AltStore from the app: back to 7 days.



ALTSTORE ON IPHONE 15 PRO MAX

WHAT THIS DOESN'T DO

NOT FOR EVERYONE.

01 / 03 · ACCOUNTS

Some accounts still get -80045 with the Windows identity, apparently depending on the account or the network.

02 / 03 · THIRD PARTY

It depends on a community anisette server. SMS 2FA fails on Apple's side: use a code from a trusted device.

03 / 03 · UNTESTED

Refreshing other sideloaded apps: nobody has confirmed it yet. And Apple can change the rules again.

PROPOSED, NOT MERGED

SAME DOOR. DIFFERENT KEY.

Full write-up, diagrams and an unofficial temporary build with checksums:

kisnner26.github.io/altserver-80045 ↗

altstoreio/AltStore#1834 ↗

rileytestut/AltSign#61 ↗

Credits: whydr4, mattaltgear, Nick Clyde, nab138, jkcoxson, Dadoum. Not affiliated with AltStore or Apple. Written by kisnner26.