


Application: designing experiments to measure VL










Test today!










Clearance time



Posterior












Testing type and frequency determined by the width of this distribution to maximize convergence to the posterior




Application: designing experiments to measure VL






Testing type and frequency determined by the width of this distribution to maximize convergence to the posterior

Acknowledgements



Nathan Grubaugh



James Hay



Joseph Fauver



David Ho



Christina Mack



Yonatan Grad

Harvard T.H. Chan School of Public Health

Scott W. Olesen Yonatan H. Grad

Yale School of Public Health

Joseph R. Fauver Nathan D. Grubaugh Kristin Y. Shiue Chaney C. Kalinich Sarah Jednak Isabel M. Ott

Chantal B. F. Vogels

IQVIA
Christina

Christina Mack Caroline Tai

Quest DiagnosticsJay Wohlgemuth

Bioreference LaboratoriesJames Weisberger

Hospital for Special Surgery, NBA John DiFiori

Duke Center for Antimicrobial Stewardship and Infection Prevention

Deverick J. Anderson

University of Tennessee

Jimmie Mancell

TEMPUS Labs

Jessica Metti
Gaurav Khullar
Rachel Baits
Matthew MacKay
Daisy Salgado
Tim Baker
Joel T. Dudley
Christopher E. Mason

Columbia Vagelos College of Physicians and Surgeons, Aaron Diamond AIDS Research Center

David D. Ho