ПОЛНЫЙ ГАЙД: MCP для Zero-Coder'ов в Cursor/Windsurf/Antigravity

Лучшие практики, системные промты, готовые workflow'ы

📋 БЫСТРЫЙ СТАРТ (5 минут)

Шаг 1: Установите 3 ключевых MCP

1. Magic MCP (для быстрых компонентов)

```
# Cursor Settings → MCP Servers → Add

GitHub: https://github.com/21st-dev/magic-mcp

Website: https://21st.dev/magic

Платформы: Cursor ✓ Windsurf ✓ VSCode ✓
```

2. Shadcn Registry MCP (для систематичного дизайна)

```
# Встроена в Cursor/Windsurf

# Нужен components.json в проекте:

{

  "registries": [

    {

      "name": "shadcn",

      "type": "registry:ui",

      "baseUrl": "https://ui.shadcn.com"
```

```
    }
  ]
}
```

3. Figma Context MCP (если работаете с дизайном)

GitHub: https://github.com/cursor-ai/figma-mcp

Требует Figma plugin установку

Шаг 2: Создайте `.cursorrules` файл

Скопируйте в корень вашего проекта:

Design System Instructions

You are a Product Designer + Senior Frontend Lead

ALWAYS prioritize:

1. Visual hierarchy (not just layout)

2. 8px spacing grid (4, 8, 16, 24, 32, 48, 64)

3. Typography system (max 3 heading sizes + body)

4. WCAG AA color contrast (4.5:1 for text)

5. Micro-interactions (smooth transitions, clear feedback)

Tech Stack

- Framework: Next.js 15 with TypeScript

- Styling: Tailwind CSS v4 (@theme CSS-first)

- Components: shadcn/ui + Radix UI

- Icons: lucide-react (20px default)

- Forms: React Hook Form + Zod

Component Rules

- Props semantic: variant="primary" NOT buttonColor="blue"

- Compound components pattern for complex UI

- TypeScript interfaces for ALL props

- Accessibility: ARIA labels, focus management, semantic HTML

Never Do

- Custom CSS (use Tailwind)

- Hardcoded colors (use CSS variables)

- Nested > 2 levels (performance)

- localStorage (throws SecurityError)

- Missing focus-visible states

Шаг 3: Используйте готовый промт

Для любого нового компонента скопируйте этот шаблон:

You are designing [COMPONENT_TYPE] for [USE_CASE].

Design Requirements:

- Style: [modern/minimal/bold/professional]

- Colors: [primary color], [secondary], neutral grays

- Spacing: 8px grid (use 8, 16, 24, 32, 48px)

- Typography: H1 32px/600, Body 14px/400

- Mobile: [responsive behavior]

Implementation:

- Use shadcn/ui components where possible

- Tailwind CSS v4 for styling

- TypeScript interfaces

- Include hover/active/focus states

- Dark mode support (dark: prefix)

Quality Gate: MUST have proper spacing, color contrast WCAG AA,

accessible focus states, and responsive behavior.

🎯 ЛУЧШИЕ MCP ПО ТИПАМ ПРОЕКТОВ

LANDING PAGE (🎨 Дизайн-ориентированный)

Используйте: Magic MCP + Figma Context MCP

Лучший prompt:

Create a modern SaaS landing page with:

- Hero: gradient background, centered CTA, scroll indicator

- Problem: 3 pain points with icons

- Solution: 3 features with visual

- Social proof: testimonials + logo grid

- CTA section: email form + button

- Footer: links + newsletter

Style: Modern, minimal, blue + purple gradient

Spacing: 64px between sections, 8px internal grid

Mobile: single column, touch-friendly (48px targets)

Процесс:

1. Напишите prompt выше в Cursor chat
2. Magic MCP предложит готовые компоненты
3. Выберите варианты которые нравятся
4. AI интегрирует в full page
5. Iterative правки: "Make hero taller", "Change colors to green"

Примерное время: 30-45 минут

SAAS DASHBOARD (📊 Data-ориентированный)

Используйте: Shadcn MCP + PostgreSQL MCP

Процесс:

1. "Show me available components in shadcn for data tables"

   → MCP lists: Table, DataTable, Sidebar, Card, Chart

2. "Install Table, Card, and Chart components"

   → Auto-installs into project with correct structure

3. Prompt: "Create admin dashboard with sidebar navigation,

   data table with sorting/filtering, and KPI cards"

   → AI generates complete layout using shadcn components

4. "Add real data from database"

→ PostgreSQL MCP fetches schema, generates typed queries

Компоненты-обязательники:

- Sidebar (navigation)
- Data Table (with sorting, filtering, pagination)
- KPI Cards (metrics with trend indicators)
- Charts (line, bar, pie)
- Forms (filters, search)
- Modals (confirmations, details)

Примерное время: 1-2 часа

ADMIN PANEL / CRUD (⚙️ Функциональный)

Используйте: Shadcn MCP + Database Context

Готовый workflow:

1. Подключить БД MCP к IDE (Settings → MCP → PostgreSQL)

2. Prompt: "Create CRUD interface for 'users' table"

3. AI читает schema через MCP:

   - id (UUID)

   - name (string)

   - email (string)

   - created_at (timestamp)

4. AI генерирует:

   - List view (table с данными)

   - Create form (со всеми полями)

   - Edit modal

- Delete confirmation

- Validation rules (из типов БД)

Типичные компоненты:

- Form (Create/Edit)
- Table (List with actions)
- Dialog (confirmations)
- Input (with validation)
- Select (for foreign keys)
- Checkbox (bulk actions)

💡 СИСТЕМНЫЕ ПРОМТЫ ДЛЯ РАЗНЫХ ЗАДАЧ

Промт #1: "Сделать визуал более современным"

Current component looks [problem]. Refactor to modern style:

- Add gradient backgrounds where appropriate

- Use subtle shadows (shadow-sm hover:shadow-md)

- Smooth transitions (transition-all duration-300)

- Hover states: scale(1.02) or shadow increase

- Icons from lucide-react (20px)

- Round corners: rounded-md or rounded-lg

- Color palette: use CSS variables, not hardcoded

- Spacing: 8px grid (remove 5px, 7px, etc.)

Current code: [paste component]

Keep functionality, improve visuals ONLY.

Промт #2: "Создать дизайн-систему из нуля"

I'm creating a design system for [project_type].

Generate complete Tailwind v4 config with:

1. Color palette (primary, secondary, neutral, status colors)

2. Typography system (H1, H2, H3, Body, Small)

3. Spacing tokens (xs through 3xl)

4. Component variants (primary/secondary/outline buttons)

5. Dark mode support

Brand: [description]

Target audience: [audience]

Style: [modern/minimal/bold/fun]

Output: CSS with @theme variables (Tailwind v4 format)

Промт #3: "Accessibility audit и fixes"

Check this component for accessibility issues:

[paste component code]

Return:

1. ✓ Issues found

2. For each issue:

   - Description

   - WCAG guideline violated

   - Exact fix

Then provide corrected code with:

- Semantic HTML

- ARIA labels

- Focus management

- Color contrast fixes

- Keyboard navigation

Промт #4: "Responsive design check"

Make this component fully responsive:

[paste component]

Requirements:

- Mobile (< 640px): single column, large tap targets (48px)

- Tablet (640-1024px): 2-column where appropriate

- Desktop (> 1024px): full layout

- Test all breakpoints: sm, md, lg, xl

- Images: use next/image with sizes prop

- No horizontal scroll on any screen size

Use Tailwind responsive prefixes: sm:, md:, lg:, xl:

🔧 ГОТОВЫЕ КОМПОНЕНТЫ ДЛЯ COPY-PASTE

Component #1: Modern Card

```
interface CardProps {

  title: string;
```

```
  description?: string;
  icon?: React.ReactNode;
  variant?: 'default' | 'highlight' | 'bordered';
  onClick?: () => void;
}
export const Card: React.FC<CardProps> = ({
  title,
  description,
  icon,
  variant = 'default',
  onClick,
}) => {
  return (
    <div
      onClick={onClick}
      className={`
        rounded-lg transition-all duration-300
        ${variant === 'default' &&
          'bg-white border border-gray-200 shadow-sm hover:shadow-md'}
        ${variant === 'highlight' &&
          'bg-gradient-to-br from-blue-50 to-indigo-50 border-2 border-blue-200'}
        ${variant === 'bordered' && 'border-2 border-gray-300'}
```

```
        ${onClick && 'cursor-pointer hover:scale-102'}
        p-lg
      `}
    >
      {icon && <div className="mb-md text-blue-600">{icon}</div>}
      <h3 className="text-lg font-semibold mb-sm text-gray-900">{title}</h3>
      {description && (
        <p className="text-sm text-gray-600">{description}</p>
      )}
    </div>
  );
};
```

Component #2: Modern Button Group

```
interface ButtonProps {
  children: React.ReactNode;
  variant?: 'primary' | 'secondary' | 'outline';
  size?: 'sm' | 'md' | 'lg';
  disabled?: boolean;
  onClick?: () => void;
  className?: string;
}
```

```
export const Button: React.FC<ButtonProps> = ({
  children,
  variant = 'primary',
  size = 'md',
  disabled,
  onClick,
  className,
}) => {
  return (
    <button
      onClick={onClick}
      disabled={disabled}
      className={cn(
        'font-medium rounded-md transition-all duration-300 focus-visible:outline-2
focus-visible:outline-offset-2',
        // Sizes
        size === 'sm' && 'px-md py-sm text-sm',
        size === 'md' && 'px-lg py-md text-base',
        size === 'lg' && 'px-xl py-lg text-lg',
        // Variants
        variant === 'primary' &&
          'bg-blue-600 text-white hover:bg-blue-700 active:bg-blue-800',
```

```
        variant === 'secondary' &&
          'bg-gray-200 text-gray-900 hover:bg-gray-300',
        variant === 'outline' &&
          'border-2 border-gray-300 text-gray-900 hover:bg-gray-50',
        // Disabled
        disabled && 'opacity-50 cursor-not-allowed',
        className,
      )}
    >
      {children}
    </button>
  );
};
```

Component #3: Hero Section

```
export const Hero: React.FC = () => {
  return (
    <section
      className="min-h-screen w-full flex flex-col items-center justify-center
        bg-gradient-to-br from-blue-600 via-blue-500 to-indigo-600
        text-white px-lg py-2xl"
    >
      {/* Animated background */}
```

```
<div
  className="absolute inset-0 opacity-10"
  style={{
    backgroundImage:
      'url("data:image/svg+xml,%3Csvg...%3E")',
  }}
/>
{/* Content */}
<div className="relative z-10 max-w-3xl text-center">
  <h1 className="text-4xl md:text-5xl lg:text-6xl font-bold mb-lg">
    Build faster with AI
  </h1>
  <p className="text-lg md:text-xl text-blue-100 mb-2xl max-w-2xl mx-auto">
    Generate beautiful UIs in seconds, not hours. No design skills required.
  </p>
  <div className="flex gap-md justify-center flex-wrap">
    <Button variant="primary" size="lg">
      Get Started
    </Button>
    <Button variant="outline" size="lg">
      Learn More
```

```
          </Button>
        </div>
      </div>
      {/* Scroll indicator */}
      <div
        className="absolute bottom-2xl animate-bounce"
        role="img"
        aria-label="Scroll down"
      >
        <ChevronDown className="w-lg h-lg" />
      </div>
    </section>
  );
};
```

✅ ЧЕКЛИСТ КАЧЕСТВА ПЕРЕД ЗАПУСКОМ

Перед тем как считать компонент готовым:

Визуальный контроль

- ☐ Spacing соответствует 8px grid (4, 8, 16, 24, 32, 48, 64)
- ☐ Цвета консистентны (используют CSS variables)
- ☐ Типография правильная (size, weight, line-height)
- ☐ Контраст текста WCAG AA минимум (4.5:1)
- ☐ Hover states видны и гладкие
- ☐ Focus states видны (focus-visible outline)

Responsive

- [ ] Работает на мобиле (< 640px)
- [ ] Работает на планшете (640-1024px)
- [ ] Работает на десктопе (> 1024px)
- [ ] Без горизонтального скролла
- [ ] Изображения оптимизированы (next/image)
- [ ] Текст читаемый на всех размерах

Accessibility

- [ ] Семантический HTML (, ,)
- [ ] ARIA labels где нужны
- [ ] Keyboard navigation работает (Tab, Enter, Space)
- [ ] Screen reader friendly
- [ ] No keyboard traps

Dark Mode

- [ ] Все цвета имеют dark: варианты
- [ ] Контраст работает в dark mode
- [ ] Images видны в dark mode

Performance

- [ ] Нет inline styles
- [ ] Компонент < 200 строк (иначе split)
- [ ] No unnecessary re-renders
- [ ] Images lazy-loaded

Code Quality

- [ ] TypeScript interfaces для всех props
- [ ] JSDoc для сложных компонентов
- [ ] Нет magic numbers
- [ ] Нет commented code

🎓 ПРИМЕРЫ РЕАЛЬНЫХ ПРОЕКТОВ

Пример 1: Landing Page (45 минут)

1️⃣ Planning (10 мин)

- Определить sections (hero, problem, solution, CTA)
- Выбрать цвета (blue primary + gradient)
- Wireframe в голове

2️⃣ Figma Reference (5 мин)

- Загрузить современный лендинг как reference
- Обсудить с AI какие элементы нравятся

3️⃣ Generation (15 мин)

Prompt: "Create modern SaaS landing with:

- Hero: gradient bg, centered headline, CTA button
- Problem: 3 pain points with icons
- Solution: features showcase
- Social proof: testimonials
- CTA: email signup form

Style: modern, minimal, blue + purple

Mobile-responsive"

4️⃣ Iteration (10 мин)

- "Make hero taller"

- "Add animations to icons"

- "Change colors to match brand"

- "Fix spacing between sections"

5️⃣ Polish (5 мин)

- Accessibility check

- Dark mode review

- Mobile testing

Пример 2: SaaS Dashboard (2 часа)

1️⃣ Component Discovery (10 мин)

- "Show me shadcn components for dashboard"

- Select: sidebar, table, card, chart

2️⃣ Layout (15 мин)

Prompt: "Create dashboard layout:

- Fixed sidebar with navigation

- Sticky header (search, notifications, user menu)

- Main content area for pages

- Responsive on mobile (hamburger menu)"

3️⃣ KPI Section (15 мин)

- Install Card component from shadcn

- "Create 4 KPI cards with:

- Large numbers
- Trend indicators (up/down)
- Icons
- Hover effects"

4 Data Table (30 мин)

- Use shadcn DataTable component
- "Add sorting, filtering, pagination
- Bulk select with checkboxes
- Actions menu (edit, delete)
- Mobile card view"

5 Charts (20 мин)

- Add chart library (recharts if not installed)
- "Create line chart for trends
- Bar chart for comparisons
- Date range picker"

6 Polish (30 мин)

- Loading states (skeleton screens)
- Empty states
- Error handling
- Dark mode
- Accessibility audit
- Performance review

🚀 ADVANCED: Кастомная дизайн-система

Для более сложных проектов создайте приватный shadcn registry:

Шаг 1: Создайте components.json

```
{
  "registries": [
    {
      "name": "company-design",
      "type": "registry:ui",
      "baseUrl": "https://your-domain.com/registry",
      "tokens": {
        "colors": {
          "primary": "#0066FF",
          "secondary": "#667DFF",
          "success": "#10b981",
          "warning": "#f59e0b",
          "error": "#ef4444"
        },
        "spacing": {
          "xs": "4px",
          "sm": "8px",
```

```
        "md": "16px",
        "lg": "24px",
        "xl": "32px"
      }
    }
  }
 ]
}
```

Шаг 2: Используйте в промтах

"Install Button component from company-design registry"

→ MCP fetches your custom Button with your colors/spacing

📊 СРАВНЕНИЕ: MCP vs БЕЗ MCP

Задача	**Без MCP**	**С Magic MCP**	**С Shadcn MCP**
Create button	10 мин	2 мин	1 мин
Landing page	4 часа	45 мин	30 мин
Dashboard	8 часов	2-3 часа	1-2 часа
Design consistency	30% успех	70% успех	95% успех
Redesign effort	High	Medium	Low
Learning curve	Medium	Low	Low

📚 РЕСУРСЫ И ССЫЛКИ

Документация

- Model Context Protocol
- Shadcn UI Registry
- Tailwind CSS v4
- 21st.dev Components

Tools

- **Magic MCP**: https://github.com/21st-dev/magic-mcp
- **Shadcn Registry**: Built into Cursor/Windsurf
- **Figma Context**: https://github.com/cursor-ai/figma-mcp

Community

- Cursor Discord: https://discord.gg/cursor
- Windsurf Community: https://windsurf.run/community
- Shadcn UI GitHub: https://github.com/shadcn-ui/ui

💬 ЧАСТО ЗАДАВАЕМЫЕ ВОПРОСЫ

Q: Нужен ли платный MCP?
A: Нет. Magic MCP имеет бесплатный tier (~10 компонентов/день). Shadcn MCP бесплатен.

Q: Какой IDE лучше для zero-coder'a?
A: Windsurf (проще UX, кнопка Preview активирует server). Cursor (больше интеграций). Antigravity (специализирована на no-code).

Q: Как часто обновляются MCP?
A: Shadcn MCP обновляется с каждым release (раз в 2-4 недели). Magic MCP постоянно (новые компоненты из 21st.dev).

Q: Можно ли использовать несколько дизайн-систем одновременно?
A: Да. Shadcn Registry поддерживает multiple registries в components.json.

Q: Как MCP помогает с accessibility?
A: Shadcn компоненты уже WCAG AA compliant. Figma MCP извлекает specs, которые гарантируют consistent styling.

Документ актуален на: 30 декабря 2025
Версия: 2.0 (полный гайд)
Автор: AI Research Lab
Лицензия: Free to use and share