LESSON PLAN · WEB DEVELOPMENT (GR 6–8) BEGINNER: WEB CREATORS · LEVEL 1

# Lesson 6: Forms and buttons

Module 2 | 60 minutes | forms, labels, inputs | Grades 6–11 · ages 11–16

**Objective:** Build an accessible form with labels, different input types and a button, without collecting personal information.

**Success criteria**

- I can build a form with different input types.
- I can join every label to its input with for and id.
- I can add a clear, styled button.
- I can choose questions that respect privacy.

## Key vocabulary

- **form**: A group of questions, boxes and buttons.
- **input**: A box the visitor types in or ticks; its type decides which kind.
- **label**: Words that say what a box is for, joined with for and id.
- **id**: A unique name for one element on the page.
- **accessibility**: Making pages work for everyone, including people using screen readers.
- **privacy**: Keeping personal information safe and only asking for what you need.

## You will need

- Projector with Kitabash (lesson video, Web Lab)
- Devices: 1 per learner, with a keyboard
- Printed worksheet (optional)
- Project files: l06-book-club-poll.html, l06-teacher-demo.md

## Timed lesson plan (60 min)

| Time | Stage | What happens |
|---|---|---|
| 5 min | **Warm-up game: Form Detective** | Thumbs vote on which questions a form should ask, then the label match race. |
| 5 min | **Hook and video** | Show the hook button. Poll: “Where have you filled in a form online?” Play the video and pause at “Spot the bug” to find colour vs color. |
| 10 min | **Live demo and build-along** | Run the demo, including clicking the label. Build the book club poll together. |
| 8 min | **Challenge and games** | Web Lab: label it!, then Predict the click, the match game and Order it. Quick competition: first three to finish the match game. |

| | | |
|---|---|---|
| 17 min | **Project in pairs** | Breakout rooms: pairs design and build a feedback form. Navigator checks every for and id match and that no question asks for personal details. |
| 5 min | **Probe** | Should a school feedback form ask this? sort. Discuss why passwords and ID numbers are never collected. |
| 6 min | **Show-and-tell: test my form** | Two learners share their form; the class tells them which label to click to test it. Two stars and a wish in the chat. |
| 4 min | **Wrap-up and exit ticket** | Fist-to-five on the success criteria. Exit ticket: the sleep-hours label and input. |

## Unplugged warm-up

Form Detective (5 min game): show four paper “forms” from a pretend website. Learners vote with thumbs: is each question fine to ask or not? (Favourite colour, rating, password, home address.) Then play “label match”: call out an id like “snack” and learners race to write the matching label on paper.

## Teaching the idea

Forms collect answers. The form tag groups the questions; input makes boxes whose type decides the kind (text, number, checkbox, radio); textarea is for long answers and select for drop-downs. Every input needs a label, joined by matching for and id, so screen readers announce it and clicking the label focuses the box. Buttons need clear words. Our forms send nothing, and we never ask for personal details.

**Analogy:** A form is like a printed survey sheet: each question (label) sits next to its answer space (input), and the button is handing the sheet in.

**Live demo:** 1) Type <input type="text"> on its own and show the empty box: ask how a screen-reader user would know what to type. 2) Add <label for="snack">Favourite snack</label> above it and give the input id="snack". Click the label text in the preview and show the cursor jump into the box. 3) Change the type to number, then checkbox, then show radio buttons with the same name. 4) Add a <textarea> and a <select> with three options. 5) Add <button type="button">Send</button> and explain this practice form does not send anything. 6) Change the input id to "snak" so it no longer matches the label, click the label, and show it stops working. Fix it.

## Questions to ask

| Ask | Listen for |
|---|---|
| What joins a label to an input? | The label’s for matches the input’s id. |
| Why do labels matter? | Screen readers read them aloud and clicking them focuses the box. |
| Which tag makes a drop-down menu? | select, with option tags inside. |

| | |
|---|---|
| Does our practice form send data? | No. It is for practice; nothing is sent anywhere. |
| Name something a school form should never ask. | Phone number, address, password, Aadhaar or other ID numbers. |

## Differentiation

**Support**
Give learners the build-along to adapt. Use a for/id checking card: read both out loud and make sure they are spelt the same.

**Stretch**
Add radio buttons with a shared name, placeholder hints, the required attribute, and style the button with a hover colour.

## Common misconceptions

| Misconception | How to fix it |
|---|---|
| A placeholder is the same as a label | Placeholders disappear when you type and are not always read aloud; always add a label. |
| for and id can be spelt slightly differently | They must match exactly, letter for letter. |
| The button sends my answers somewhere | Our practice form sends nothing. Real sending needs a server and permission. |
| It is fine to ask for a phone number “just in case” | Only ask for what you truly need. Personal details stay private. |

## Assessment

Use the Code Lab results (auto-checked), the quick checks and the Probe answers. Written answers arrive in your review queue.

**Exit ticket**
Write a label and a number input for “How many hours do you sleep?” with matching for and id.

**Homework**
Build a short “family movie night” poll with a select menu of three films, a number box for snack count and a button. Test every label by clicking it.

# Answer key — Kitabash activities

### 1. Web Lab: label it! (perform · web lab)

**Goals checked:** Every box has a label · Labels are joined to their boxes · Has a button

**One solution:**

```
<h1>Join the Art Club</h1>
<form>
  <label for="art">Favourite kind of art</label>
  <input type="text" id="art">
  <label for="hours">Hours of art per week</label>
  <input type="number" id="hours">
  <button type="button">Join</button>
</form>
```

### 2. Predict the click (perform · code output)

### 3. Match each form tag to what it makes (perform · matching)

<input type="text"> → A box for a short answer in words · <input type="number"> → A box for numbers only · <input type="checkbox"> → A tick box · <textarea> → A big box for a long answer · <select> → A drop-down menu · <label> → Words that say what a box is for

### 4. Order it: one accessible question (perform · ordering)

**Order:** Decide the question and the kind of answer → Write a label with for="..." → Write the input with a matching id → Click the label in the preview to test it → Ask: do I really need this information?

### 5. Project: my feedback form (perform · web lab)

**Goals checked:** Has a form · Has at least three labels · Has at least three answer boxes · Labels are joined to boxes · Has a button · The form is styled

**Example page:**

```
<!-- Canteen feedback form (practice only: nothing is sent) -->
<style>
  body {
    font-family: Verdana, sans-serif;
    background-color: #eef7f1;
  }
  form {
    background-color: white;
    border: 2px solid #27ae60;
    border-radius: 12px;
    padding: 20px;
    width: 320px;
  }
  label {
    display: block;
    margin-top: 14px;
    font-weight: bold;
  }
  input, select, textarea {
    padding: 8px;
    border: 1px solid #999999;
    border-radius: 6px;
  }
  button {
    margin-top: 16px;
    padding: 10px 20px;
    background-color: #27ae60;
    color: white;
    border: none;
    border-radius: 8px;
  }
</style>

<h1>Canteen Feedback</h1>
<p>Help us make lunch better! This is a practice form, so nothing is sent anywhere.</p>
<form>
  <label for="dish">Favourite dish this week</label>
  <select id="dish">
    <option>Rajma chawal</option>
    <option>Idli sambar</option>
    <option>Veg pulao</option>
  </select>

  <label for="stars">Rating out of 5</label>
  <input type="number" id="stars" min="1" max="5">

  <label for="idea">One idea to make lunch better</label>
  <textarea id="idea" placeholder="More fruit on Fridays?"></textarea>

  <label><input type="checkbox" id="more"> I would like more healthy snacks</label>
```

```
  <button type="button">Send feedback</button>
</form>
```

**6. Should a school feedback form ask this?** (probe · categorize)

**Fine to ask:** Which dish did you like most?, Rate the food out of 5, One idea to make lunch better, Would you like more fruit? (tick box)
**Do not ask:** Your phone number, Your home address, Your email password, Your Aadhaar number

## Answer key — worksheet

1. **Key words:** form = A group of questions, boxes and buttons. · input = A box the visitor types in or ticks; its type decides which kind. · label = Words that say what a box is for, joined with for and id. · id = A unique name for one element on the page.
2. **Plan your page:** Goals: Every box has a label; Labels are joined to their boxes; Has a button.
3. **Predict the click:** A. The tick box gets ticked
4. **Match each form tag to what it makes:** <input type="text"> → A box for a short answer in words · <input type="number"> → A box for numbers only · <input type="checkbox"> → A tick box · <textarea> → A big box for a long answer · <select> → A drop-down menu · <label> → Words that say what a box is for
5. **Order it: one accessible question:** 1 Decide the question and the kind of answer · 2 Write a label with for="..." · 3 Write the input with a matching id · 4 Click the label in the preview to test it · 5 Ask: do I really need this information?

Kitabash original curriculum.