# Package 'daRt'

August 9, 2019

Version 0.4.0
Author William T. J. Morrison
Maintainer William T. J. Morrison <willmorrison661@gmail.com></willmorrison661@gmail.com>
<b>Description</b> For reading outputs from the Discrete Anisotropic Radiative Transfer (DART) model, for matted in a ``long" dplyr-ready format suitable for efficient analysis.
Github https://github.com/willmorrison1/daRt
License GPL-3
Encoding UTF-8
RoxygenNote 6.1.1
R topics documented:
accessors Directions-class getData getFiles Images-class RB3D-class SimulationData-class SimulationFiles-class
simulationFilter
Index
accessors Access object information

## Description

Type Package

Title Read DART Model Outputs

Generic functions to access information from the objects with classes defined in this package

2 getData

#### Usage

```
product(x)
simname(x)
files(x)
bands(x)
iters(x)
variables(x)
variablesRB3D(x)
typeNums(x)
imageType(x)
imageNo(x)
```

Directions-class

Directions data class

## Description

Directions data class that extends SimulationData-class class.

getData

Main function: get DART data

### **Description**

Main function to get data from DART simulation outputs in a friendly 'long' data format that is part of an object that extends a SimulationData-class type object

#### Usage

```
getData(x = "character", sF = "SimulationFilter")
```

#### **Arguments**

x simulation directory or directories (character)

sF SimulationFilter-class object

getFiles 3

getFiles

Get DART output filenames

## Description

Get DART output filenames

#### Usage

```
getFiles(x = "character", sF = "SimulationFilter")
```

#### **Arguments**

x simulation directory or directories (character)

sF SimulationFilter-class object

Images-class

Images data class

## Description

Image data class extends SimulationData-class class.

RB3D-class

RB3D class

## Description

RB3D (Radiative Budget 3D) class that extends SimulationData-class class.

SimulationData-class

Generic SimulationData class

#### **Description**

Generic SimulationData class that extends to data classes for specific DART products

#### **Slots**

data data.frame.

#### See Also

Images-class Directions-class RB3D-class

4 simulationFilter

```
SimulationFiles-class SimulationFiles class
```

#### **Description**

An S4 class to represent the files within a simulation or simulations. Created using the getFiles method. Specific files within the class are modified by the object with class SimulationFilter-class

## Usage

```
simdir(x)
```

#### **Slots**

simulationFilter contains SimulationFilter-class object

files a data.frame, with each row describing the file

sequenceInfoList a list, with each list element showing the variable permutation(s) within this specific simulation sequence.

simulationFilter

Create SimulationFilter class

#### **Description**

Function for creating the SimulationFilter class

## Usage

```
simulationFilter(product = "character", ...)
```

## Arguments

```
product One of "directions", "rb3D", "images".
```

#### See Also

```
SimulationFilter-class
```

SimulationFilter-class 5

```
SimulationFilter-class
```

SimulationFilter class.

## Description

SimulationFilter class.

## Usage

```
product(x) <- value
iters(x) <- value
bands(x) <- value
variablesRB3D(x) <- value
variables(x) <- value
typeNums(x) <- value
imageType(x) <- value
imageNo(x) <- value</pre>
```

## **Slots**

bands character.
variables character.
iters character.
variablesRB3D character.
typeNums character.
imageType character.
imageNo numeric.
product character.

## See Also

simulation Filter

## **Index**

```
accessors, 1
bands (accessors), 1
bands<- (SimulationFilter-class), 5</pre>
Directions-class, 2, 3
files (accessors), 1
getData, 2
getFiles, 3, 4
imageNo (accessors), 1
imageNo<- (SimulationFilter-class), 5</pre>
Images-class, 3, 3
imageType (accessors), 1
imageType<- (SimulationFilter-class), 5</pre>
iters (accessors), 1
iters<- (SimulationFilter-class), 5</pre>
product (accessors), 1
product<- (SimulationFilter-class), 5</pre>
RB3D-class, 3, 3
simdir (SimulationFiles-class), 4
simname (accessors), 1
SimulationData-class, 2, 3, 3
SimulationFiles-class, 4
SimulationFilter, 4
simulationFilter, 4, 5
SimulationFilter-class, 2-4, 5
typeNums (accessors), 1
typeNums<- (SimulationFilter-class), 5</pre>
variables (accessors), 1
variables<- (SimulationFilter-class), 5</pre>
variablesRB3D (accessors), 1
variablesRB3D<-
         (SimulationFilter-class), 5
```