

Package ‘daRt’

August 9, 2019

Type Package

Title Read DART Model Outputs

Version 0.4.0

Author William T. J. Morrison

Maintainer William T. J. Morrison <willmorrison661@gmail.com>

Description For reading outputs from the Discrete Anisotropic Radiative Transfer (DART) model, formatted in a ``long" dplyr-ready format suitable for efficient analysis.

Github <https://github.com/willmorrison1/daRt>

License GPL-3

Encoding UTF-8

RoxygenNote 6.1.1

R topics documented:

accessors	1
Directions-class	2
getData	2
getFiles	3
Images-class	3
RB3D-class	3
SimulationData-class	3
SimulationFiles-class	4
simulationFilter	4
SimulationFilter-class	5
Index	6

accessors	<i>Access object information</i>
-----------	----------------------------------

Description

Generic functions to access information from the objects with classes defined in this package

Usage

```

product(x)

simname(x)

files(x)

bands(x)

iters(x)

variables(x)

variablesRB3D(x)

typeNums(x)

imageType(x)

imageNo(x)

```

Directions-class	<i>Directions data class</i>
------------------	------------------------------

Description

Directions data class that extends [SimulationData-class](#) class.

getData	<i>Main function: get DART data</i>
---------	-------------------------------------

Description

Main function to get data from DART simulation outputs in a friendly 'long' data format that is part of an object that extends a [SimulationData-class](#) type object

Usage

```

getData(x = "character", sF = "SimulationFilter")

```

Arguments

x	simulation directory or directories (character)
sF	SimulationFilter-class object

getFiles	<i>Get DART output filenames</i>
----------	----------------------------------

Description

Get DART output filenames

Usage

```
getFiles(x = "character", sF = "SimulationFilter")
```

Arguments

x	simulation directory or directories (character)
sF	SimulationFilter-class object

Images-class	<i>Images data class</i>
--------------	--------------------------

Description

Image data class extends [SimulationData-class](#) class.

RB3D-class	<i>RB3D class</i>
------------	-------------------

Description

RB3D (Radiative Budget 3D) class that extends [SimulationData-class](#) class.

SimulationData-class	<i>Generic SimulationData class</i>
----------------------	-------------------------------------

Description

Generic SimulationData class that extends to data classes for specific DART products

Slots

data data.frame.

See Also

[Images-class](#) [Directions-class](#) [RB3D-class](#)

SimulationFiles-class *SimulationFiles class*

Description

An S4 class to represent the files within a simulation or simulations. Created using the [getFiles](#) method. Specific files within the class are modified by the object with class [SimulationFilter-class](#)

Usage

```
simdir(x)
```

Slots

simulationFilter contains [SimulationFilter-class](#) object

files a data.frame, with each row describing the file

sequenceInfoList a list, with each list element showing the variable permutation(s) within this specific simulation sequence.

simulationFilter *Create [SimulationFilter](#) class*

Description

Function for creating the [SimulationFilter](#) class

Usage

```
simulationFilter(product = "character", ...)
```

Arguments

product One of "directions", "rb3D", "images".

...

See Also

[SimulationFilter-class](#)

`SimulationFilter-class`*SimulationFilter class.*

Description

SimulationFilter class.

Usage

```
product(x) <- value
```

```
iters(x) <- value
```

```
bands(x) <- value
```

```
variablesRB3D(x) <- value
```

```
variables(x) <- value
```

```
typeNums(x) <- value
```

```
imageType(x) <- value
```

```
imageNo(x) <- value
```

Slots

bands character.

variables character.

iters character.

variablesRB3D character.

typeNums character.

imageType character.

imageNo numeric.

product character.

See Also

[simulationFilter](#)

Index

accessors, 1

bands (accessors), 1
bands<- (SimulationFilter-class), 5

Directions-class, 2, 3

files (accessors), 1

getData, 2
getFiles, 3, 4

imageNo (accessors), 1
imageNo<- (SimulationFilter-class), 5
Images-class, 3, 3
imageType (accessors), 1
imageType<- (SimulationFilter-class), 5
iters (accessors), 1
iters<- (SimulationFilter-class), 5

product (accessors), 1
product<- (SimulationFilter-class), 5

RB3D-class, 3, 3

simdir (SimulationFiles-class), 4
simname (accessors), 1
SimulationData-class, 2, 3, 3
SimulationFiles-class, 4
SimulationFilter, 4
simulationFilter, 4, 5
SimulationFilter-class, 2–4, 5

typeNums (accessors), 1
typeNums<- (SimulationFilter-class), 5

variables (accessors), 1
variables<- (SimulationFilter-class), 5
variablesRB3D (accessors), 1
variablesRB3D<-
 (SimulationFilter-class), 5