QUANTUM MECHANICS

IVAN IORSH • AUTUMN 2015 • ITMO UNIVERSITY

Last Revision: September 17, 2015

Table of Contents

1	Inti	$\operatorname{roduction}$			
	1.1	Schrödinger formalism			
	1.2	Heisenberg formalism			
		Building an operator's matrix			
	1.3	Pauli uncertainty principle			
		Black holes			
		Quantum Pencil			
	1.4	Problems			
2	Analytical Solutions				
	2.1	Rectangular quantum well			
	2.2	Harmonic oscillator			
	2.3	Spherically symmetric potential			
	2.4	Problems			
3	Quasi-classical approximation				
	•	Problems			
4	Spi	Spin			
	4.1	Problems			
5	Perturbation theory				
	5.1	Time-independent			
	5.2	Time-dependent			
	5.3	Problems			
6	Pro	Problem Solutions			
	6.1	Introduction			
	6.2	Analytical solutions			
	6.3	Quasiclassical approximation			
	6.4	Spin			
	6.5	Petrubation theory			

Abstract

 ${\bf Quantum\ Mechanics\ Lecture\ Notes}.$

1 Introduction

1.1 Schrödinger formalism

$$\hat{f}\Phi = E\Phi \tag{1.1}$$

$$\Phi \to dP = |\Phi|^2 dq \tag{1.2}$$

$$x \leftrightarrow \hat{x} \tag{1.3}$$

$$p_x \leftrightarrow -i\hbar \frac{\partial}{\partial x} \tag{1.4}$$

$$f \leftrightarrow \hat{f}$$
 (1.5)

$$\bar{f} = \sqrt[8]{\hat{f}dp} = \int \Phi^* \hat{f}\Phi dq \qquad (1.6)$$

1.2 Heisenberg formalism

Schrödinger was good at math, which is why his quantum mechanics formalism is full of complex mathematical constructs. Heisenberg, on the other hand, had a lot of difficulty with math, which is why his matrix quantum mechanics formalism is limited almost exclusively to linear algebra constructs

 ${\bf Roman}\,\dots$

Name	Schrödinger	Heisenberg
State Basis	Wave function of basis states $\{\Phi_n\}$	Column vector of basis states $\begin{pmatrix} \phi_1 \\ \dots \\ \phi_n \end{pmatrix}$
Observables	Operator $\bar{f} = \int \Phi_n^* \hat{f} \Phi_m$	Operator matrix $\begin{pmatrix} \phi_{11} & \dots & \phi_{n1} \\ & \dots & \\ \phi_{1n} & \dots & \phi_{nn} \end{pmatrix}$
Shrödinger Equation	$\hat{f}\Phi=E\Phi$	$\begin{pmatrix} \phi_{11} & \dots & \phi_{n1} \\ & \dots & \\ \phi_{1n} & \dots & \phi_{nn} \end{pmatrix} \begin{pmatrix} \psi_1 \\ \dots \\ \psi_n \end{pmatrix} = \lambda \begin{pmatrix} \psi_1 \\ \dots \\ \psi_n \end{pmatrix}$

Building an operator's matrix

1.3 Pauli uncertainty principle

Black holes

Quantum Pencil

??

1.4 Problems

2 Analytical Solutions

- 2.1 Rectangular quantum well
- 2.2 Harmonic oscillator
- 2.3 Spherically symmetric potential
- 2.4 Problems

- 3 Quasi-classical approximation
- 3.1 Problems

- 4 Spin
- 4.1 Problems

5 Perturbation theory

- 5.1 Time-independent
- 5.2 Time-dependent
- 5.3 Problems

6 Problem Solutions

- 6.1 Introduction
- 6.2 Analytical solutions
- 6.3 Quasiclassical approximation
- 6.4 Spin
- 6.5 Petrubation theory