



“Where Precision Meets Mixology”

barwhizindia@gmail.com

Barwhiz.in

GAME CHANGER






Top view


Specifications:

EQ Code	Overall Size (LxDxH) mm
GAME CHANGER	1400x700x850

- Overall size (LxDxH): Refer Table.
- SS304 1.5mm (16G) Top panel.
- Square shaped Garnish/ Condiment Tray.
- Nylon Chopping Board with chute hole and tiltable dust bin below.
- Sink with tool holder and glass rinser.
- Insulated ice bin with partition and sliding work top.
- All accessories and appliances are removable.

GAME CHANGER PRO






Top view


Specifications:

- Overall size (LxDxH): Refer Table.
- SS304 1.5mm (16G) Top panel.
- Square shaped Garnish/ Condiment Tray.
- Nylon Chopping Board with chute hole and sliding Garbage bin below.
- 2 nos. of refrigerated drawer with capacity of 33-pint bottles in each drawer.
- All accessories and appliances are removable.

EQ Code	Overall Size (LxDxH) mm
GAME CHANGER PRO	1400x700x850

THE STARTER *"Every legend has a beginning"*






Top View


Specifications:


- Overall size (LxDxH): Refer Table.
- SS304 1.5mm (16G) Top panel.
- Space for holding Bottles.
- Insulated Ice bin with partition.
- All accessories and appliances are removable.

EQ Code	Overall Size (LxDxH) mm
THE STARTER	900x700x800

THE ELEVATE *" Takes bartending to the next level "*








Top view


Specifications:


- Overall size (LxDxH): Refer Table.
- SS304 1.5mm (16G) top panel.
- Sliding nylon chopping board.
- Speed rails for holding bottles.
- Sink unit with tool holder.
- Insulated Ice bin with partition with 1/9 GN pans.
- All accessories and appliances are removable.

EQ Code	Overall Size (LxDxH) mm
THE ELEVATE 3GN	1050x700x850
THE ELEVATE 4GN	1250x700x850
THE ELEVATE(with door)3GN	1050x700x850
THE ELEVATE(with door)4GN	1250x700x850

THE ELEVATE MAX *" Takes bartending to the next level "*








Top view


Specifications:

- Overall size (LxDxH): Refer Table.
- SS304 1.5mm (16G) top panel.
- Sliding nylon chopping board.
- Speed rails for holding bottles.
- Sliding work top over ice bin.
- Sink unit with tool holder.
- Insulated ice bin with partition at either side with 1/9 GN Pans.
- All accessories and appliances are removable.

EQ Code	Overall Size (LxDxH) mm
THE ELEVATE MAX	1800x700x850
THE ELEVATE MAX (with door)	1800x700x850

THE CONDUCTOR *" Orchestrates seamless cocktail production "*






Top View


Specifications:

- Overall size (LxDxH): Refer Table.
- SS304 1.5mm (16G) top panel.
- Nylon chopping board.
- Tiltable dust bin.
- Speed rails for holding Bottles.
- Sink unit with tool holder.
- Insulated ice bin with partition at either side.
- All accessories and appliances are removable.

EQ Code	Overall Size (LxDxH) mm
THE CONDUCTOR	2050x700x850

THE SOCIALITE *" Designed for high-volume, crowd-pleasing mixology "*






Top View


Specifications:

- Overall size (LxDxH): Refer Table.
- SS304 1.5mm (16G) top panel.
- Sliding nylon chopping board.
- Tiltable dust bin.
- Speed rails for holding bottles.
- Sink unit with tool holder.
- Insulated Ice bin with partition with 1/9 GN pans.
- All accessories and appliances are removable.

EQ Code	Overall Size (LxDxH) mm
THE SOCIALITE	1250x700x850

THE ALCHEMIST *" For a station that transforms ingredients into liquid gold "*







Specifications:

- Overall size (LxDxH): Refer Table.
- SS304 1.5mm (16G) top panel.
- Two nylon chopping board.
- Two tiltable dust bins.
- Speed rails for holding bottles.
- Insulated ice bin with partition at either side.
- 18 nos. of 1/9 GN pans can be placed in the model.
- Sink with 2 glass rinser.
- All accessories and appliances are removable.

EQ Code	Overall Size (LxDxH) mm
THE ALCHEMIST	2100x700x850

THE CATALYST MINI *" Speeds up service while elevating drink quality "*







Specifications:

- Overall size (LxDxH): Refer Table.
- SS304 1.5mm (16G) top panel.
- Sliding nylon chopping board.
- Chute hole above tiltable dust bin.
- Sink unit with false bottom.
- Insulated Ice bin with partition.
- 2 nos. of refrigerated drawers.
- All accessories and appliances are removable.

EQ Code	Overall Size (LxDxH) mm
THE CATALYST MINI	1600x750x950

THE CATALYST *" Speeds up service while elevating drink quality "*







Specifications:

- Overall size (LxDxH): Refer Table.
- SS304 1.5mm (16G) top panel.
- Sliding nylon chopping board.
- Chute hole above tiltable dust bin.
- Sink unit with false bottom.
- Insulated Ice bin with partition.
- 4 nos. of refrigerated drawers.
- All accessories and appliances are removable.

EQ Code	Overall Size (LxDxH) mm
THE CATALYST	2700x750x950

THE CURATOR *"Where Every Sip is Curated."*






Top view


Specifications:

- Overall size (LxDxH): Refer Table.
- SS304 1.5mm (16G) top panel.
- Sliding nylon chopping board.
- Speed rails for holding bottles.
- Sliding work top over ice bin.
- Sink unit with tool holder.
- Insulated ice bin with partition at either side with 1/9 GN Pans.
- All accessories and appliances are removable.

EQ Code	Overall Size (LxDxH) mm
THE CURATOR	1950x700x850

THE DISRUPTOR *" Challenges traditional bartending norm "*






Top view


Specifications:

- Overall size (LxDxH): Refer Table.
- SS304 1.5mm (16G) top panel.
- Sliding nylon chopping board.
- Chute hole above tiltable dust bin.
- Speed rails for holding bottles.
- Sink unit with false bottom.
- Insulated ice bin with partition.
- 4 nos. of refrigerated and 1 ambient drawer.
- All accessories and appliances are removable.

EQ Code	Overall Size (LxDxH) mm
THE DISRUPTOR	2400x750x1050

THE MAVERICK *" Bold, innovative, and breaks the rules "*






Top view

Specifications:

- Overall size (LxDxH): Refer Table.
- SS304 1.5mm (16G) top panel.
- Sliding nylon chopping board.
- Chute hole above tiltable dust bin.
- Speed rails for holding bottles.
- Sink unit with false bottom.
- Insulated Ice bin with partition.
- 4 nos. of refrigerated and 1 ambient drawer.
- All accessories and appliances are removable.


EQ Code	Overall Size (LxDxH) mm
THE MAVERICK	2800x750x1050

DRIP TRAY




Dripster – Stainless Steel







Flow Master - Matt Black




Tipsy Trench - Burgundy



Dripster – SS



Aqua Glide - Rose Gold



Liquid Escape - Gold

Specifications:


- Overall size (LxDxH): Refer Table.
- SS304 1mm (20G) Top Perforated panel.
- SS304 1.2mm (18G) Drain Trough.

EQ Code	Overall Size (LxDxH) mm
DTR6	600x150x40
DTR9	900x150x40
DTR6C	600x150x40
DTR9C	900x150x40
DTR:**D**rip **T**ray, **C**:**C**olour	

ICE BIN



Insulated Foam Body



Insulated Foam Door with magnetic catcher





Perforated false bottom



Top view




EQ Code	Overall Size (LxDxH) mm	Top cut-out Size(LxD)mm	Capacity(Ltr)
IB1D8181	810x810x1000	710x510	350
IB2D11081	1100x810x1000	710x510	550
IB3D16081	1600x810x1000	710x510	800
**IB1D7070	700x700x850	510x510	220
IB: Ice **B**in,**D**:**D**oor			
** Recommended Ice machine for IB17070: **Hoshizaki IM220AA**			


Specifications:

- Overall size (LxDxH): Refer Table.
- SS304 1 mm(20G) Outer Body.
- SS304 1 mm(20 G) Inner Body.
- Foam Insulated Body and Door.

SPEED RAIL








Top View


Specifications:

- Overall size (LxDxH): Refer Table.
- SS304 1.5mm (16G) Top panel.
- Speed rails for holding Bottles.
- Model can have 6 or 7 steps for 3” and 4” bottles respectively.

EQ Code	Overall Size (LxDxH) mm
SR457	450x700x850/900
SR607	600x700x850/900
SR757	750x700x850/900
SR907	900x700x850/900
SR457H	450x750x850/900
SR607H	600x750x850/900
SR757H	750x750x850/900
SR907H	900x750x850/900
SR:**S**peed **R**ail	

POS COUNTER






EQ Code	Overall Size (LxDxH) mm	EQ Code	Overall Size (LxDxH) mm
P1D678H	600x700x850	P1D679	600x700x900
P1D7H78H	750x700x850	P1D7H79	750x700x900
P2D978H	900x700x850	P2D979	900x700x900
P2D10H78H	1050x700x850	P2D10H79	1050x700x900
P2D1278H	1200x700x850	P2D1279	1200x700x900
P1D67H8H	600x750x850	P1D67H9	600x750x900
P1D7H7H8H	750x750x850	P1D7H7H9	750x750x900
P2D97H8H	900x750x850	P2D97H9	900x750x900
P2D10H7H8H	1050x750x850	P2D10H7H9	1050x750x900
P2D127H8H	1200x750x850	P2D127H9	1200x750x900
P:**P**OS,**D**:**D**rawer			

Specifications:

- Overall size (LxDxH): Refer Table.
- SS304 1.5mm (16G) Top panel.
- Door with lock and magnetic catcher.

SINGLE DOOR LIQUOR STORAGE CABINET




EQ Code	Overall Size (LxDxH) mm	EQ Code	Overall Size (LxDxH) mm
LS165H8H	600x545x850	LS165H9	600x545x900
LS1668H	600x600x850	LS1669	600x600x900
LS1678H	600x700x850	LS1679	600x700x900
LS: **L**iquor **S**torage			

Specifications:

- Overall size (LxDxH): Refer Table.
- SS304 1.5mm (16G) Top panel.
- Undershelf for storing bottles.
- Doors are provided with lock and magnetic catcher.
- Model can also be provided with Splash top.

TWO DOOR LIQUOR STORAGE CABINET




EQ Code	Overall Size (LxDxH) mm	EQ Code	Overall Size (LxDxH) mm
LS295H8H	900x545x850	LS295H9	900x545x900
LS210H5H8H	1050x545x850	LS210H5H9	1050x545x900
LS211H5H8H	1150x545x850	LS211H5H9	1150x545x900
LS2125H8H	1200x545x850	LS2125H9	1200x545x900
LS2968H	900x600x850	LS2969	900x600x900
LS210H68H	1050x600x850	LS210H69	1050x600x900
LS211H68H	1150x600x850	LS211H69	1150x600x900
LS21268H	1200X600X850	LS21269	1200X600X900
LS2978H	900x700x850	LS2979	900x700x900
LS210H78H	1050x700x850	LS210H79	1050x700x900
LS211H78H	1150x700x850	LS211H79	1150x700x900
LS21278H	1200x700x850	LS21279	1200x700x900
LS: **L**iquor **S**torage			


Specifications:


- Overall size (LxDxH): Refer Table.
- SS304 1.5mm (16G) Top panel with stiffener.
- Undershelf for storing bottles.
- Doors are provided with lock and magnetic catcher.
- Model can also be provided with Splash top.

DISPENSING TABLE










Top View




Top View

Specifications:

- Overall size (LxDxH):
  Refer Table.
- SS304 1.2mm (18G) perforated top panel.
- SS Ø25mm cross support.

EQ Code	Overall Size (LxDxH) mm	
DTS6	900x600x850/900	Add on Glass Rinser(2Nos.)
DTM6	1200x600x850/900	
DTL6	1500x600x850/900	
DTS7	900x700x850/900	
DTM7	1200x700x850/900	
DTL7	1500x700x850/900	
DTS7H	900x750x850/900	
DTM7H	1200x750x850/900	
DTL7H	1500x750x850/900	
DT:**D**ispensing **T**able,**S**:**S**mall,**M**:**M**edium,**L**:**L**arge		

SINK TABLE WITH GLASS RACK




Specificationss:


EQ Code	Overall Size (LxDxH) mm
STG157	1600x700x850+50
STG:**S**ink **T**able with **G**lass Rack	


- Overall size (LxDxH): Refer Table.
- SS304 1.5mm (16G) top panel.
- SS Ø25mm cross support.
- SS202 1.2mm(18G) Undershelves for storing glass.
- Space for Undercounter glass washer.
- Recommend Glass washer: **Winterhalter G400**
  Washmatic-200ELE
  Western WBY-40T-PDT

CUSTOM COCKTAIL STATIONS


Barwhiz offers fully customized cocktail station solutions, designed to meet your unique needs and adapt seamlessly to your site conditions.









The Elixir





The Orbit





The Eclipso





The Curvion

TERMS AND CONDITIONS

PAYMENT

1. Payment Terms : • All orders must be paid 100% in advance before processing or dispatch. • No credit terms are extended under any circumstances. • Payment methods accepted: [List acceptable methods, e.g., Bank Transfer, Credit Card, UPI, etc.].
2. Order Confirmation & Processing : • Orders will be processed only upon receipt of full payment. • Delivery timelines will be communicated post-payment confirmation.
3. Return & Refund Policy :• No cash refunds will be issued under any circumstances. • In case of a valid return request (due to manufacturing defects or incorrect supply), a credit note will be issued for the invoice value. • The credit note can be used to purchase the same product or any other product from our catalogue within 6 months from the date of issue. • Return requests must be raised within 7 days of delivery, subject to inspection and approval.
4. Conditions for Returns : • Products must be unused, in original packaging, and with all tags intact. • Return shipping costs (if applicable) will be borne by the customer. • Manufacturing defects must be verified by the company before approval.
5. Exclusions : • Returns due to customer preference (e.g., change of mind) are not accepted. • Damages caused during transit (if not reported at the time of delivery) are not eligible for credit.
6. Governing Terms : • This policy is non-negotiable and applies to all customers uniformly. • Any disputes shall be subject to the jurisdiction of Bangalore Jurisdiction.

WARRANTY

1. Warranty Coverage: Unique Steel Products (BARWHIZ) ("the Company") provides a 12-month limited warranty on all item, valid from the **date of the original invoice**. This warranty covers **manufacturing defects** only and is applicable under normal use and service conditions.
2. Warranty Exclusions: The warranty **does not cover**: • Damage caused during transportation or improper handling. • Defects arising from misuse, negligence, unauthorized modifications, or improper installation. • Normal wear and tear, corrosion, or cosmetic damage not affecting functionality. • Equipment not installed, operated, or maintained as per guidelines.
3. Warranty Claim Process: • Replacement (Within 15 Days of Purchase): If a manufacturing defect is identified within **15 days of purchase**, the Company will provide a **free replacement** of the defective part or product, subject to inspection and approval. • **Repairs (After 15 Days):** For defects reported after 15 days but within the warranty period, the Company will **repair** the equipment at no cost. If repair is not feasible, a replacement may be provided at the Company's discretion.
4. Claim Submission : To file a warranty claim, the customer must: • Provide a copy of the original invoice. • Submit clear evidence (photos/videos) of the defect. •Return the defective product (if required) with transportation costs borne by the customer.
5. Resolution Timeframe : • Replacement claims will be processed within **15 working days** of approval. • Repair requests will be addressed within **30 working days**, subject to parts availability.
6. Limitation of Liability: The Company's liability under this warranty is strictly limited to the **repair or replacement** of the defective product. No compensation will be provided for indirect damages, lost profits, or operational delays.
7. Governing Terms: This warranty is **non-transferable** and applies only to the original purchaser. Any disputes shall be governed by the laws of Bangalore Jurisdiction.

For warranty claims or queries, contact:
Barwhiz
Customer Support Email: barwhizindia@gmail.com
Service Centre Address : Unique Steel Products - KitchenWhiz, 235/E Bommasandra Industrial Area, Bangalore, Karnataka 560099

SHIPPING & LIABILITY POLICY

1. Shipping & Delivery Terms:•All prices quoted in our catalogue **exclude shipping/delivery charges**. • The client is responsible for **all shipping costs** associated with the order. • **Loading** of equipment at our facility will be handled by [Company Name]. • **Unloading and placement** at the client's location is the **client's responsibility**.
2. Transit Damages & Liability :•Barwhiz is **not responsible** for any damages incurred during transit. •Clients must **inspect shipments immediately upon delivery** and note any damages on the carrier's receipt before signing. • Any transit-related claims must be filed directly with the **transportation provider**.

3. Pricing Structure : (a) Catalogue prices include only: •Material costs •Standard packaging (b) **Exclusions from pricing**: • Shipping/delivery charges • Unloading, installation, or placement services • Any additional handling or on-site support.
4. Order & Delivery Process: (a). Client places order with 100% advance payment (as per payment policy). (b). Barwhiz confirms order and arranges loading for dispatch. (c). Shipping method and carrier will be selected based on client preference (costs borne by client). (d). Client must ensure proper unloading and placement arrangements at destination.
5. Client Responsibilities : •Arrange and pay for transportation.• Provide adequate manpower and equipment for safe unloading. • Verify quantity and condition of goods upon delivery. • Report any visible damages to the carrier immediately (before signing the delivery receipt).
6. Limitation of Liability : Barwhiz shall not be liable for: • Delays caused by shipping carriers. • Improper handling during or after transit. • Damages occurring after loading at our facility.

PRODUCTION & DELIVERY TIMELINE POLICY

1. Standard Stock Availability • We maintain regular stock of most fabricated kitchen equipment items in our warehouse. • Items marked "In Stock" in our catalogue are typically available for immediate dispatch upon receipt of payment.
2. Production Timelines for Made-to-Order Items : For items not currently in stock, standard production time is 15 working days from: • Date of order confirmation **AND** • Receipt of 100% advance payment. • This timeline includes manufacturing, quality checks, and dispatch preparation.
3. Factors Affecting Production Timelines : While we strive to meet the 15-working day standard, please note: • Force majeure events (natural disasters, strikes, etc.) may cause delays. • Peak season demand may impact production schedules.
4. Order Processing Procedure : (a). Upon order placement, we will: • Confirm stock availability within 24 working hours. • For out-of-stock items, provide written confirmation of the 15-working day timeline. (b) Production begins only after: • Full payment clearance.
5. Delivery Commitments : • Dispatch occurs immediately after production completion • Shipping timelines are separate from production timelines and depend on: • Client's chosen shipping method • Destination location.

CUSTOMIZATION POLICY

1. Standard Product Offering : At Barwhiz, we specialize in manufacturing high-quality, standardized kitchen equipment designed for optimal performance and value.
Key Features of Our Standard Products: • Proven designs tested for durability and efficiency • Immediately available from stock (subject to demand) • Most competitive pricing in the market • Reliable, repeatable quality .
2. Customization Policy : (a) General Stance on Customization: •We **do not accept** customization requests for individual orders. • All products must be ordered as per our standard catalogueSpecificationss. **(b) Exception for Bulk Orders :** Customization may be considered when: •Order quantity exceeds **100 units of the same item**. • Requested modifications are technically feasible. •Client agrees to extended production timelines.
3. Bulk Customization Process :
Step 1: Initial Inquiry: • Client submits detailed customization requirements. • Minimum 100-unit commitment must be confirmed.
Step 2: Feasibility Assessment: Our engineering team evaluates: • Technical viability. • Tooling requirements. • Impact on production schedules.
Step 3: Quotation & Timeline: •Custom pricing provided (typically 15-30% premium) • Production timeline established (minimum +50% standard time) •100% advance payment required.
Step 4: Production :•Client approves finalSpecificationss. • No changes permitted after production begins.
4. Why We Recommend Standard Sizes: • **Cost Efficiency:** No additional engineering/retooling costs. • **Faster Delivery:** Immediate availability from stock • **Proven Performance:** Reliable, tested configurations. • **Easy Replacement:** Standard parts simplify maintenance.
5. Limitations & Conditions : • All custom orders are final with no returns accepted • MOQ (100 units) is non-negotiable • Custom products may affect warranty terms.

BRANDS BY UNIQUE STEEL PRODUCTS

kitchenwhiz.in

KITCHENWHIZ – Engineering Culinary Spaces, From Concept to Completion. (Living Kitchens)

- Four Decades of Trust, Modern Excellence– A legacy brand with over 40 years of expertise, KITCHENWHIZ gained widespread recognition over the years by delivering high-quality, custom-built commercial kitchen equipment tailored to diverse culinary spaces.
- End-to-End Kitchen Solutions– Beyond manufacturing, KITCHENWHIZ offers full-scale consulting—covering design, project execution, MEP layouts, fabrication, installation, and equipment training—making it a one-stop partner for hotels, breweries, bars, cafés, restaurants, and bakeries.
- Uncompromising Quality & Design – Known for durable, modern designs with superior finishes, KITCHENWHIZ sets industry benchmarks in both functionality and aesthetics.
- India's Ultimate Kitchen Showcase– A 20,000 sq. ft. showroom featuring 100+ brands under one roof, complete with live demonstrations, ensuring customers make informed decisions with confidence.

BARWHIZ

BARWHIZ – Where Precision Meets Mixology.

- Cocktail Stations Built for Speed & Style– BarWhiz specializes in custom-designed, enabling bar tenders to dispense drinks with speed, blending international aesthetics with rugged durability for heavy-duty bar operations.
- Unmatched Finish & Craftsmanship– Engineered with premium materials, BarWhiz offers the finest finish quality in the Indian market, ensuring long-lasting, self-sufficient units that elevate any bar setup.
- Industry-Leading Innovation– The only brand in India with a showroom showcasing **10+ cocktail station designs**, BarWhiz pushes boundaries, challenging traditional bar layouts with cutting-edge concepts.
- End-to-End Bar Solutions– Beyond equipment, BarWhiz provides **consulting** for bar design, MEP layouts, manufacturing, installation, and service—plus a full range of bar furniture and essential tools.
- Community-Driven Brand– Collaborates with industry leaders and hosts events to engage the bar community, fostering trends, education, and networking.

HeatKO

HEATKO – Where Innovation Meets Culinary Precision.

- Premium Commercial Kitchen Equipment– HEATKO specializes in high-performance, heavy-duty cooking tools like Dimsum Steamers, Pasta Blanchers, Baine marie, Robata Grills, and IR Strip Heaters—designed for professional kitchens.
- Engineered for Excellence– Combining advanced technology and craftsmanship, HEATKO products deliver superior heat control, precision grilling, and optimal energy efficiency without compromising on durability.
- Safety & Sustainability Focus– Designed to minimize electrical load while maximizing safety, HEATKO ensures reliable, low-energy operation, making it an eco-conscious choice for modern kitchens.
- Sleek & Functional Design– Each unit is crafted to perform flawlessly while enhancing kitchen aesthetics, ensuring professional-grade results with a polished look.

USP ECO LINE

USP-ECOLINE – Affordable. Durable. Essential.

- Pure Stainless Steel, No Frills– Built entirely from high-quality stainless steel, ECOLINE offers sturdy, no-nonsense kitchen furniture—tables, racks, grease traps, and drain gratings—designed for long-lasting commercial use.
- Standard Sizes, Mass Appeal– Made in uniform dimensions for easy bulk procurement, catering to buyers who prioritize functionality over customization.
- Unbeatable Value for Money– Budget-friendly pricing without compromising on durability, making it ideal for cost-conscious businesses that refuse to pay a premium for basic essentials.
- Flat-Packed, DIY Assembly– Ships disassembled to cut logistics costs, with simple, tool-free installation—anyone can set it up using the included manual.
- Zero After-Sales, Built to Last– Designed for minimal maintenance and maximum longevity, ECOLINE eliminates the need for service support, keeping overheads low.



SHOWROOM

Our 20,000 sq. ft. showroom has a wide choice of equipment, both Indian and International, that can cater to any cuisine and any kind of food service. Many possibilities reside here. We welcome you to see for yourself.

KITCHEN WHIZ SINCE 1977 living kitchens™

HeatKo

BARWHIZ

USP ECO LINE

Unique Steel Products

235/E, Bommasandra Industrial Area, Phase 3, Bengaluru - 560099,

Karnataka, India

barwhizindia@gmail.com| 9902014700 | 9972807945