
USP Essentials


ECO LINE

“ Affordable, Durable, Essential. ”


uspecoline@gmail.com Uspecoline.in

SS DRAIN TROUGH GRATING







SS304 3mm Anti Slip Grating



Scrap collecting Basket





Drain Grating contain Bottom Trough with 100 Dia Pipe, Scrap Basket & Anti slip Grating




Specifications:

- Overall size (LxDxH): Refer Table.
- SS304 1.2mm (18G) Drain Trough.
- SS304 1.2mm (18G) Scrap Collecting Perforated Basket.
- SS304 3mm thick anti slip Grating.
- SS304 Ø100mmx75mm Pipe Drain Connector.

EQ Code	Overall Size (LxDxH) mm
DG11	300x300x (75+50)
DG21	600x300x (75+50)
DG31	900x300x (75+50)
DG41	1200x300x (75+50)
DG32	900x600x(75+50)
DG42	1200x600x(75+50)
DG: **D**rain **G**rating	

CORNER GUARD




Corner Guard L type




Top View



Corner Guard Step type



Top View







Specifications:


- Overall size (LxDxH): Custom Size.
- SS202 1.5mm (18G) Corner Panels .
- Corner Guards are mounted to the wall using screws.

EQ Code	Overall Size (LxDxH) mm
CGL4	50x50x1200
CGL8	50x50x2450
CGS4	85x85x1200
CGS8	85x85x2450
CG: Corner **G**uard**, L:L** type**, S:S**tep type	


SS GREASE TRAP







SS Baffle plate with 1 ½ inch
inlet & outlet pipe



Removable scrap collecting
Perforated basket with handle




Specifications:


- Overall size (LxDxH): Refer Table.
- SS304 1.2mm (18G) Body and Lid.
- SS304 1.0mm (20G) Baffle Plate & Perforated Basket.
- SS Ø38mm Inlet & outlet pipe.
- Holding Volume (Litres)/Flow Capacity(LPH): GT53H3 : 35 L / 550 LPH
  GT743 : 60 L / 850 LPH
  GT84H3H : 85 L / 1150 LPH

EQ Code	Overall Size (LxDxH) mm
GT53H3	500x350x300
GT743	700x400x300
GT84H3H	800x450x350
GT: **G**rease **T**rap	

SS WALL MOUNTING SHELF



2Tier



1 Tier


EQ Code	Overall Size (LxDxH) mm	EQ Code	Overall Size (LxDxH) mm
WS1T6	600x300x300	WS2T6	600x300x300
WS1T9	900x300x300	WS2T9	900x300x300
WS1T10H	1050x300x300	WS2T10H	1050x300x300
WS1T11H	1150x300x300	WS2T11H	1150x300x300
WS1T12	1200x300x300	WS2T12	1200x300x300
WS1T15	1500x300x300	WS2T15	1500x300x300
WS1T18	1800x300x300	WS2T18	1800x300x300
WS1T21	2100x300x300	WS2T21	2100x300x300
WS:**W**all **S**helf,**T**:**T**ier			




Specifications:

- Overall size (LxDxH): Refer Table.
- SS202 1.5mm (16G) Top panel with 300mm Side Fixing.
- For Length above 1200mm, middle stiffener will be provided with the shelf.

SS WALL MOUNTING PIPE SHELF




2Tier



1 Tier



SS Pipe



SS Hooks


EQ Code	Overall Size (LxDxH) mm		EQ Code	Overall Size (LxDxH) mm	
WPS1T6	600x300x300	Addon SS Hooks(**H**)	WPS2T6	600x300x300	Addon SS Hooks(**H**)
WPS1T9	900x300x300		WPS2T9	900x300x300	
WPS1T10H	1050x300x300		WPS2T10H	1050x300x300	
WPS1T11H	1150x300x300		WPS2T11H	1150x300x300	
WPS1T12	1200x300x300		WPS2T12	1200x300x300	
WPS1T15	1500x300x300		WPS2T15	1500x300x300	
WPS1T18	1800x300x300		WPS2T18	1800x300x300	
WPS1T21	2100x300x300		WPS2T21	2100x300x300	
WPS:**W**all **P**ipe **S**helf,**T**:**T**ier					



Specifications:

- Overall size (LxWxH): Refer Table.
- SS202 1.5mm (16G) Side 50mm Pali with Side Fixing.
- SS Shelf SS Ø25mm Pipe .
- For Length above 1200mm, middle stiffener will be provided.

MS STORAGE RACK





Corner Clamps for mounting racks



MS slotted L angle for shelf adjustment




EQ Code	Overall Size (LxDxH) mm
MSR94H	900x425x1800
MSR124H	1200x425x1800
MSR :**M**S **S**torage **R**ack	

Specifications:

- Overall size (LxDxH): Refer Table.
- MS coated 0.8mm (22G) Racks 5 No. with Stiffener Support.
- MS slotted L angle provided for adjustment of shelfs .
- The Storage Rack can be easy assembled and dismantled.

SS SOAK SINK TROLLEY




Specifications:

- Overall size (LxDxH): Refer Table.
- Volume:85L.
- 4-inch Caster wheels for mobility with front brakes.
- 3/4-inch Drain valve.

EQ Code	Overall Size (LxDxH) mm
SST6	600x600x700
SST: **S**ink **S**oaking **T**rolley	

SS PLATFORM TROLLEY





Specifications:

- Overall size (LxDxH): Refer Table.
- SS202 1.5mm (16G) Top sheet.
- SS 30x30 SQR Tube Frame.
- SS Handle SS Ø25mm Pipe.
- Castor wheel: 6 inch– 4 nos (2 with Brake).

EQ Code	Overall Size (DXH) mm
PT23	600X900X1050
PT:**P**latform **T**rolley	

SS UTILITY TROLLEY






Specifications:

- Overall size (LxDxH): Refer Table.
- Main Frame SS Ø 25mm Pipe .
- SS Handle SS Ø25mm Pipe.
- Stem type Castor wheel: 4 nos (2 with Brake).
- This model can be provided with 1 or 2 under shelf.


EQ Code	Overall Size (LxDxH) mm
UT7HU1	750x600x850+100
UT9U1	900x600x850+100
UT10HU1	1050x600x850+100
UT7HU2	750x600x850+100
UT9U2	900x600x850+100
UT10HU2	1050x600x850+100
UT: **U**tility **T**rolley,**U**:**U**ndershelf	

SS MASALA TROLLEY











Specifications:

- Overall size (LxDxH): Refer Table.
- Main Frame SS Ø 32 mm Pipe.
- Compatible for 1/6 GN – 6/ 9 Nos.
- SS Handle SS Ø25mm Pipe.
- Stem type Castor wheel: 4 nos (2 with Brake).
- This model can be provided with 1 or 2 undershelves.

EQ Code	Overall Size (LxDxH) mm
6MTSU1	450x600x850
6MTSU2	450x600x850
6MTMU1	450x700x850
6MTMU2	450x700x850
6MTLU1	450x750x850
6MTLU2	450x750x850
9MTMU1	600x700x850
9MTMU2	600x700x850
9MTLU1	600x750x850
9MTLU2	600x750x850
MT: **M**asala **T**rolley,**S**:**S**mall,**M**:**M**edium,**L**:**L**arge	

SS BATTER TROLLEY






Specifications:

- Overall size (LxDxH): Refer Table.
- Main Frame SS Ø 32 mm Pipe .
- Compatible for 9 L Kolga Bins:2/4 Nos.
- SS Handle SS Ø25mm Pipe.
- Stem type Castor wheel: 4 nos (2 with Brake).
- This model can be provided with 1 or 2 under shelf.

EQ Code	Overall Size (LxDxH) mm
2BTU1	450x600x850
4BTU1	600x600x850
BT: **B**atter **T**rolley,**U**:**U**ndershelf	

VEGETABLE STORAGE BIN (ONION,POTATO,GARLIC)




Specifications:

- Overall size (LxDxH): Refer Table.
- Top Foldable Lid SS202 1.2mm (18G).
- Leg SS Ø 50mm Pipe with Nylon Leg Bush.
- SS202 1.2mm (18G) Sliding Openable Panel.
- Outer Cover SS202 1.0mm (20G).

EQ Code	Overall Size (LxDxH) mm
VSBS	600x600x850
VSBM	750x750x850
VSB: **V**egetable **S**torage **B**in, **S**:**S**mall, **M**:**M**edium	

SS ATTA BIN





Specifications:

- Overall size (LxDxH): Refer Table.
- Lifting Openable Panel SS202 1.2mm (18G).
- Volume:116L.
- 4” Caster wheels for mobility.

EQ Code	Overall Size (LxDxH) mm
AB4H67	450x600x700
AB: **A**tta **B**in	

SS NACHO BIN








Specifications:

EQ Code	Overall Size (LxDxH) mm
NB557	500x500x700
NB: **N**acho **B**in	

- Overall size (LxDxH): Refer Table.
- Top Foldable Lid SS202 1.2mm (18G).
- Two compartments are provided using SS Partition.
- 4” Caster wheels for mobility.
- Volume:65L+65L.

SS CHARCOAL BIN






Specifications:

- Overall size (LxDxH): Refer Table.
- Top Foldable Lid SS202 1.2mm (18G).
- SS Ø 50mm Pipe with Nylon Leg Bush.
- SS202 1.2mm (18G) Sliding Openable Panel.


EQ Code	Overall Size (LxDxH) mm
CB66	600x600x850
CB7H7H	750x750x850
CB: Charcoal **B**in	

SS OVEN TABLE (CONVECTION / COMBI)



UOT67HT

Convection Oven



COT85GT


Combi Oven Table

Specifications:


- Overall size (LxDxH): Refer Table.
- Top Panel SS202 1.0mm (20G)
- Leg Frame SS Ø 50mm Pipe with Nylon Leg Bush.
- UOT67HT -460x330 Tray Compatible Tray holder SS202 1.5mm (16G) - 14 Nos.
- COT85GT -1/1 GN pan Compatible Tray holder SS202 1.5mm (16G) - 8 Nos
- Bottom Cross Support Frame SS Ø 25 mm Pipe.

EQ Code	Overall Size (LxDxH) mm
UOT67HT	600X700X850
COT8H8GT	850X800X750
CO:Combi **O**ven, **UO**:Unox **O**ven, **GT**:**GN** Tray, **HT**:**H**alf **T**ray	

DECK OVEN TABLE



DOT2T



DOT1T


100% STAINLESS STEEL


EQ Code	Overall Size (LxDxH) mm
DOT1T	1000x900x850
DOT2T	1350x900x850
DOT:**D**eck **O**ven **T**able,**T**:**T**ray	

Specifications:

- Overall size (LxDxH): Refer Table.
- Top Panel SS202 1.0mm (20G)
- Leg Frame SS Ø 50mm Pipe with caster wheels.
- Bottom Cross Support Frame SS Ø 25 mm Pipe.

BAKERY TABLE WITH TRAY SLOT AND ELECTRICAL SOCKET






100% STAINLESS STEEL

Specifications:

- Overall size (LxDxH): Refer Table.
- Top Panel SS202 1.0mm (20G).
- Undershelves SS202 1.0mm(20G).
- Leg Frame SS Ø 50mm Pipe with Caster wheels.
- 600x400 Compatible Tray holder. SS202 1.5mm (16G) -7 Nos.
- Model can be provided with Granite Top.

EQ Code	Overall Size (LxDxH) mm	Add on :Granite(**G**)
TTES4	1200x750x850	
TTES5	1500x750x850	
TTES: **T**able with **T**ray Slot and **E**lectrical **S**ocket		


VEGETABLE CRATE TROLLEY



Provision for Smaller crates
(500x500x200)

6-inch Nylon caster wheels


VTS



Provision for Smaller crates
(600x400x200)

Provision for Bigger crates
(600x400x320mm)

VTMULTI



Provision for Bigger crates
(600x400x320mm)

VTL




Specifications:

- Overall size (LxDxH): Refer Table.
- Castor wheel: 6 inch– 4 nos (2 with Brake).

EQ Code	Overall Size (LxDxH) mm
VTS	580x600x1640
VTMULTI	675x450x1815
VTL	675x450x1815
VT:Vegetable **T**rolley,**S**:**S**mall,**L**:**L**arge	


SS BAKERY/GN/COOLING TROLLEY

11GNT




SS Slider Channel compatible for 600x400 Bakery Tray and 1/1, 1/2, 1/3 GN Pan:16 Nos.

21GNT




SS Slider Channel compatible for 2/1 GN Pan


112GNT




SS Slider Channel compatible for 1/1 GN Pan



SS Sliding lock (up and Down slide)



SS Sliding back stopper (up and Down slide)



6-inch Castor Wheel Heavy Duty with front 2 Break


Specifications:

- Overall size (LxDxH): Refer Table.
- Main Frame SS 30x30 SQR Tube.
- SS Handle SS Ø25mm Pipe.
- Front Side Sliding Tray Lock Rod Assembly.
- Back Side Sliding Tray Lock Rod Assembly.
- Castor wheel: 6 inch– 4 nos (2 with Brake).


EQ Code	Overall Size (DXH) mm
11GNT	485X615X1830
21GNT	598x655x1735
112GNT	760x530x1735
GNT:GN Trolley	

SS/ALUMINIUM TRAY

OVEN TRAY




Full Tray:600x400x15




Half Tray:460x330x15

EQ Code	Overall Size (LxDxH) mm	
SSOTHT	460x330x15	Add on Perforation(**P**)
SSOTFT	600x400x15	
ALOTHT	460x330x15	
ALOTFT	600x400x15	
OT:Oven **T**ray,**HT:H**alf **T**ray,**FT:F**ull **T**ray,**SS:S**tainless **S**teel,**AL:Al**uminium		

BAKERY TRAY



Full Tray:600x400x40




Half Tray:460x330x40

EQ Code	Overall Size (LxDxH) mm	
SSBTH	460x330x40	Add on Perforation(**P**)
SSBTF	600x400x40	
ALBTH	460x330x40	
AlBTF	600x400x40	
OT:Oven **T**ray,**HT:H**alf **T**ray,**FT:F**ull **T**ray,**SS:S**tainless **S**teel,**AL:Al**uminium		


Specifications:

- Overall size (LxDxH): Refer Table.
- Tray can be made of Aluminium as well as Stainless Steel.

DUST BIN



Dust Bin with Lid - (DBL)




Dust Bin without Lid – (DB)

Specifications:

- Overall size (Dia x H): Refer Table.
- SS202 1.2mm (18G).
- Removable & Tiltable SS Top Lid.
- Castor Wheel 3 inch: 3 Nos.

EQ Code	Overall Size (Dia X H) mm
DBL	Ø400X700
DB	Ø400X700
DB: **D**ust **B**in, **L**:**L**id	

SS SKEWER SOAKING BIN




100% STAINLESS STEEL

Specifications:

- Overall size (LxDxH): Refer Table.
- Top Foldable Lid SS202 1.2mm (18G).
- 3-inch Caster wheels for mobility.
- Volume:35L.

EQ Code	Overall Size (LxDxH) mm
SSB256	250x250x700
SSB: **S**kewer **S**oaking **B**in	

WALL MOUNTING SKEWER HANGER WITH DRIP TRAY





Specifications:

- Overall size (LxDxH): Refer Table.
- SS202 2mm (12G) Wall mounting Brackets .
- SS Ø 20 mm Rod for Hanging Skewers.
- SS304 1.2 mm(18G) Detachable Drip Tray.


EQ Code	Overall Size (LxDxH) mm
WSH615	600x150x100
WSH915	900x150x100
WSH: **W**all Mounting **S**kewer **H**anger	

ATTACHMENT HOLDING RACK





SS Ø 6 mm Hooks




M8 Anchor Fastener Bracket


EQ Code	Overall Size (LxDxH) mm
AHR615	600x150x100
AHR: **A**ttachment **H**olding **R**ack	

Specifications:

- Overall size (LxDxH): Refer Table.
- 100x50x6 mm thick SS Flange with M8 Anchor Fastener Hole.
- SS 6mm Hook for hanging equipment accessories.

SS PALLET





EQ Code	Overall Size (LxDxH) mm	EQ Code	Overall Size (LxDxH) mm
SSP96	900x600	SSPP96	900x600
SSP11H6	1150x600	SSPP11H6	1150x600
SSP156	1500x600	SSPP156	1500x600
SSP97	900x700	SSPP97	900x700
SSP11H7	1150x700	SSPP11H7	1150x700
SSP157	1500x700	SSPP157	1500x700
SSP:**SS P**allet,**P**:**P**ipe			

Specifications:

- Overall size (DxH): Refer Table.
- SS202 1.2mm (18G) .
- Available with SS Sheet top or Pipe rack.

TERMS & CONDITIONS

PAYMENT

1. Payment Terms : • All orders must be paid 100% in advance before processing or dispatch. • No credit terms are extended under any circumstances. • Payment methods accepted: [List acceptable methods, e.g., Bank Transfer, Credit Card, UPI, etc.].
2. Order Confirmation & Processing : • Orders will be processed only upon receipt of full payment. • Delivery timelines will be communicated post-payment confirmation.
3. Return & Refund Policy :• No cash refunds will be issued under any circumstances. • In case of a valid return request (due to manufacturing defects or incorrect supply), a credit note will be issued for the invoice value. • The credit note can be used to purchase the same product or any other product from our catalogue within 6 months from the date of issue. • Return requests must be raised within 7 days of delivery, subject to inspection and approval.
4. Conditions for Returns : • Products must be unused, in original packaging, and with all tags intact. • Return shipping costs (if applicable) will be borne by the customer. • Manufacturing defects must be verified by the company before approval.
5. Exclusions : • Returns due to customer preference (e.g., change of mind) are not accepted. • Damages caused during transit (if not reported at the time of delivery) are not eligible for credit.
6. Governing Terms : • This policy is non-negotiable and applies to all customers uniformly. • Any disputes shall be subject to the jurisdiction of Bangalore Jurisdiction.

WARRANTY

1. Warranty Coverage: Unique Steel Products (USP-ECO LINE) ("the Company") provides a 12-month limited warranty on all item, valid from the **date of the original invoice**. This warranty covers **manufacturing defects** only and is applicable under normal use and service conditions.
2. Warranty Exclusions: The warranty **does not cover**: • Damage caused during transportation or improper handling. • Defects arising from misuse, negligence, unauthorized modifications, or improper installation. • Normal wear and tear, corrosion, or cosmetic damage not affecting functionality. • Equipment not installed, operated, or maintained as per guidelines.
3. Warranty Claim Process: • Replacement (Within 15 Days of Purchase): If a manufacturing defect is identified within **15 days of purchase**, the Company will provide a **free replacement** of the defective part or product, subject to inspection and approval. • **Repairs (After 15 Days):** For defects reported after 15 days but within the warranty period, the Company will **repair** the equipment at no cost. If repair is not feasible, a replacement may be provided at the Company's discretion.
4. Claim Submission : To file a warranty claim, the customer must: • Provide a copy of the original invoice. • Submit clear evidence (photos/videos) of the defect. •Return the defective product (if required) with transportation costs borne by the customer.
5. Resolution Timeframe : • Replacement claims will be processed within **15 working days** of approval. • Repair requests will be addressed within **30 working days**, subject to parts availability.
6. Limitation of Liability: The Company's liability under this warranty is strictly limited to the **repair or replacement** of the defective product. No compensation will be provided for indirect damages, lost profits, or operational delays.
7. Governing Terms: This warranty is **non-transferable** and applies only to the original purchaser. Any disputes shall be governed by the laws of Bangalore Jurisdiction.

For warranty claims or queries, contact:
USP-EcoLine
Customer Support Email: uspecoline@gmail.com
Service Centre Address : Unique Steel Products - KitchenWhiz, 235/E Bommasandra Industrial Area, Bangalore, Karnataka 560099

SHIPPING & LIABILITY POLICY

1. Shipping & Delivery Terms:•All prices quoted in our catalogue **exclude shipping/delivery charges**. • The client is responsible for **all shipping costs** associated with the order. • **Loading** of equipment at our facility will be handled by [Company Name]. • **Unloading and placement** at the client's location is the **client's responsibility**.
2. Transit Damages & Liability :•USP-Ecoline is **not responsible** for any damages incurred during transit. •Clients must **inspect shipments immediately upon delivery** and note any damages on the carrier's receipt before signing. • Any transit-related claims must be filed directly with the **transportation provider**.
3. Pricing Structure : (a) Catalogue prices include only: •Material costs •Standard packaging (b) **Exclusions from pricing**: • Shipping/delivery charges • Unloading, installation, or placement services • Any additional handling or on-site support.
4. Order & Delivery Process: (a). Client places order with 100% advance payment (as per payment policy). (b). USP-Ecoline confirms order and arranges loading for dispatch. (c). Shipping method and carrier will be selected based on client preference (costs borne by client). (d). Client must ensure proper unloading and placement arrangements at destination.
5. Client Responsibilities : •Arrange and pay for transportation.• Provide adequate manpower and equipment for safe unloading. • Verify quantity and condition of goods upon delivery. • Report any visible damages to the carrier immediately (before signing the delivery receipt).
6. Limitation of Liability : USP-Ecoline shall not be liable for: • Delays caused by shipping carriers. • Improper handling during or after transit. • Damages occurring after loading at our facility.

PRODUCTION & DELIVERY TIMELINE POLICY

1. Standard Stock Availability • We maintain regular stock of most fabricated kitchen equipment items in our warehouse. • Items marked "In Stock" in our catalogue are typically available for immediate dispatch upon receipt of payment.
2. Production Timelines for Made-to-Order Items : For items not currently in stock, standard production time is 15 working days from: • Date of order confirmation **AND** • Receipt of 100% advance payment. • This timeline includes manufacturing, quality checks, and dispatch preparation.
3. Factors Affecting Production Timelines : While we strive to meet the 15-working day standard, please note: • Force majeure events (natural disasters, strikes, etc.) may cause delays. • Peak season demand may impact production schedules.
4. Order Processing Procedure : (a). Upon order placement, we will: • Confirm stock availability within 24 working hours. • For out-of-stock items, provide written confirmation of the 15-working day timeline. (b) Production begins only after: • Full payment clearance.
5. Delivery Commitments : • Dispatch occurs immediately after production completion • Shipping timelines are separate from production timelines and depend on: • Client's chosen shipping method • Destination location.

CUSTOMIZATION POLICY

1. Standard Product Offering : At USP-Ecoline, we specialize in manufacturing high-quality, standardized kitchen equipment designed for optimal performance and value.
Key Features of Our Standard Products: • Proven designs tested for durability and efficiency • Immediately available from stock (subject to demand) • Most competitive pricing in the market • Reliable, repeatable quality .
2. Customization Policy : (a) General Stance on Customization: •We **do not accept** customization requests for individual orders. • All products must be ordered as per our standard catalogue specifications. **(b) Exception for Bulk Orders :** Customization may be considered when: •Order quantity exceeds **100 units of the same item**. • Requested modifications are technically feasible. •Client agrees to extended production timelines.
3. Bulk Customization Process :
Step 1: Initial Inquiry: • Client submits detailed customization requirements. • Minimum 100-unit commitment must be confirmed.
Step 2: Feasibility Assessment: Our engineering team evaluates: • Technical viability. • Tooling requirements. • Impact on production schedules.
Step 3: Quotation & Timeline: •Custom pricing provided (typically 15-30% premium) • Production timeline established (minimum +50% standard time) •100% advance payment required.
Step 4: Production :•Client approves final specifications. • No changes permitted after production begins.
4. Why We Recommend Standard Sizes: • Cost Efficiency: No additional engineering/retooling costs. • **Faster Delivery:** Immediate availability from stock • **Proven Performance:** Reliable, tested configurations. • **Easy Replacement:** Standard parts simplify maintenance.
5. Limitations & Conditions : • All custom orders are final with no returns accepted • MOQ (100 units) is non-negotiable • Custom products may affect warranty terms.

BRANDS BY UNIQUE STEEL PRODUCTS

kitchenwhiz.in

KITCHENWHIZ – Engineering Culinary Spaces, From Concept to Completion. (Living Kitchens)

- Four Decades of Trust, Modern Excellence– A legacy brand with over 40 years of expertise, KITCHENWHIZ gained widespread recognition over the years by delivering high-quality, custom-built commercial kitchen equipment tailored to diverse culinary spaces.
- End-to-End Kitchen Solutions– Beyond manufacturing, KITCHENWHIZ offers full-scale consulting—covering design, project execution, MEP layouts, fabrication, installation, and equipment training—making it a one-stop partner for hotels, breweries, bars, cafés, restaurants, and bakeries.
- Uncompromising Quality & Design – Known for durable, modern designs with superior finishes, KITCHENWHIZ sets industry benchmarks in both functionality and aesthetics.
- India's Ultimate Kitchen Showcase– A 20,000 sq. ft. showroom featuring 100+ brands under one roof, complete with live demonstrations, ensuring customers make informed decisions with confidence.

BARWHIZ

BARWHIZ – Where Precision Meets Mixology.

- Cocktail Stations Built for Speed & Style– BarWhiz specializes in custom-designed, enabling bar tenders to dispense drinks with speed, blending international aesthetics with rugged durability for heavy-duty bar operations.
- Unmatched Finish & Craftsmanship– Engineered with premium materials, BarWhiz offers the finest finish quality in the Indian market, ensuring long-lasting, self-sufficient units that elevate any bar setup.
- Industry-Leading Innovation– The only brand in India with a showroom showcasing **10+ cocktail station designs**, BarWhiz pushes boundaries, challenging traditional bar layouts with cutting-edge concepts.
- End-to-End Bar Solutions– Beyond equipment, BarWhiz provides **consulting** for bar design, MEP layouts, manufacturing, installation, and service—plus a full range of bar furniture and essential tools.
- Community-Driven Brand– Collaborates with industry leaders and hosts events to engage the bar community, fostering trends, education, and networking.

HeatKO

HEATKO – Where Innovation Meets Culinary Precision.

- Premium Commercial Kitchen Equipment– HEATKO specializes in high-performance, heavy-duty cooking tools like Dimsum Steamers, Pasta Blanchers, Baine marie, Robata Grills, and IR Strip Heaters—designed for professional kitchens.
- Engineered for Excellence– Combining advanced technology and craftsmanship, HEATKO products deliver superior heat control, precision grilling, and optimal energy efficiency without compromising on durability.
- Safety & Sustainability Focus– Designed to minimize electrical load while maximizing safety, HEATKO ensures reliable, low-energy operation, making it an eco-conscious choice for modern kitchens.
- Sleek & Functional Design– Each unit is crafted to perform flawlessly while enhancing kitchen aesthetics, ensuring professional-grade results with a polished look.

USP
ECO LINE

USP-ECOLINE – Affordable. Durable. Essential.

- Pure Stainless Steel, No Frills– Built entirely from high-quality stainless steel, ECOLINE offers sturdy, no-nonsense kitchen furniture—tables, racks, grease traps, and drain gratings—designed for long-lasting commercial use.
- Standard Sizes, Mass Appeal– Made in uniform dimensions for easy bulk procurement, catering to buyers who prioritize functionality over customization.
- Unbeatable Value for Money– Budget-friendly pricing without compromising on durability, making it ideal for cost-conscious businesses that refuse to pay a premium for basic essentials.
- Flat-Packed, DIY Assembly– Ships disassembled to cut logistics costs, with simple, tool-free installation—anyone can set it up using the included manual.
- Zero After-Sales, Built to Last– Designed for minimal maintenance and maximum longevity, ECOLINE eliminates the need for service support, keeping overheads low.



SHOWROOM

Our 20,000 sq. ft. showroom has a wide choice of equipment, both Indian and International, that can cater to any cuisine and any kind of food service. Many possibilities reside here. We welcome you to see for yourself.

KITCHEN WHIZ
SINCE 1977
living kitchens™

HeatKo

BARWHIZ

USP
ECO LINE

Unique Steel Products

235/E, Bommasandra Industrial Area, Phase 3, Bengaluru – 560099
Karnataka, India

uspecoline@gmail.com l 9902014700 l 9972807945