

✔ 1. Download the .deb file

Sharry publishes .deb packages in its **GitHub releases**.

Replace the version with the latest one (example: sharry-server_1.14.0_all.deb).

```
cd /tmp
wget https://github.com/eikek/sharry/releases/download/v1.14.0/sharry-server_1.14.0_all.deb
```

If you do not have wget:

```
sudo apt install wget -y
```

✔ 2. Install Java (Sharry requires Java ≥ 17)

```
sudo apt update
sudo apt install -y openjdk-17-jre
```

Check:

```
java -version
```

✔ 3. Install the .deb package

```
sudo dpkg -i sharry-server_1.14.0_all.deb
```

If there are missing dependencies:

```
sudo apt --fix-broken install -y
```

After installation:

- Config directory → **/etc/sharry**
 - Main config file → **/etc/sharry/sharry.conf**
 - Data directory → **/var/lib/sharry**
 - Systemd unit → **sharry.service**
-

✔ 4. Configure Sharry (Very Important)

Edit:

```
sudo nano /etc/sharry/sharry.conf
```

Here is a **working minimal config**:

```
sharry.restserver {
    base-url = "http://127.0.0.1:9090" # set to https://yourdomain.com if using a proxy

    bind {
        address = "0.0.0.0"
```

```
port = 9090
}

backend {
  auth {
    fixed {
      enabled = true
      user = "admin"
      password = "ChangeMeNow"
      order = 10
    }
  }
}

files {
  default-store = "filesystem"
  stores {
    filesystem {
      enabled = true
      directory = "/var/lib/sharry/files"
    }
    database {
      enabled = false
    }
  }
}
```

Create data directory (if not already created):

```
sudo mkdir -p /var/lib/sharry/files
sudo chown -R sharry:sharry /var/lib/sharry
```

✔ 5. Start + enable the service

Start:

```
sudo systemctl start sharry
```

Enable on boot:

```
sudo systemctl enable sharry
```

Check status:

```
systemctl status sharry
```

View logs:

```
journalctl -u sharry -f
```

✔ 6. Access Sharry

Open:

`http://YOUR-SERVER-IP:9090/app`

Login using:

- **User:** admin
- **Password:** ChangeMeNow

(You can later disable the fixed admin in the config.)

OPTIONAL — Reverse Proxy on HTTPS (Nginx)

If you want Sharry accessible on a normal domain with HTTPS:

Install Nginx:

```
sudo apt install nginx -y
```

Create config:

```
sudo nano /etc/nginx/sites-available/sharry
```

Paste:

```
server {  
    listen 80;  
    server_name yourdomain.com;  
  
    location / {  
        proxy_pass http://127.0.0.1:9090;  
        proxy_set_header Host $host;  
        proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;  
        proxy_set_header X-Forwarded-Proto $scheme;  
    }  
}
```

Enable:

```
sudo ln -s /etc/nginx/sites-available/sharry /etc/nginx/sites-enabled/  
sudo nginx -t  
sudo systemctl restart nginx
```

Then install HTTPS via Let's Encrypt:

```
sudo apt install certbot python3-certbot-nginx -y  
sudo certbot --nginx -d yourdomain.com
```

Update base-url in `/etc/sharry/sharry.conf`:

```
base-url = "https://yourdomain.com"
```

Restart Sharry:

```
sudo systemctl restart sharry
```