

Alacrity setup steps

kitevnn

1. Screenshot Preview




Figure 1: Screenshot Preview 1

2. How to Setup?

2.1 File Structure

```
└─ alacritty.toml
```

2.2 Installation

Use the following command to install it.

```
# install alacritty alacritty-bash-completion via zypper
#
# S | Name | Summary | Type
# ---+-----+-----+-----
# i+ | alacritty | A GPU-accelerated terminal emulator | Package
# i | alacritty-bash-completion | Bash Completion for alacritty | Package
zypper in alacritty alacritty-bash-completion # zypper install with sudo permission.

# git clone it.
git clone https://github.com/kitevnn/dotfiles

# setup configuration file
cd ~/.config
mkdir -p alacritty && cd alacritty

# and put alacritty.toml file manually here

# ok, done.
```

2.3 Package Version

As of now, if you are using SuSE Linux Leap 15.6 Beta instead of SuSE Linux Tumbleweed, you need to use **yml** instead of **toml** to configure alacritty. This is because the package of alacritty on SuSE Linux Leap 15.6 Beta (as of now) is v0.12, not the latest v0.13.

3. PostScript

PostScript

- This is my first repository submission on github, and I hope you could understand properly if there is anything unfriendly to you. I'm sorry.

Happy Use ! _(:3」 ∠)_