

Silverleaf Uniform Tracker

Planning & Design Report

Product	Silverleaf Uniform Tracker (silverleaf-uniforms)
Document type	Planning-week report — requirements understood, architecture and ERD agreed, diagrams included
Period	Week of 26 August 2026 (process meeting through design close)
Prepared by	Construction team — Mourine (platform), Geoffrey (desks), Irene (money)
Reviewed with	Nelly (parent / FIFO rules); operators Imani (store) and Loveness (tailoring) named on the map
Status	Design complete. Ready to enter Phase 1 — Foundation, Sprint 1 (Platform & map)
Decision recorded	Build the complete operations system (not a thin inventory-only slice)
Version	1.0 — 31 August 2026

This report includes the architecture diagrams as pictures so they display when the file is opened on WhatsApp, Slack, or Word.

Executive summary

Last week the team moved into the **initial planning and design** of a new school uniform management system. The work was to understand requirements, business rules, data structure, relationships between users and components, and how the system would operate — before writing product features.

We agreed:

1. **Who** — eight desks (Imani store, Loveness tailor, finance, CEO, campus admin, head teacher, principal, parent) and the role walls between them.
2. **Where** — five campuses (Usa River, Arusha Town / AM, Kijenge, Ilboru, Boma) and two warehouses (MAIN, Usa River shop). Kilizona is not in v1.
3. **What flows** — city buy and sewing into MAIN; Imani distributes; parents **order then pay** (FIFO by order date); campus staff issue paid kits; finance sees cost, sales, and a next-year size plan.
4. **Data** — one ERD covering parents, campuses, uniform requests, catalogue items (including tracksuits), inventory, materials (vitambaa / jora), student sizes, and system administration.
5. **Stack** — Next.js, Prisma, SQLite for build/demo, integer TZS, cookie sessions. Excel stays fallback until a campus is trained.

The rest of this report is that design, with diagrams. **Next steps and blockers at the end are Sprint 1 only** (Phase 1 Foundation — Platform & map). Later sprints are out of scope for this close-out.

Contents

1. What this week settled
2. Context — people and places
3. Roles picture
4. Software architecture
5. Network / physical architecture
6. Data architecture (ERD)

7. Workflows (orders, stock, distribution, pricing, sizes, reporting)
8. System administration and configuration
9. How the zones connect
10. SRS modules → tables → routes
11. Constraints locked this week
12. Next steps and blockers — **Sprint 1 only**

1. What this week settled

Decision: build the **complete** operations system (production, inventory, parent FIFO, distribution, money, year-end plan) — not a thin inventory slice.

Replacing: Google Sheets / Excel (Master sheet + 2026 Uniform Analysis). Excel stays fallback until a campus is trained; the app is then the record.

Spine of the process (from the meeting + system map):

Stock in → parents order online → campuses receive → finance plans next year




Figure 1

People named on the map: Imani (store & distribution), Loveness (tailoring + Usa River shop), Nelly (parent FIFO rules), campus admins & head teachers, finance.

Campuses (five): Usa River, Arusha Town (AM), Kijenge, Ilboru, Boma. Kilizona is on an older sheet only — **not** in v1.

2. Context — the system among people and places




Figure 2

3. Roles picture

This is the roles picture from the system map, mapped onto the eight `User.role` values in the schema.




Figure 3

3.1 Who sits where

Role	Named / pattern	Bound to campus?	What they see
STORE	Imani	No	Whole network stock; every request; every DN
TAILOR	Loveness	Usa River	MAIN + SHOP_USA; sewing + cloth
FINANCE	Finance desk	No	Money, plan, year, payments
CEO	Leadership	No	Briefing / reports (read-only)
ADMIN	Usa River, AM administrators	Yes — that campus	Own campus stock, orders, requests, DNs in
HEAD_TEACHER	Kijenge, Boma, Ilboru	Yes — that campus	Same as ADMIN, for Mbegu campuses

Role	Named / pattern	Bound to campus?	What they see
PRINCIPAL	Campus / school leadership	Yes — that campus	Read-only campus view
PARENT	Guardian	Via family ↔ students	Own children's orders only

Campus request rights are **not** “any staff at any site”:

- ADMIN may request only for **USA** and **AM**
- HEAD_TEACHER may request only for **KIJENGE, ILBORU, BOMA**

That is `Campus.requestBy` plus `canRequestForCampus` in code.

3.2 Role × screen (staff console)

Matches `src/lib/roles.ts`. Parents never enter `/(app)`.




Figure 4

Route	STORE	TAILOR	FINANCE	CEO	ADMIN	HT	PRINCIPAL	PARENT
/desk	•	•	•	•	•	•	•	
/stock	•	•			•	•	•	
/orders	•		•	•	•	•	•	
/requests	•				•	•		
/distribution	•				•	•	•	
/purchase-orders	•		•					
/sewing /slm	•	•						
/finance	•		•	•				
/sizes /analytics	•		•	•				
/reports	•		•	home	•	•	•	
/parent								home
/coupon print	•				•	•		
/delivery-note print	•				•	•	•	

CEO home is `/reports`. Finance home is `/finance`. Everyone else on staff lands on `/desk`.

3.3 Visibility walls (server-side)

Role walls are not only nav pills — queries are scoped in `src/lib/visibility.ts`.






Figure 5

4. Software architecture

4.1 Containers




Figure 6

Layer	Choice	Why
App	Next.js App Router + TypeScript	Same family as Shule One; staff desks + parent portal
UI	React + Tailwind	Fast tables; no extra design system
Data	Prisma + SQLite in demo	db:setup reseeds; swap URL to PostgreSQL for production
Auth	Cookie <code>slu_session</code> , 7 days	Role on the token; walls in middleware + <code>requireUser</code>
Money	Integer TZS	Matches the sheets; no floats
Print	Dedicated print routes	Coupon + delivery note

Not in v1: live Lipa API, barcodes, merge into Shule One.

4.2 Folder map (what talks to what)

```

src/app/
  login/                public
  (app)/                staff – role-scoped
    desk/ stock/ orders/ requests/ distribution/
    purchase-orders/ sewing/ slm/ finance/
    sizes/ analytics/ reports/ alerts/ audit/ train/
  (parent)/parent/      guardian – online order + FIFO
  (print)/coupon/        printable coupon
  (print)/delivery-note/ printable DN
src/actions/            mutations (orders, stock, DNs, POs, sewing, plan)
src/lib/                 roles, visibility, stock ledger, sheet-math, money
prisma/schema.prisma    ERD

```

4.3 Write path (every stock-changing action)




Figure 7

Stock is never updated by overwriting a cell. Every receive, sew-in, transfer, DN, parent issue, and adjust goes through `applyMove` (`src/lib/stock.ts`).

5. Network / physical architecture

Five campuses, **two warehouses**, plus **one store per campus**. City goods and sewn goods land in MAIN first.




Figure 8

Location code	Kind	Campus	Who operates it
MAIN	WAREHOUSE	—	Imani (receive, DN); Loveness (sew-in)
SHOP_USA	SHOP	Usa River	Loveness; Imani may transfer in and DN from here
CAMPUS_USA	CAMPUS	Usa River	Usa admin issues to parents
CAMPUS_AM	CAMPUS	Arusha Town	AM admin
CAMPUS_KIJENGE	CAMPUS	Kijenge	Head teacher
CAMPUS_ILBORU	CAMPUS	Ilboru	Head teacher
CAMPUS_BOMA	CAMPUS	Boma	Head teacher

Hard rules

- Purchase-order goods receipt is **into MAIN only**, then optional transfer to the shop.
- A DN may leave **MAIN or SHOP** — never a campus store (`distribution.ts`).
- Only **STORE** creates distributions.
- Parent issue decrements the location that actually hands over the kit (campus store, shop, or MAIN).

6. Data architecture

Source of truth: [prisma/schema.prisma](#) . The compact ERD in GOING-FORWARD is the same model; the diagrams below split it so each subject area is readable, then show the full relationship set.

Grain reminder: one catalogue row is a **SKU** (e.g. polo `PT1`). Stock is **SKU + size + location**, not one SKU per physical shirt.

6.1 Physical flow vs tables




Figure 9

6.2 Organisation, people, students

Parents are not a special table — a **User** with **role = PARENT** belongs to a **Family**. Staff **User** rows optionally bind to one **Campus**.




Figure 10

Entity	Purpose
Campus	Five sites. <code>code</code> USA / AM / KIJENGE / ILBORU / BOMA. <code>requestBy</code> = ADMIN vs HEAD_TEACHER
Location	<code>MAIN</code> , <code>SHOP_USA</code> , or <code>CAMPUS_*</code> . <code>kind</code> WAREHOUSE / SHOP / CAMPUS
User	Desk login: <code>role</code> , optional <code>campusId</code> , optional <code>familyId</code> , <code>active</code>
Family	Groups parent users with students (siblings)
Student	Unique <code>regNo</code> (e.g. <code>SLA/UR/2023/312</code>) hydrates class, gender, campus
CampusEnrolment	Expected headcount by campus + year + class — input to the buy plan

6.3 Catalogue, sizes, recipes




Figure 11

Entity	Purpose
Sku	Catalogue item: code, name, colour, kind SCHOOL / BOARDING, gender, buyTzs , sellTzs , reorder point
SkuSize	Allowed sizes on that SKU (18–38; S/M plus numbers on tracksuits)
SizeFit	Which size fits which class + gender for a garment — drives required qty onto real sizes
GarmentRecipe	Metres/cm of jora or fabric each SKU+size needs

Day vs boarding colourways (seed / parent form)

Code	Name	Kind	Sell TZS	Buy TZS
SS1	Navy sweater	SCHOOL	25,000	18,000
PT1	Light-blue polo	SCHOOL	15,000	11,000
RT2	Yellow round-neck	SCHOOL	10,000	6,000
TS1	Light-blue tracksuit	SCHOOL	30,000	22,000
GS1	Grey skirt / trouser (girl)	SCHOOL	30,000	20,000
BT1	Grey trousers (boy)	SCHOOL	30,000	20,000
BSS1 / BPT1 / BRT2 / BTS1	Boarding grey / red / black	BOARDING	same sell	same buy

Pack per child (sheet math): day = PT1×2, SS1×1, RT2×1, TS1×1, GS1×1 (girl) or BT1×1 (boy). Boarding = BPT1×2, BSS1 / BRT2 / BTS1 ×1.

6.4 Inventory ledger




Figure 12

Entity	Purpose
StockBalance	Qty on hand. Unique (locationId, skuId, size)
StockMove	Immutable ledger line: signed qty, reason, ref, note, createdAt

Move reasons (MOVE_REASONS)

Reason	Sign at location	When
RECEIVE	+ MAIN	PO goods in
SEW_IN	+ MAIN (or job location)	Sewing job completed
TRANSFER_OUT / TRANSFER_IN	- source / + dest	MAIN → SHOP_USA
DISTRIBUTE	- MAIN or shop / + campus store	Imani DN
PARENT_ISSUE	- issuing location	Kit handed over
ADJUST	±	Correction; still cannot go below zero

applyMove refuses any post that would make on-hand negative.

6.5 Parent demand — order, pay, issue




Figure 13

Entity	Purpose
ParentOrder	Coupon. <code>orderedAt</code> is the FIFO key . Status ORDERED → PAID → PARTIAL / FULFILLED
ParentOrderLine	SKU, size, qty, <code>unitTzs</code> (sell price snapshot), <code>issued</code> so far
Payment	Second step. Channel CASH / LIPA / UNIFORM_ACCOUNT. Partial amounts allowed; kit issue waits until paid in full
ParentIssue	Hand-over event. Supports Received all / Received few

FIFO: queue position is earlier unpaid-or-unfulfilled orders by `orderedAt` ascending. Payment date does **not** jump the line. Nelly's rule: **order first, then pay**.

PARTIAL on the order means **some pieces issued**, not a part-payment.

6.6 Campus request and distribution




Figure 14

Entity	Purpose
CampusRequest	Admin/HT ask. Status OPEN / FULFILLED / CANCELLED. Lines: SKU, size, qty, <code>neededBy</code>
Distribution	Delivery note. STORE only. Optional link to a request. <code>receiver</code> name on the DN
DistributionLine	What moved

Posting a DN writes two `StockMove` rows (out of source, into campus store) and marks the request FULFILLED when linked.

6.7 Buying, SLM, money, year plan




Figure 15

Entity	Purpose
Supplier	City vendors (from master pricing sheet)
PurchaseOrder	DRAFT → SENT → PARTIAL → CLOSED. Receive into MAIN
PurchaseOrderLine	SKU, size, qty, unitTzs (buy), received
MaterialBatch	Cloth/jora bought: qty , remaining ,unit, unitCostTzs
SewingJob	Loveness daily: expected vs actual, QUEUED → IN_PROGRESS → DONE
Expense	Supplier invoices, tailor labour, materials
Budget	Year allocation vs committed POs vs actual receive
YearEndSnapshot	Frozen issued / stock left / revenue / cost by year + campus + SKU + size
SizeForecast	Next-year suggested buy (method from OVERALL sheet math, not a guess)
AuditEvent	Who touched stock, pay, distribute, PO receive

Budget and AuditEvent are standalone (no FK to Campus / User). Expense . campusId is optional and not a Prisma relation.

6.8 Full relationship set (one diagram)

Same core as GOING-FORWARD §4, with Family and the money/plan tables the live schema actually has.




Figure 16

7. Workflows

7.1 Parent uniform request — order, FIFO, pay, collect

Nelly: **order precedes payment**. Fulfilment order is `orderedAt`, not who paid first and not who shouts first.




Figure 17




Figure 18

Stock availability at issue: `applyMove` with `PARENT_ISSUE` fails if that location+SKU+size would go negative. Partial issue is allowed (`issued` on the line vs `qty`).

Who may write orders / take pay / issue:

Action	STORE	FINANCE	ADMIN / HT	PARENT
Place order	•		• (own campus)	• (linked child)
Record payment	•	•	•	
Issue kit	•		• (own campus store)	

STORE may issue from MAIN, SHOP_USA, or the order's campus store. Campus desks issue only from their own campus store.

7.2 Campus request → Imani assigns / distributes

Usa River and AM **admins** request; Kijenge, Boma, Ilboru **head teachers** request. Imani sees **one queue** of open requests and is the only person who creates a DN.




Figure 19




Figure 20

7.3 Inventory in — city buy and shop transfer




Figure 21




Figure 22

City purchases **must** receive into MAIN first. Transfer to the shop is a separate movement. Cost lives on `PurchaseOrderLine.unitTzs` and related `Expense` rows.

7.4 SLM — materials, sewing, ready-made




Figure 23

Student size collection (**SizeFit** + parent order sizes + optional sewing-tracker notes) feeds **what** Loveness should queue, and later the **buy plan** — not a separate inventory of children.

7.5 Pricing, sales, profit




Figure 24

- Catalogue prices can be updated on the SKU; a coupon **keeps** the **unitTzs** from order time.
- Payment channels: cash, Lipa, uniform account (ref stored; no live API).
- Finance views: network and campus; budget vs committed POs vs actual receive.
- Sewing P&L (sheet): city-buy replacement – (jora + labour) = saved.

7.6 Size collection, availability, reporting, next-year buy




Figure 25

Do **not** forecast with `issued × 1.1` or invented size shares. Refresh buy plan writes `SizeForecast` from `loadOverallPlan` only (`docs/source/EXCEL-IMPORT.md`).

Reports the desks actually use

Surface	Audience	Content
<code>/stock</code>	Imani, Loveness, campus	On-hand by location + SKU + size; low-stock vs reorder
<code>/orders</code>	Imani, finance, campus	Coupons, FIFO, paid vs waiting
<code>/alerts</code>	Store	Low sizes, cloth shortfall
<code>/finance</code>	Finance, STORE, CEO	Budget, spend, sales, profit
<code>/sizes</code>	Finance, STORE, CEO	Class fit, OVERALL buy plan, draft PO
<code>/analytics</code>	Finance, STORE, CEO	Year-end issued / leftover / margin
<code>/reports</code>	CEO + campus leadership	Kit coverage briefing (campus drill-in for admin/HT)
<code>/audit</code>	STORE, FINANCE, CEO	Who touched stock, pay, DN, PO receive

8. System administration and configuration

The Excalidraw “system admin → configs” zone maps to data, not a separate product.



Figure 26

Admin concern (map)	Where it lives
Pin campuses; admin vs HT	Campus + seed
Desk login; deactivate user	User.active ; M1-F01
Update stock and prices	Sku.sellTZs / buyTZs ; stock via ledger not a raw edit
Manage suppliers	Supplier
Staff notifications	Kit-ready / WhatsApp from the orders desk (v1: copy/link, not a gateway)
Purchases & sales log	StockMove + Payment + /audit

9. End-to-end: how the zones connect

Same legend as the Excalidraw board: mint = supply, pink = sewing, blue = parents & campuses, yellow = money.




Figure 27

10. SRS modules → tables → routes

SRS	Module	Core tables	Staff route
M1	Platform & roles	User, AuditEvent	/login , /audit , /train
M2	Campuses & warehouses	Campus, Location	/desk
M3	Catalogue	Sku, SkuSize	/stock , /parent
M4	Stock ledger	StockBalance, StockMove	/stock , /alerts
M5	Parent portal & FIFO	ParentOrder, ParentOrderLine, Student, Family	/parent , /orders
M6	Payments & profit	Payment, Expense, Budget	/finance
M7	Campus requests	CampusRequest, CampusRequestLine	/requests
M8	Distribution & DNs	Distribution, DistributionLine, ParentIssue	/distribution , /delivery-note
M9	Purchase orders	Supplier, PurchaseOrder, PurchaseOrderLine	/purchase-orders
M10	Demand & size analytics	SizeFit, YearEndSnapshot, SizeForecast, CampusEnrolment	/sizes , /analytics
M11	Sewing / SLM	SewingJob, MaterialBatch, GarmentRecipe	/sewing , /slm
M12	Printables	(views over Order / Distribution)	/coupon , /delivery-note

11. Constraints the diagrams assume

These are the rules this week locked. Diagrams that contradict them are wrong.

1. **Five campuses only** — Usa River, AM, Kijenge, Ilboru, Boma.
2. **All city purchases land in MAIN first.**
3. **Only Imani (STORE) initiates campus distribution.**
4. **Parent order before payment.** FIFO is `orderedAt` ascending.
5. **Cannot fulfil unpaid lines.** Issue waits until paid in full; `PARTIAL` means partial kit, not partial pay.
6. **Cannot issue more than on-hand** at that location+SKU+size.
7. **Admins request for USA/AM; head teachers for Kijenge/Boma/Ilboru.**
8. **Campus desks see their campus only.** STORE / FINANCE / CEO see the network. TAILOR sees MAIN + shop.
9. **Amounts are integer TZS.**
10. **Role walls are enforced server-side** (middleware + `requireUser` + query `where`).
11. **Excel is the import snapshot**, not the live ledger after a campus is trained.
12. **No live Lipa API, no barcodes, no Shule One merge, no Kilizona** in this architecture.

12. Next steps and blockers — Sprint 1 only

This report closes **planning**. The phased plan is eight one-week sprints. **This close-out commits only to Sprint 1.** Sprint 2 (catalogue & stock) and later phases are not next steps here.

Phase 1 — Foundation has two sprints. We enter the first:

Phase	1 — Foundation
Sprint	1 — Platform & map
Length	One week · six day-sized tasks · two per person (A holds the schema extra)
Goal	Campuses, warehouses, roles, and a home desk that matches the system map — so every named operator can log in and see the right wall
Not this sprint	Catalogue SKUs, stock ledger UI, parent FIFO, DNS, POs, sewing, analytics




Figure 28

12.1 Sprint 1 next steps

Three streams. Mourine owns Prisma — Geoffrey and Irene consume it; no forked models.




Figure 29

Dates on the chart assume Sprint 1 starts **Monday 31 August 2026** (report date). Shift them if the calendar slides; the **task order** does not change.

ID	Owner	Next step	Done when
TASK-001	A Mourine	Prisma schema: <code>Campus</code> , <code>Location</code> , <code>User</code> +roles	Five campus codes and MAIN + SHOP_USA are in the model; <code>prisma generate</code> succeeds
TASK-002	A Mourine	Session auth + role nav matching the roles picture (section 3)	Login sets <code>httpOnly</code> cookie; unknown role cannot open STORE routes; logout clears session; session lasts 7 days
TASK-003	A Mourine	Seed five campuses, two warehouses, named desks	Imani, Loveness, finance, two admins, three HTs, one parent; password <code>Silverleaf@2026</code> ; <code>npm run db:setup</code> can re-run after reset
TASK-004	B Geoffrey	Home desk that mirrors Tailoring → Inventory → Distribution → Campuses	STORE and TAILOR see the four-stage map with counts or links; stages match the process map
TASK-005	B Geoffrey	Finance and campus views as separate landings	FINANCE lands on costs/budget summary; ADMIN/HT land on their campus only ; PARENT does not see staff nav
TASK-006	C Irene	README + <code>npm run db:setup</code> smoke	README lists demo accounts; docs linked; <code>db:setup</code> documented; TZS helper in place for later money screens

Sprint 1 sequence (dependency, not preference)




Figure 30

Sprint 1 definition of done

1. Each of the six tasks meets the acceptance column above.
2. A person can log in as Imani, Loveness, finance, one Usa/AM admin, one Mbegu HT, and a parent — and each sees a different home.
3. Excel remains the live operations tool this week; the app is a **shell with real campuses and roles**, not stock movement yet.
4. Friday demo on those desks. No Sprint 2 work is pulled forward.

Demo accounts (seed target for TASK-003)


Desk	Email	Role
Imani	imani@silverleaf.ac.tz	STORE
Loveness	loveness@silverleaf.ac.tz	TAILOR
Finance	finance@silverleaf.ac.tz	FINANCE
Usa River admin	usa.admin@silverleaf.ac.tz	ADMIN
Arusha Town admin	am.admin@silverleaf.ac.tz	ADMIN
Kijenge / Boma / Ilboru HT	kijenge.ht@ / boma.ht@ / ilboru.ht@silverleaf.ac.tz	HEAD_TEACHER
Parent	parent@silverleaf.ac.tz	PARENT

Shared demo password: `Silverleaf@2026` .

12.2 Sprint 1 blockers (phased — what would stop this week)

These are the blockers we would have to clear **before or during Sprint 1**. They are not Sprint 2–8 issues.

#	Blocker	Why it stops Sprint 1	Who unblocks	If it stays blocked
B1	Campus list not signed (five vs Kilizona on an older sheet)	TASK-001/003 cannot freeze <code>Campus . code</code> or seed locations	Product / Paul	Do not seed a sixth campus. Default remains USA, AM, KIJENGE, ILBORU, BOMA
B2	Roles picture not signed (section 3)	TASK-002 nav and TASK-005 landings will be ripped out	Team + Nelly on parent	Freeze the eight roles in this report; extra desks go to a later note, not Sprint 1
B3	Who may request stock (admin vs head teacher by campus)	Seed <code>User . campusId</code> and <code>Campus . requestBy</code> are wrong	Meeting rule already in SRS	ADMIN → Usa + AM only; HEAD_TEACHER → Kijenge, Ilboru, Boma
B4	Named operators missing emails (Imani, Loveness, finance)	TASK-003 has nothing to seed	Ops	Use the <code>@silverleaf.ac.tz</code> accounts in the table above until HR confirms
B5	Prisma not owned by one person	Geoffrey/Irene fork models; home desk binds to the wrong Campus	Mourine (stream A)	TASK-004/005 wait on TASK-001. No parallel schema
B6	TASK-001 late	Auth, seed, and UI have no tables	Mourine	B and C idle on schema-dependent work; Irene can still draft README copy
B7	Node 20+ / AUTH_SECRET / SQLite path not on laptops	<code>db : setup</code> and login fail; Friday demo dies	Irene + Mourine	Document in TASK-006 on day 1, not day 5
B8	Home map disagrees with the process drawing	TASK-004 acceptance is “matches the system map stages”	Geoffrey vs map in section 1	Stages are Tailoring → Inventory → Distribution → Campuses. Do not invent a fifth stage
B9	Pressure to build stock or catalogue this week	Sprint 1 scope explodes; roles/nav slip	Team lead	Catalogue is Sprint 2. This sprint is login, campuses, warehouses, map
B10	Parent seeing staff nav	TASK-005 fails; role wall is the whole point of Sprint 1	Geoffrey after TASK-002	PARENT home is <code>/parent</code> only — even if that page is a stub
B11	Excel still the live ledger	Confusion over “is the app source of truth yet?”	Whole team	Not a code blocker. Decision: Excel stays live through Sprint 1. App is the shell
B12	Shared demo password not agreed	Cannot smoke six desks	Irene	Use <code>Silverleaf@2026</code> from this report






Figure 31

Sprint 1 exit criteria (blockers cleared)

- B1–B4 signed (this report is the proposed sign-off).
- B5–B6 held: one Prisma, schema before UI.
- B7 and B12: any laptop on the team can run `npm run db:setup && npm run dev` and log in.
- B8–B10: map and role walls match sections 1 and 3.
- B11: nobody treats Sprint 1 screens as the inventory of record.

If Friday's demo cannot log in the five desks (store, tailor, finance, one admin, one HT) plus a parent stub, **Sprint 1 is not done**. We do not open Sprint 2 from this report.

End of report. Diagrams in sections 1–11 are the design of record for this planning week.